



## TULSIANI-SUMER ASSOCIATES

BUILDERS & DEVELOPERS

Date: 14/11/2017

To,

Ministry of Environment and Forest,  
Climate Change, Regional Offices (WCZ),  
Ground Floor East Wing,  
New Secretariat Building,  
Civil Line, Nagpur -440001

**Sub :** Six month compliance submission as per Terms & Conditions stipulated in Environmental Clearance for construction of Proposed project "Sahar Plaza" located at plot no 179A to H (new CTS no) of village Mulgaon & CTS no 243/A, 243A/1, 230/A, 230/B, 230/C & 230/D (new CTS no) & 238/B of village Kondivita of M.V. Road, Andheri (E), Mumbai.

**Ref. No. :** SEAC-2013/CR-185/TC-1, Dated: 10<sup>th</sup> December, 2014.

Respected Sir/ Madam,

In reference to the above referred letter of your highly revered office we would like to submit the Current Status of our construction work and Point wise compliance status to various stipulations laid down by the Ministry in its Clearance letter No. SEAC-2013/CR-185/TC-1 Dated: 10<sup>th</sup> December, 2014 along with the necessary annexure.

This compliance report is submitted, for the period from April 2017 to September 2017.

This is for your kind consideration and records. Kindly acknowledge the same.

Thanking you,

With warm regards,

For TULSIANI SUMER ASSOCIATES

Authorized Signatory

**Encl:** Part A: Current Status of Construction Work.  
Part B: Point wise compliance status.  
Part C: Annexure.

Copy to Regional Office, Govandi, Mumbai  
Department of Environment Mantralaya, Mumbai

SP THANE R S (400601)  
GSTN No: Z7AAAG510ZZD1ZU  
EIN: 27AAG51022D1ZU  
Counter No: 3, UP-Code: KNN  
To: MIN ENVIRONMENT, DEPT FOREST  
NAGPUR, PIN: 440001  
From: ULTRA TECH ENVIRONMENTAL CON, THANE  
Wt: 326grams, 15/11/2017, 18:16  
Amt: 71.00  
POST 057 5.5 SOST 057 5.50





**TULSIANI-SUMER ASSOCIATES**  
BUILDERS & DEVELOPERS

Date: 14/11/2017

To,

**Environment Department Government of Maharashtra,  
Regional Office,  
2<sup>nd</sup> Floor, New Administrative Building,  
Madam Cama Road,  
Mantralaya, Mumbai - 400032**

**Sub : Six month compliance submission as per Terms & Conditions stipulated in Environmental Clearance for construction of Proposed project " Sahar Plaza" located at plot no 179A to H (new CTS no) of village Mulgaon & CTS no 243/A, 243A/1, 230/A, 230/B, 230/C & 230/D (new CTS no) & 238/B of village Kondivita of M.V. Road, Andheri (E), Mumbai.**

**Ref. No. : SEAC-2013/CR-185/TC-1, Dated: 10<sup>th</sup> December, 2014.**

Respected Sir/Madam,

In reference to the above referred letter of your highly revered office we would like to submit the Current Status of our construction work and Point wise compliance status to various stipulations laid down by the Ministry in its **Clearance letter No. SEAC-2013/CR-185/TC-1 Dated: 10<sup>th</sup> December, 2014** along with the necessary annexure.

This compliance report is submitted, for the period from **April 2017 to September 2017.**

This is for your kind consideration and records. Kindly acknowledge the same.

Thanking you,

With warm regards,

For **TULSIANI SUMER ASSOCIATES**

**Authorized Signatory**

**Encl:** Part A: Current Status of Construction Work.  
Part B: Point wise compliance status.  
Part C: Annexure.

**Copy to Regional Office, MoEF Nagpur  
Regional Office Govandi, Mumbai**

15-11-17  
आवक लिपिक  
पर्यावरण विभाग  
मंत्रालय, मुंबई-३२.



## TULSIANI-SUMER ASSOCIATES

BUILDERS & DEVELOPERS

Date: 14/11/2017

To,

**S.R.O. Mumbai-I,**  
201-202, Raikar Chambers,  
Govandi Station Road, near Jain Temple,  
Govandi, Mumbai 400 088.

**Sub :** Six month compliance submission as per Terms & Conditions stipulated in Environmental Clearance for construction of Proposed project "Sahar Plaza" located at plot no 179A to H (new CTS no) of village Mulgaon & CTS no 243/A, 243A/1, 230/A, 230/B, 230/C & 230/D (new CTS no) & 238/B of village Kondivita of M.V. Road, Andheri (E), Mumbai.

**Ref. No. :** SEAC-2013/CR-185/TC-1, Dated: 10<sup>th</sup> December, 2014.

Respected Sir/Madam,

In reference to the above referred letter of your highly revered office we would like to submit the Current Status of our construction work and Point wise compliance status to various stipulations laid down by the Ministry in its Clearance letter No. SEAC-2013/CR-185/TC-1 Dated : 10<sup>th</sup> December, 2014 along with the necessary annexure.

This compliance report is submitted, for the period from April 2017 to September 2017.

This is for your kind consideration and records. Kindly acknowledge the same.

Thanking you,

With warm regards,

For TULSIANI SUMER ASSOCIATES

**Authorized Signatory**

**Encl:** Part A: Current Status of Construction Work.  
Part B: Point wise compliance status.  
Part C: Annexure

**Copy to Regional Office, MoEF Nagpur**  
Department of Environment Mantralaya, Mumbai

882  
15/11/17  
**REGIONAL OFFICE, MUMBAI**  
MARARASHTRA POLLUTION CONTROL BOARD,  
RAIKAR CHAMBERS, "A" WING, 216, 2ND FLOOR,  
DEONAR GACHN ROAD, NEAR JAIN MANDIR,  
GOVANDI (E), MUMBAI - 400088

## INDEX

NO.	PARTICULARS
1.	Part A: Current Status of Work
2.	Part B: Point Wise Compliance Status
3.	Datasheet
4.	Annexures
Annexure – 01	Occupation Certificate
Annexure – 02	Environmental Clearance
Annexure – 03	Commencement Certificate
Annexure – 04	NOC from CFO
Annexure – 05	Civil Aviation Certificate
Annexure – 06	Layout Plan
Annexure – 07	DP remarks
Annexure – 08	Consent To Establish
Annexure –09	Health Screening Report
Annexure –10	Debris NOC
Annexure –11	Monitoring report of Ambient Air, Noise, DG stack, STP Inlet –Outlet, Ground water and Soil.
Annexure –12	PUC Certificate
Annexure –13	Structural Stability certificate
Annexure –14	Details of Curing agents
Annexure –15	Advertisement Copy

**: PART A:**

**CURRENT STATUS OF WORK**

<b>Current Status of construction</b>		<b>:</b>	<b>Existing Buildings: Total 4</b> <b>Proposed: 1bldg + Club house</b> <b>Wing aa1</b> - Basement completed. <b>5th floor slab</b> - In progress. Brick work completed upto 4th Floor. <b>Wing bb1</b> - Completed. (OC Granted for Wing bb1 attached as <b>Annexure-01</b> ) <b>Club house</b> - Structure completed. Brick work in progress.
a.	Date of commencement ( Actual and/or planned )	<b>:</b>	<b>January 13, 2007 (Actual)</b>
b.	Date of completion ( Actual and/or planned )	<b>:</b>	<b>December 2019 (Planned)</b>

**: PART B:**

**POINT WISE COMPLIANCE STATUS**

**2. Point wise compliance status to various stipulations laid down by the Ministry in its clearance letter No. SEAC 2013/CR.185/TC.I dated 10.12.2014 are as follows:**

Sr. No.	Condition	Status
<b>General Conditions for Pre – Construction Phase:</b>		
i	This environmental clearance is issued subject to restricting total FSI 71,613 sq m & parking to 215 as per approved plans by MCGM vide letter dated 17.06.2011 & 12.06.2014 approved.	<b>Agreed to comply with</b> As per the 87 <sup>th</sup> meeting held on 10 <sup>th</sup> to 12 <sup>th</sup> August 2015, Change in Parking to 636 nos. as per concession document by MCGM dated 12.06.2014. Please Refer <b>Annexure -02</b> for <b>Amended EC.</b>
ii	This Environmental clearance is issued subject to land use verification. Local authority / planning authority should ensure this with respect to Rules, Regulations, Notifications, Government Resolutions, Circulars, etc. issued if any. Judgments / Orders issued by Hon'ble High Court, Hon'ble NGT, Hon'ble Supreme Court regarding DCR provisions, environmental issues applicable in this matter should be verified. PP should submit exactly the same plans appraised by concern SEAC and SEIAA. If any discrepancy found in the plans submitted or details provided in the above para may be reported to environment department. This environmental clearance issued with respect to the environmental consideration and it does not mean that State Level Impact assessment Authority (SEIAA) approved the proposed land use.	<b>Agreed to comply with.</b> <b>Received all necessary NOCs</b> ➤ Environmental clearance received from SEIAA, Maharashtra, attached as <b>Annexure-02</b> ➤ Commencement certificate & Chief fire officer (CFO) received from M.C.G.M.  <b>Refer Annexure - 03 for Commencement certificate &amp; Annexure -- 04 for CFO NOC</b>
iii	This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angel including clearance from the standing committee of the National Board for Wild life as if applicable & this environmental clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.	NOC from Wild Life Board is <b>Not Applicable</b> as per final Notification reg. ESZ of SGNP published by MOEF & CC u/no. S.O.3645 (E) dated 05/12/2016 as our project site is not affected by the ESZ belt.
iv	PP has to abide by the conditions stipulated by	Adhere to.

Sr. No.	Condition	Status
	SEAC & SEIAA.	
v	The height, construction built up area of proposed construction shall be in accordance with the existing FSI/FAR norms of the urban local body & it should ensure the same along with survey number before approving layout plan & before according commencement certificate to proposed work. Plan approving Authority should also ensure the zoning permissibility for the proposed project as per the approved development plan of the area.	<p><b>Agreed to comply with</b> Height of the building will be as per the approved building plan. Refer <b>Annexure-05</b> for <b>Civil Aviation</b></p> <p><b>Approved Layout</b> is attached as <b>Annexure-06</b></p> <p>As per DP remark project is under residential zone. <b>DP Remarks</b> is attached as <b>Annexure-07</b></p> <p>Please refer <b>Annexure-03</b> for <b>Commencement Certificate.</b></p>
vi	“Consent for Establishment “shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment Department before start of any construction work at the site.	<p>MPCB granted consent to establish vide letter no. Format 1.0/BO/RO-HQ/MU-7088-16/CE-Revalidation/CC-0259 dated 03.02.2017.</p> <p><b>Consent to Establish</b> is attached as <b>Annexure-08</b></p>
vii	All required Sanitary & Hygienic Measures should be in Place before starting construction activities and to be maintained throughout the Construction phase.	<p>Drinking water, toilets, periodical medical checkup facilities have been provided. About 12 labors are on the project site (07 nos. residential &amp; 05 nos. Non-residential)</p>
<b>General Conditions for Construction Phase:</b>		
i	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche, and first Aid room etc.	<p>Total 12 nos. of labors are on the project site (07 nos. Residential &amp; 05 nos. Non-residential). 20 nos. of hutment are provided for residential workers. Provision of cooking, toilets and arrangement for safe drinking water, periodic medical check up for the construction labour has been provided.</p> <p>Please refer <b>Annexure-09</b> for <b>Worker’s Health Screening Reports</b></p>
ii	Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be	<p>Adequate drinking water from M.C.G.M. &amp; tanker water for domestic purpose has been provided. 6 nos. of toilets &amp; 6 nos. of bathrooms are provided with connectivity to</p>

Sr. No.	Condition	Status
	ensured.	septic tank & soak pits. Solid waste generated is being handed over to local Municipal solid waste treatment facility.
iii	The solid waste generated should be properly collected and segregated. Dry /inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.	Construction Waste: Excavation material is disposed of to authorized sites. Solid waste generated at the labour housing is being handed over to M.C.G.M.
iv	Disposal of muck during construction phase should not create any adverse effects on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.	Muck disposal is carried out as per the approval received from Solid Waste Management. Please refer <b>Annexure - 10</b> for <b>Debris NOC</b>
v	Arrangement shall be made that waste water and storm water do not get mixed.	<b>Agreed to comply with.</b> Storm water drains will be constructed strictly in accordance to the governing authority regulations. The storm water collected through the storm water drains of adequate capacity will be discharged in to the external drain.
vi	All the topsoil excavated during construction activities should be stored for use in horticulture/ landscape development within the project site.	Excavated soil is partly used for backfilling and leveling of the plot & remaining is used within site for landscaping.
vii	Additional soil for leveling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.	<b>Agreed to comply with.</b> Excavation soil is partly reused on site for leveling.
viii	Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.	Plantation of 147 Nos. of trees of various varieties as per norms on ground of 5548.9 sq. m.
ix	Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.	Soil quality is being monitored <b>Monitoring Reports</b> for soil are attached as <b>Annexure-11</b>
x	Construction spoils including bituminous material and other hazardous materials must not be allowed to contaminate water courses and the dump sites for such materials must be secured so that they	The construction process does not involve storage of hazardous material to be consumed in building construction works.



Sr. No.	Condition	Status
	should not leach in to the ground water.	
xi	Any hazardous waste generated during construction phase should be disposed off as per applicable rules & norms with necessary approvals of the Maharashtra State Pollution Control Board.	Waste oil which is generated due to usage of DG sets has been given to the authorized hazardous waste management agencies. DG sets are being used in case of power failure.
xii	The diesel generator sets to be used during construction phase should be low sulphur diesel type and should be confirm to Environments (Protection) Rules prescribed for air and noise emission standards.	<b>Agreed to comply with.</b> 3 DG sets of capacity 200 kVA are provided for use in case of power failure. DG sets are of low sulfur & are confirmed to Environments (Protection) Rules prescribed for air and noise emission standards. Please refer <b>Annexure-11</b> for <b>DG stack Monitoring reports</b>
xiii	The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from concerned authority shall be taken.	<b>Agreed to comply with.</b>
xiv	Vehicles hired for bringing construction material to the site should be in good condition and should have valid “pollution under check” (PUC) certificate and should conform to applicable air and noise emission standards and should be operated only during non peak hours.	Vehicles hired for bringing construction material to site have valid pollution check certificates and conform to applicable air and noise emission standards and will be operated only during non-peak hours. <b>PUC Certificates</b> are attached as <b>Annexure-12.</b>
xv	Ambient noise level should conform to residential standards both during day and night. Incremental pollution load on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by the CPCB/MPCB.	Noise levels are monitored both during day and night. <b>Monitoring reports for Air &amp; Noise</b> are attached as <b>Annexure-11</b>
xvi	Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September 1999 and amended as on 27 <sup>th</sup> August, 2003. (The above condition is applicable only if the project site is located within the 100 Km of Thermal Power Stations.)	Pozzalona Portland cement is being used which already contains fly ash.
xvii	Ready mixed concrete must be used in building construction.	Ready mixed concrete is being used on site.

Sr. No.	Condition	Status
xviii	The approval of competent authority shall be obtained for structural safety of the buildings due to any possible earthquake, adequacy of fire fighting equipments etc. as per the National Building Code including measures from lighting	<b>Structural Stability certificate</b> is attached as <b>Annexure-13</b> .  <b>Fire NOC</b> is attached as <b>Annexure-04</b> .
xix	Storm water control and its reuse as per CGWB and BIS standards for various applications.	<b>Agreed to comply with.</b>
xx	Water demand during construction should be reduced by using pre-mixed concrete, curing agents and best practices referred.	Ready mixed concrete and curing agents are being used. Please refer <b>Annexure-14</b> for <b>Details of Curing agents</b>
xxi	The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.	Noted.
xxii	The installation of the sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Discharge of this unused treated effluent, if any should be discharge in the sewer line. Treated effluent emanating from STP shall be recycled/reused to the maximum extent possible. Discharge of this unused treated effluent, if any should be discharge in the sewer line. Treatment of 100% gray water by decentralized treatment should be done. . Necessary measures should be made to mitigate the odour problem from STP.	<b>Agreed to comply with.</b> STP of capacity 60 KLD is in operation condition. Another STP of total capacity 265 KLD is proposed. Treated sewage has been reused for gardening, AC makeup & flushing.  <b>STP Monitoring reports</b> are attached as <b>Annexure-11</b>
xxiii	Permission to draw ground water and construction of basement if any shall be obtained from competent authority prior to construction/operation of project.	Noted.
xxiv	Separation of gray and black water should be done by the use of dual plumbing line for separation of gray and black water.	<b>Agreed to comply with.</b> Use of dual plumbing system.
xxv	Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.	<b>Agreed to comply with.</b> Use of low flow fixtures.
xxvi	Use of glass may be reduced to 40% to reduce the electricity consumption and load on air conditioning. If necessary, use high quality double glass with special reflective coating in windows.	<b>Agreed to comply with</b>
xxvii	Roof should meet prescriptive requirement as per	<b>Agreed to comply with</b>

Sr. No.	Condition	Status
	Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement.	
xxviii	Energy conservation measures like installation of CFLs/TFLs for lightning the areas outside the building should be integral part of the project design and should be in place before commissioning. Use CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible like installing solar street lights, common solar water heaters system. Project proponent should install, after checking feasibility, solar plus hybrid non conventional energy source as source of energy.	<p><b>Agreed to comply with</b> Energy conservation measures is as follows:</p> <ul style="list-style-type: none"> <li>➤ Use of LED lamps for common areas.</li> <li>➤ Lightning in multiple circuits to facilitate switching off one or more circuit.</li> <li>➤ Maximum use of day light designing.</li> <li>➤ Use of energy efficient (EFF1) motors.</li> </ul>
xxix	Diesel power generating sets proposed as source of backup power for elevators and common area illumination during operation phase should be of “Enclosed type” and conform to rules made under Environment (Protection) Act 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel. The location of the DG sets may be decided with in consultation with MPCB.	<p><b>Agreed to comply with.</b> 3 DG sets of capacity 200 kVA are already provided for use in case of power failure. <b>Refer Annexure-11 for DG stack monitoring reports.</b> DG set of capacity 380kVA will be provided for proposed building for use in case of power failure in operation phase.</p>
xxx	Noise should be controlled to ensure that it does not exceed the prescribed standards During night time the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.	<p>Noise levels are monitored both during day and night. <b>Monitoring report Noise</b> is attached as <b>Annexure-11</b></p>
xxxii	Traffic congestion near the entry and exit points from the roads adjoining the proposed site must be avoided. Parking should be fully internalized and no public space should be utilized.	<p>The project proponents proposed well organized parking arrangement with Parking area of 33742.8 sq. mt. Width of all internal roads will be 12m.</p>
xxxiii	Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code, which is proposed to be mandatory for all air-conditioned spaces while it is aspirational for non air-conditioned spaces by use of appropriate thermal	<p><b>Agreed to comply with.</b></p>

Sr. No.	Condition	Status
	insulation material to fulfill requirement.	
xxxiii	The building should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation.	12 m. distance between the buildings.
xxxiv	Regular supervision of above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings.	<b>Agreed to comply with.</b> Regular supervision is being carried out.
xxxv	Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.	<b>Environmental Clearance received from MoEF</b> before starting the construction of project. Environmental clearance is attached as <b>Annexure-02.</b>
xxxvi	Six monthly monitoring reports should be submitted to the Regional Office MoEF, Bhopal with copy to this Department and MPCB.	Six monthly monitoring reports are being submitted.
<b>General Conditions for Post Construction /Operation Phase:</b>		
i	Project proponent shall ensure completion of STP, MSW disposal Facility, green belt development prior to occupation of the buildings. No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement in Para. 2. Prior certification from appropriate authority shall be obtained.	<b>Agreed to comply with.</b> ➤ STP of capacity 60 KLD is in operation condition. Another STP of total capacity 265 KLD is proposed. Please refer <b>Annexure-11</b> for <b>STP Monitoring Reports</b> ➤ OWC for treatment of 850 Kg/Day biodegradable garbage is already installed. ➤ 690 Kg/Day non-biodegradable garbage shall be handed over to MCGM (Municipal Corporation Greater Mumbai). ➤ RG area will be developed over an area of 5548.9 sq. m.
ii	Wet Garbage should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. Local authority should ensure this.	<b>Agreed to comply with.</b> OWC for treatment of 850 Kg/Day biodegradable waste is already installed.
iii	Local body should ensure that no occupation certification is issued prior to operation of STP/MSW site, etc with due permission of MPCB	Complied with.
iv	A complete set of all documents submitted to the Department should be forwarded to the Local Authority and MPCB.	<b>Agreed to comply with</b>

Sr. No.	Condition	Status
v	In case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Department.	<b>Agreed to comply with</b>
vi	A separate environmental Management Cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.	<b>Noted.</b> Name of Head of EMC: Mr. Jayesh Mehta
viii	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environmental protection measures shall not be diverted for other purposes and year-wise expenditure should report to the MPCB & this Department.	<b>Construction phase:</b> Rs. 95.6 Lakhs have been allocated for the entire construction period. <b>Operation phase:</b> Recurring Rs.43.4 Lakhs per annum.
viii	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of the clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at <a href="http://ec.maharashtra.gov.in">http://ec.maharashtra.gov.in</a> .	<b>Advertisement copy</b> is attached as <b>Annexure-15</b> .
ix	Project management should submit half yearly compliance reports in respect of the stipulated prior environmental clearance terms & conditions in hard & soft copies to the MPCB & this Department, on 1 <sup>st</sup> June & 1 <sup>st</sup> December of each calendar year	Half yearly compliance reports regarding compliance of stipulated norms of prior EC is being submitted.
x	A copy of clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.	<b>Noted.</b>
xi	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional office	<b>Agreed to comply with.</b>

Sr. No.	Condition	Status
	of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely: SPM, RSPM, SO <sub>2</sub> , NO <sub>x</sub> (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	
xii	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal office of CPCB and the SPCB.	Half yearly compliance reports regarding compliance of stipulated norms of prior EC is being submitted.
xiii	The environmental statement for each financial year ending 31 <sup>st</sup> March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.	Environmental statement is being submitted.
4	The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him. If any or action initiated under EP Act.	<b>Agreed to comply with.</b>
5	In case of submission of false document and non compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environmental Clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.	<b>Agreed to comply with.</b>

Sr. No.	Condition	Status
6	The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.	<b>Agreed to comply with.</b>
7	<b>Validity of Environment Clearance:</b> The environmental clearance accorded shall be valid for a period of 5 years.	<b>Agreed to comply with.</b> EC is valid.
8	In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the conditions (S) imposed and to incorporate additional environmental protection measures required, if any.	<b>Agreed to comply with.</b>
9	The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981. The Environment (Protection) Act 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.	<b>Agreed to comply with.</b>
10	Any appeal against this environmental clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1 <sup>st</sup> Floor, D-, Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act.2010.	<b>Agreed to comply with.</b>
11	This Environment Clearance is issued for proposed project "Sahar Plaza" located at plot no 179A to H (new CTS no) of Village Mulgaon & CTS no 243/A, 243A/1, 230/B, 230/C & 230/D 90 (new CTS no) & 238/B of village Kondivita of M V road, Andheri (E), Mumbai by Tulsiani – Summer associates.	<b>Agreed to comply with.</b>

**Compliance as per**  
**Monitoring the Implementation of Environmental Safeguards**  
**Ministry of Environment & Forests**  
**Regional Office (W), Nagpur.**

Monitoring Report

**DATA SHEET**

1.	Project type: River - valley/ Mining / Industry / Thermal / Nuclear / Other (specify)	:	Proposed commercial development “Sahar Plaza” is expansion project. The commercial office complex has obtained Environment clearance on October 19, 2006.
2.	Name of the project	:	<b>“SAHAR PLAZA”</b>
3.	Clearance letter ( s )/OM No. and Date	:	SEAC. 2013/CR-185/TC-1, Dated : 10 <sup>th</sup> December, 2014
4.	Location	:	
	a. District ( S )	:	Mumbai
	b. State ( s )	:	Maharashtra
	c. Latitude/ Longitude	:	Latitude : 19° 6’48.94” N Longitude : 72° 52’6.12” E
5.	Address for correspondence	:	<b>Mr. S. M. Kuvelkar (Partner)</b> <b>Add. M/s. TULSIANI-SUMER ASSOCIATES</b> 1103/1104, Tulsiani Chambers, 212, Nariman, Mumbai – 400 021. Tel. No.: 022-22851505 Fax No.: 022-22855856
	a. Address of Concerned Project Chief Engineer ( with pin code & Telephone / telex / fax numbers	:	<b>Mr. Jayesh Mehta (Project Manager)</b> <b>M/s. TULSIANI-SUMER ASSOCIATES</b> Sahar Plaza Complex, Sir M.V. Road, Next to Kohinoor Continental Hotel, Andheri (East), Mumbai – 400 059. Tel. No.: 30820126/7 Fax No.: 28382412
	b. Address of Executive Project: Engineer/Manager ( with pincode/ Fax numbers )	:	<b>Same as above</b>
6.	Salient features	:	



	a.	of the project	: <b>“SAHAR PLAZA”</b> Proposed Development of commercial complex at plot no 179A to179H, village – Mulgaon and CTS no 243/A, 243/A1, 230/A, 230/B, 230/C & 230/D of village Kondivata, M.V. Road, Andheri (E) Mumbai 400 059.  5 Buildings + 1 club House Midas: B+G+7 Bonanaza: G+7 Meadows: 2B+G+10 Windfall:2B+G+12 Mint: 2B+G+8 <sup>½</sup> (proposed bldg) Mint and Windfall are having common basement Club House: G+1
	b.	of the environmental management plans	: <b>Expenditure on Environmental Management</b> <b>Construction phase:</b> Rs. 95.6 Lakhs have been allocated for the entire construction period. <b>Operation phase:</b> Recurring Rs.43.4 Lakhs per annum.
7.	Break up of the project area		:
	a.	submergence area forest & non-forest	: <b>Not applicable</b>
	b.	Others	: FSI: 71733.94 Sq. m Non FSI: 48846.88 sq.m Construction Built up Area: 1,20,580.82 Sq. mt
8.	Break up of the project affected Population with enumeration of Those losing houses / dwelling units Only agricultural land only, both Dwelling units & agricultural Land & landless labourers/artisan		: <b>Not Applicable.</b>
	a.	SC, ST/Adivasis	: <b>Not Applicable</b>
	b.	Others (Please indicate whether these Figures are based on any scientific And systematic survey carried out Or only provisional figures, it a Survey is carried out give details And years of survey)	: <b>Not Applicable</b>
9.	<b>Financial details</b>		:

	a.	Project cost as originally planned and subsequent revised estimates and the year of price reference :	
	1.	Total Cost of the Project	: <b>Rs. 360 Crores.</b>
	b.	Allocation made for environmental management plans with item wise and year wise Break-up.	: <b>Expenditure on Environmental Management</b> <b>Construction phase:</b> Rs. 95.6 Lakhs have been allocated for the entire construction period. <b>Operation phase:</b> Recurring Rs.43.4 Lakhs per annum.
	c.	Benefit cost ratio/Internal rate of Return and the year of assessment	: ---
	d.	Whether ( c ) includes the Cost of environmental management as shown in the above.	: ---
	e.	Actual expenditure incurred on the project so far	: <b>Rs. 280 Cr.</b>
	f.	Actual expenditure incurred on the environmental management plans so far.	: <b>Rs. 1.40 Cr.</b>
10.		Forest land requirement	: <b>Not Applicable</b>
	a.	The status of approval for diversion of forest land for non-forestry use	: <b>Not Applicable</b>
	b.	The status of clearing felling	: <b>Not Applicable</b>
	c.	The status of compensatory afforestation, it any	: <b>Not Applicable</b>
	d.	Comments on the viability & sustainability of compensatory afforestation program in the light of actual field experience so far.	: <b>Not Applicable</b>
11.		The status of clear felling in Non-forest areas (such as submergence area of reservoir, approach roads), it any with quantitative information	: <b>Not Applicable</b>
12.		Status of construction	: As per 'Part A'
	a.	Date of commencement ( Actual and/or planned )	: <b>January 13, 2007 (Actual)</b>
	b.	Date of completion ( Actual and/or planned )	: <b>December 2019 (Planned)</b>
13.		Reasons for the delay if the Project is yet to start	: N. A.
14		Dates of site visits	:

	a.	The dates on which the project was monitored by the Regional Office on previous Occasions, if any	:	Site visited by Mr. Suresh Kumar Adapa ( Scientist -D), 4th July 2017
	b.	Date of site visit for this monitoring report.	:	--
15.		Details of correspondence with Project authorities for obtaining Action plans/information on Status of compliance to safeguards Other than the routine letters for Logistic support for site visits )	:	--
		(The first monitoring report may contain the details of all the Letters issued so far, but the Later reports may cover only the Letters issued subsequently.)	:	-

7 OCT 2011

## PART OCCUPATION CERTIFICATE

To  
 M/s. Tulsiani Builders & Textiles Pvt. Ltd. and  
 Rashtriya Metal Indl. Ltd., and M/s. Chandumal Sons Pvt. Ltd.  
 and Shri. Ramesh Shah and others C.A. to Owner.  
 1103/4, Tulsiani Chambers,  
 212, Nariman Point,  
 Mumbai - 400021.

Ex. Engineer (Bldg. Proposals) (W.S.)  
 H and K Ward  
 Municipal Office, R. K. Park Marg,  
 Bandra (West), Mumbai - 400 051

Sir,

The part development work of commercial bldg. comprising of Wing 'B'-B1 for lower Basement + Upper Basement + Ground (Pt.) + 1<sup>st</sup> floor for office / podium + 2<sup>nd</sup> to 12<sup>th</sup> upper floors on plot bearing C.T.S. No. 179A to 179 H of Village Mulgaon and CTS No. 230-A to 230-D, 243-A and 243-A/1 of Village Kondivita situated at Mathurdas Vasanji Road, Andheri (East), Mumbai is completed under the supervision of Licensed Surveyor Shri. B.S.Barot, License No. B/52, may be occupied on the following condition :-

- 1) That the certificate under section 270-A of M.M.C. Act shall be obtained from H.E. and a certified true copy of the same shall be submitted to this office within three months from the date of issue of occupation certificate.
- 2) That all the conditions of I.O.D. shall be complied with for the remaining work.
- 3) That the balance condition of layout shall be complied with for remaining work.

A set of certified completion plan is attached herewith.

Yours faithfully,

sd/-


Executive Engineer (Bldg. Proposals)  
 Western Subs. [K] Ward.

Copy to : 1) Architect, Shri. B.S.Barot  
 3) E.E. [V] W.S.  
 5) Sup. [ K/E] Ward,  
 7) Asstt. Commissioner [K/E] Ward

2) E.E.D.P. (H&K)  
 4) Dy. A & C. (S)  
 6) A.E. W. W. [ K/E] Ward,  
 8) A.E. (Survey) H & K Ward.

For information please.

CERTIFIED TRUE COPY



M/S. B. S. BAROT  
 ARCHITECTS & ENGINEERS  
 Jawahar Nagar, Plot No. 14, 1st Floor,  
 S. V Road, Goregaon (West),  
 Mumbai - 400 062.

  
 H. E. E. (B.P.) (W.S.) K Ward

Minutes of the 87<sup>th</sup> meeting of the SEIAA held on 10<sup>th</sup> to 12<sup>th</sup> August, 2015

Item No. 67

**Subject:** Amendment in EC for proposed project "Sahar Plaza" proposed development of commercial complex at plot no. 179A to H (new CTS no.) of village Mulgaon and CTS nos. 243/A, 243/A/1, 230/A, 230/B, 230/C & 230/D (new CTS no) and 238/B of village Kondivita of vM.V. Road, Andheri (E), Mumbai by M/s. Tulsiani- Sumer Associates Builders & Developers.

Authority noted that environment clearance has been issued to M/s. Tulsiani- Sumer Associates Builders & Developers for proposed project "Sahar Plaza" proposed development of commercial complex at plot no. 179A to H (new CTS no.) of village Mulgaon and CTS nos. 243/A, 243/A/1, 230/A, 230/B, 230/C & 230/D (new CTS no) and 238/B of village Kondivita of vM.V. Road, Andheri (E), Mumbai. Now, PP vide letter dated 30<sup>th</sup> May, 2015 has approached to SEIAA for amendment in EC. The Project proponent has sought amendment as below-

Comparative Statement of Sahar Plaza by M/s Tulsiani Summer Associates				
Sr. No	Description	As per EC received	Proposed Anemdment	Remarks
1.	Total plot area	49464.3 sq.m	49464.30 sq. m	PR card is furnished in hard copy.
2.	Deductions	14117.6 sq.m	12489.25 sq. m	As per MCGM approval.
3.	Net Plot Area	35,346.70 sq.m	36975.05 sq.m	Amenity open space area calculation was change from 12.5% of net plot area to total deduction of 20% including garden & other reservation.
4	Maximum permissible BUA	48850.00 sq.m	71733.94 sq.m	48,850 sq.m does not include first 2 buildings(Bldg n0.1(Midas):8867.59 sq.m&Bldg.no.2(Bonanza):6849.48sq.m.
5	Total BUA area	48850.00 sq.m	71733.94 sq.m	

  
Chairman

  
Member Secretary

Minutes of the 87<sup>th</sup> meeting of the SEIAA held on 10<sup>th</sup> to 12<sup>th</sup> August, 2015

				FSI area is increased because of revised plot area.
6	<b>Non FSI area</b>	48015 sq.m (not considered in EC)	48846.88sq.m	Non FSI area was not considered in earlier Environment Clearance.
7	<b>Total construction built up area(FSI + Non FSI Area)</b>	48 850 sq.m(mentioned in EC) Total :(FSI+ Non FSI):96865 sq.m	120580.82 sq.m	48,850 sq.m does not include first 2 buildings and non FSI area.
8	<b>Total cost of project</b>	Rs.202.27 crores	Rs.360 crores	---
9	<b>Green area</b>	5302sq.m on ground (not mentioned in old EC) 15% of net plot 4150.42 sq.m on other green area Total:9452.42 sq.m	5548.9 sq.m on ground(15% of net plot) 7557.3sq.m on other green area Total =13106.2sq.m	---
10	<b>Nos. of trees to be planted</b>	142 no.s as per MCGM ( Not mentioned in Environment Clearance)	Existing :142 no.s; Proposed:147nos as per MCGM norms Total no.s:289	---
11	<b>No. of parking</b>	1180 no.s	636 no.s (As per Concession document by MCGM dtd 12.June 2014.)	---
12	<b>No. of population Commercial</b>	4250 no.s	7173 nos	---
13	<b>Water req</b>	244.5 cum/day	405cum/day	---
14	<b>Wastewater</b>	50 cum/day	295cum/day	---
15	<b>Capacity of STP</b>	50 cum/day (60 KLD is installed on site and is in	Proposed STP 240 cum/day Total STP	


  
Chairman

  
Member Secretary

Minutes of the 87<sup>th</sup> meeting of the SEIAA held on 10<sup>th</sup> to 12<sup>th</sup> August, 2015

		full operation)	capacity:300 cum/day	
16	STP Sludge	0.03TPD	0.147TPD	
17	Rain water harvesting	Rain water harvesting pits of 3 meter dia and 3 meter deep. No. of harvesting pits proposed is 24.	22 Rain water harvesting chambers ,each of 25.92 cum/day are constructed on site. Total 570 cum/day for percolation. No additional chambers/trenches are proposed. It is proposed to have rain water collection tanks of 120m <sup>3</sup> capacity (total) and harvested water is used is equal to 2 days terrace rainfall for pro. Bldg.	
18	Solid waste Generation	1.1 TPD	1.54 TPD	
19	Energy	Reliance Energy	Reliance Energy	
20	DG Set	380 kva*1 and 180kva *1 KVA provided for essential services	Existing Bldg: Windfall:380 kva*1 Meadows:200kva*1 Bonanza & Midas 125 kVA = 1 no Club house-50 kVA = 1 no Proposed Bldg.:Mint:380 kva*1	
21	Clearance side and front	6m	6m	
22	Right of way (width of the road from the nearest fire station to the	60m	60 m	

  
Chairman

  
Member Secretary

Minutes of the 87<sup>th</sup> meeting of the SEIAA held on 10<sup>th</sup> to 12<sup>th</sup> August, 2015

	<b>proposed building</b>			
23	<b>Turning radius for easy access for fire tender movement from all around the building excluding the width for the plantation</b>	12m	12m	
24	<b>Width of all internal roads</b>	12m	12m	

The Authority noted the the D.O. letter no. SEIAA-2014/CR.133/TC-3 dated 29<sup>th</sup> November, 2014 by Addl. Chief Secretary, Environment Departmnet, GoM to Secretary, MoEF&CC regarding amendments in EC issued to the building projects.

In the 87<sup>th</sup> meeting, Authority further noted that due to change in parking proposed, PP applied for amendment in Earlier EC issued by SEIAA.

After discussing the proposed changes in detail and considering OM dated 19.06.2013 issued by MoEF wherein it is clarified that SEIAA/SEAC need not focus on the other issues which are normally looked after by the concerned local bodies, SEIAA decided to accord approval to the amendment sought in the EC as the consequential impact on account of the proposed changes is not likely to be adverse on the environmental parameters.



Chairman



Member Secretary



Government of Maharashtra

SEAC-2013/CR-185/TC-1  
Environment department  
Room No. 217, 2<sup>nd</sup> floor,  
Mantralaya Annexe,  
Mumbai- 400 032.  
Dated: 10<sup>th</sup> December, 2014

To,  
M/s Tulsiani Sumer Associates  
At village Mulgaon and Kondivata,  
M.V. Road ,Andheri(E),  
Mumbai-400 059

**Subject:** Environment clearance for proposed project "Sahar Plaza" located at plot no 179A to H (new CTS no ) of village Mulgaon & CTS no 243/A, 243A/1, 230/A, 230/B, 230/C & 230/D (new CTS no ) & 238/B of village Kondivata of M V road , Andheri (E), Mumbai by M/s Tulsiani – Sumer associates.

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-II, Maharashtra in its 21<sup>st</sup> meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 69<sup>th</sup> & 74<sup>th</sup> meetings.

2. It is noted that the proposal is for grant of Environmental Clearance for proposed project "Sahar Plaza" located at plot no 179A to H (new CTS no ) of village Mulgaon & CTS no 243/A, 243A/1, 230/A, 230/B, 230/C & 230/D (new CTS no ) & 238/B of village Kondivata of M V road . Andheri (E), Mumbai. SEAC-II considered the project under screening category 8(a) B2 as per EIA Notification 2006

**Brief Information of the project submitted by Project Proponent is as-**

Name of the project:	"Sahar Plaza" - Proposed development of commercial complex at plot no. 179A to 179H ,village- Mulgaon and CTS no.s 243/A,243/A1,,230/A,230/B,230/C& 230/D of village Kondivata, M.V. Road ,Andheri(E),Mumbai-400 059.
Project Proponent	M/s Tulsiani Sumer Associate
Consultant	Building Environment (India) Pvt. Ltd.
Type of the project	Proposed commercial development "Sahar Plaza "is expansion project. The commercial office complex has obtained Environment clearance on October 19, 2006.

Location of Project	Proposed commercial complex "Sahar Plaza" at plot no. 179A to 179H ,village- Mulgaon and CTS no.s 243/A,243/A1,,230/A,230/B,230/C& 230/D of village Kondivata, M.V. Road ,Andheri(E),Mumbai-400 059..
Whether in Corporation / Municipal / Other area:	The proposed project falls in limits of Municipal Corporation of Greater Mumbai (MCGM)
Applicability of the DCR	Development control regulation for Mumbai- 1991
Note on the initiated work	Project proponent had constructed two buildings (Midas, Bonanza) on the plot prior to EIA notification was amended on 7th July 2004. Midas - Occupation Certificate was obtained on 23 <sup>rd</sup> September,1995 Bonanza -Occupation Certificate was obtained on 1 <sup>st</sup> October,1996 Project proponent applied for Environment Clearance for further construction as per EIA notification 1994 as amended on July 2004 and this was granted on 19th October 2006 for a Plot area 35,346.70 sq.m and Total built up area of 48850 sq.m. With this clearance 2 more buildings (Meadows and Windfall) with a total built up area of 36028.42 sq.m. were constructed and obtained Consent to Establishment on 22 <sup>nd</sup> March,2006 and Consent to Operate on 1st October,2012
Total plot area	49464.30sq.m
Deductions	12489.25 sq.m
Net plot area	36975.05 sq.m
Permissible FSI (including TDR etc.)	Maximum Permissible FSI -71733.94 sq.m TDR generated- 34895.35 sq.m
Proposed Built up area (FSI & Non- FSI ):	Construction BUA: 1,20,580.82 sq.m FSI: 71733.94 sq.m Non FSI: 48846.88sq.m
Ground Coverage Percentage (%)	15789.31 sq.m 43%
Estimated cost of the project:	Rs 360 Crores
No. of Buildings and its configuration	5 buildings + 1 club house Midas:B+G+7 Bonanza:G+7 Meadows:2B+G+10 Windfall:2B+G+12 Mint: 2B +G+8 ½ (proposed bldg.) Mint and Windfall are having common basement Club house: G+1.
No. of Expected residents/users	Commercial no.:7173 no.s
Height of building	42.98 m
Right of way	60 mtrs
Turning radius	12 mtrs.
Existing Structures	4no.s of buildings exists on site. Midas and Bonanza- Constructed prior to EIA notification

	<p>was amended on 7<sup>th</sup> July, 2004.  Meadows and Windfall: Constructed after obtaining EC dtd October 19,2006and Consent to Establishment dtd 22 nd March, 2006.</p>
Total water requirement	<p>Dry season:  Fresh water demand=111 KLD &amp; Source :MCGM  Recycled water supply:  For flushing : 222 KLD  For landscaping : 66 KLD  AC make up-21KLD  Total water demand =420 KLD  Wet season:  Fresh water demand=111 KLD &amp; Source :MCGM  Recycled water supply:  For flushing : 222 KLD  AC make up-21KLD  Total water demand =354 KLD</p>
Rain water Harvesting	<p>Rain Water Harvesting (RWH)  The incremental rain water runoff as a result of the construction will be captured in 22# Rain water harvesting chambers each of 25.92 m<sup>3</sup>/day are constructed on site. Total capacity 570 m<sup>3</sup>/day for percolation. No additional chambers or trenches are proposed. It is proposed to have rain water collection tanks of 120m<sup>3</sup> capacity (total) and harvested water is used is equal to 2 days terrace rainfall for pro. Bldg.  Level of ground water table:  Size and no of RWH tank(s) and Quantity :  Existing:  Meadows bldg.-30cum/day  Windfall bldg.-70cum/day  Proposed :  Mint bldg. 130 cum/day  • Size, no of recharge pits and Quantity .  22 Rain water harvesting chambers, each of 25.92 cum/day are constructed on site.  Total 570 cum/day for percolation. No additional chambers/trenches are proposed  • Budgetary allocation (Capital cost and O&amp;M cost)  Capital cost:6.6 lacs  Maintenance cost: 1.5 lacs/yr</p>
Storm water drainage	<p>Natural water drainage pattern: The proposed project will have storm water drainage network as per MCGM remarks.</p>
Sewage and Wastewater	<p>I. Sewage Generation: 295 cum/day wastewater will be generated. The treated water coming from STP (265 cum/day) will be used for secondary purposes like, gardening, AC make up and flushing in non monsoon season.  II. STP Technology – Wastewater produced will be treated on site in a Sewage Treatment Plant of capacity -Existing 60 KLD working on 'Extended Aeration technology and</p>

	<p>Proposed 240 KLD working on 'Moving Bed Bioreactor' (MBBR) technology.</p> <p>III. Capacity of STP – Sewage Treatment Plant of capacity (Existing 60 KLD working on 'Extended Aeration technology and Proposed 240 KLD working on 'Moving Bed Bioreactor' (MBBR) technology.</p> <p>V.DG sets (during emergency): D.G. Set will be used as an alternate supply of electricity only in case of emergency. Type of fuel: High Speed Diesel (HSD) will be used as fuel in DG sets 380 kVA = 2 nos, 200 kVA = 1 nos, 125 kVA = 1 nos and 50 kVA = 1 nos</p> <p>V. Budgetary allocation (capital accost and O&amp;M cost) Capital Cost: 86 Lakhs O&amp;M cost: 18.9Lakhs/year</p>
Solid Waste Management	<p>Pre Construction and Construction phase Waste:- Waste generated during pre construction and construction phase is 6 MT/day Operation Phase Waste generation in the operation Phase: Dry waste MT/day:-690 kg/day Wet waste MT/day:-850 kg/day</p> <p>E Waste: E waste will be generated after 5 years latency period. The expected e waste: 10.7 T/year. Individual office will be responsible for storage &amp; disposal</p> <p>Hazardous waste: Hazardous waste that would generated in residential project would be spent due to use of DG set .DG set will be used for meeting emergency loads. Quantity of Spent Oil – The quantity of spent oil from DG sets would be 580 lit/annum. Bio medical waste (kg/month):Not applicable STP sludge (Dry sludge) kg/day: 0.1TPD Area requirement Total area provided for the storage and treatment of the solid waste :149 sq.m Budgetary allocation (capital accost and O&amp;M cost) Capital Cost : 18.5 Lakhs O&amp;M cost:3 Lakhs/year</p>
Green Belt Development	<p>RG area under green belt:</p> <ul style="list-style-type: none"> <li>• Green on the ground (sq. m.) :5548.9sq.m</li> <li>• Other green area (sq. m.):7557.3sq.m</li> </ul> <p>Plantation Number and list of trees species to be planted in the ground RG: 277 trees on RG area of 5548.9 sq.m will be planted. Number, size, age and species of trees to be cut, trees to be transplanted: 142 trees exist on site and 6 no. of trees will be cut which will be preserved on site. NOC for the Tree cutting / transplantation/</p>

compensatory plantation, if any: 12 no.s

Common Name	No. to be planted	Important features
Mahrak	12	Large tree, good for roadside plantation
Palas	14	Medium sized deciduous tree. Beautiful orange flowers, Butterfly host plant
Kadamb	15	Shady, large deciduous tree, fast-growing graceful tree, ball shaped flowers.
Neem	18	Semi-evergreen tree with medicinal value
Sita ashok	16	Shady tree with red-yellow flowers.
Apta	12	Small tree with small white flowers, Butterfly host plant
Fish tail palm	15	Tall evergreen tree
Son chafa	16	Medium sized evergreen tree, fragrant yellow flowers, Butterfly host plant
Bhava	15	Medium sized deciduous tree. Beautiful yellow flowers, Butterfly host plant
Parijatak	14	Small deciduous fast growing tree, beautiful flowers.
Total	147	

Budgetary allocation (Capital cost and O&M cost)

For tree plantation:

Capital Cost : 75 Lakhs

O&M cost: .18 Lakhs/year

Energy

Total connected load : 6360 KW

Estimated Max Demand @ 70% Diversity:4452kw

Source: Reliance

D.G Set: Type of Fuel used and Capacity

High Speed Diesel (HSD) will be used as fuel in DG sets

380 kVA = 2 nos, 200 kVA = 1 nos,

125 kVA = 1 nos and 50 kVA = 1 nos

Environmental Management Plan Budgetary Allocation	Operation phase (with break-up)		
	Sr. no.	Description	Maintenance and operation cost (lakh per year)
	1	Maintenance of STP	18.9
	2	Maintenance of WTP building	2
	3	Maintenance of RWH	1.5
	4	Maintenance of Landscaped area	18
	5	Maintenance of OWC	3
	6	Energy conservation	Nil
		Total	43.4
Traffic Management	<p>Nos. of the junction to the main road and design of confluence The site is accessible from Andheri-Kurla road in south side and Marol cross road from east side.</p> <p>Parking details No. &amp; area of basement: 32816.43 sq.m / 6 no.s. No. &amp; area of podia: 1 podium &amp; 9312.35m of each podium Total parking area: 33742.8 Sq.m Area per car: 2-W :5 sq.m 4-W: 13sq.m Width of all internal roads Width of all internal roads will be 12 m.</p>		

3. The proposal has been considered by SEIAA in its 69<sup>th</sup> & 74<sup>th</sup> meetings & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions :

**General Conditions for Pre- construction phase:-**

- (i) This environmental clearance is issued subject to restricting total FSI 71,613 sq m & parking to 215 as per approved plans by MCGM vide letter dated 17.06.2011 & 12.06.2014 as approved
- (ii) This environmental clearance is issued subject to land use verification. Local authority / planning authority should ensure this with respect to Rules, Regulations, Notifications, Government Resolutions, Circulars, etc. issued if any. Judgments/orders issued by Hon'ble High Court, Hon'ble NGT, Hon'ble Supreme Court regarding DCR provisions, environmental issues applicable in this matter

should be verified. PP should submit exactly the same plans appraised by concern SEAC and SEIAA. If any discrepancy found in the plans submitted or details provided in the above para may be reported to environment department. This environmental clearance issued with respect to the environmental consideration and it does not mean that State Level Impact Assessment Authority (SEIAA) approved the proposed land use.

- (iii) This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
- (iv) PP has to abide by the conditions stipulated by SEAC & SEIAA.
- (v) The height, Construction built up area of proposed construction shall be in accordance with the existing FSI/FAR norms of the urban local body & it should ensure the same along with survey number before approving layout plan & before according commencement certificate to proposed work. Plan approving authority should also ensure the zoning permissibility for the proposed project as per the approved development plan of the area.
- (vi) "Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- (vii) All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.

#### **General Conditions for Construction Phase-**

- (i) Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche and First Aid Room etc.
- (ii) Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- (iii) The solid waste generated should be properly collected and segregated. dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.
- (iv) Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
- (v) Arrangement shall be made that waste water and storm water do not get mixed.
- (vi) All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- (vii) Additional soil for leveling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.

- (viii) Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
- (ix) Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- (x) Construction spoils, including bituminous material and other hazardous materials must not be allowed to contaminate watercourses and the dumpsites for such material must be secured so that they should not leach into the ground water.
- (xi) Any hazardous waste generated during construction phase should be disposed off as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- (xii) The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- (xiii) The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from concern authority shall be taken.
- (xiv) Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
- (xv) Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- (xvi) Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September 1999 and amended as on 27th August, 2003. (The above condition is applicable only if the project site is located within the 100Km of Thermal Power Stations).
- (xvii) Ready mixed concrete must be used in building construction.
- (xviii) The approval of competent authority shall be obtained for structural safety of the buildings due to any possible earthquake, adequacy of fire fighting equipments etc. as per National Building Code including measures from lighting.
- (xix) Storm water control and its re-use as per CGWB and BIS standards for various applications.
- (xx) Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
- (xxi) The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- (xxii) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Discharge of this unused treated effluent, if any should be discharge in the sewer line. Treated effluent emanating from STP shall be recycled/refused to the maximum extent possible. Discharge of this unused treated effluent, if any should be discharge in the sewer line. Treatment of 100% gray water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP.




- (xxiii) Permission to draw ground water and construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
- (xxiv) Separation of gray and black water should be done by the use of dual plumbing system for separation of gray and black water.
- (xxv) Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- (xxvi) Use of glass may be reduced up to 40% to reduce the electricity consumption and load on air conditioning. If necessary, use high quality double glass with low reflective coating in windows.
- (xxvii) Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement.
- (xxviii) Energy conservation measures like installation of CFLs /TFLs for the lighting in the areas outside the building should be integral part of the project design and should be in place before project commissioning. Use CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible like installing solar street lights, common solar water heaters system. Project proponent should install, after checking feasibility, solar plus hybrid non conventional energy source as source of energy.
- (xxix) Diesel power generating sets proposed as source of back up power for elevator and common area illumination during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel. The location of the DG sets should be decided with in consultation with Maharashtra Pollution Control Board.
- (xxx) Noise should be controlled to ensure that it does not exceed the prescribed standards. During nighttime the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prescribed regulations.
- (xxxii) Traffic congestion near the entry and exit points from the roads adjoining proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- (xxxiii) Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code, which is proposed to be mandatory for all air-conditioned spaces while it is aspirational for non-air-conditioned spaces by use of appropriate thermal insulation material to fulfill requirement.
- (xxxiiii) The building should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation.
- (xxxv) Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings.
- (xxxvi) Under the provisions of Environment (Protection) Act, 1986, legal action may be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- (xxxvii) Six monthly monitoring reports should be submitted to the Regional office of MPCB, Bhopal with copy to this department and MPCB.

**General Conditions for Post- construction/operation phase-**

- (i) Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement in Para 2. Prior certification from appropriate authority shall be obtained.
- (ii) Wet garbage should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. Local authority should ensure this.
- (iii) Local body should ensure that no occupation certification is issued prior to operation of STP/MSW site etc. with due permission of MPCB.
- (iv) A complete set of all the documents submitted to Department should be forwarded to the Local authority and MPCB.
- (v) In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Department.
- (vi) A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- (vii) Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department.
- (viii) The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at <http://ec.maharashtra.gov.in>.
- (ix) Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1<sup>st</sup> June & 1<sup>st</sup> December of each calendar year.
- (x) A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- (xi) The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO<sub>2</sub>, NO<sub>x</sub> (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
- (xii) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- (xiii) The environmental statement for each financial year ending 31<sup>st</sup> March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.

4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
5. In case of submission of false document and non compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environmental Clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.
7. **Validity of Environment Clearance:** The environmental clearance accorded shall be valid for a period of 5 years.
8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.
9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution ) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling ) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
10. Any appeal against this environmental clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1<sup>st</sup> Floor, D-, Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
11. This Environment Clearance is issued for proposed project "Suhur Plaza" located at plot no 179A to H (new CTS no ) of village Mulgaon & CTS no 243/A, 243A/1, 230/A, 230/B, 230/C & 230/D (new CTS no ) & 238/B of village Kondivita of M V road , Andheri (E), Mumbai by M/s Tulsiani - Sumer associates

  
 (Medha Gadgil)  
 Additional Chief Secretary,  
 Environment department &  
 MS, SEIAA

**Copy to:**

1. Shri. R. C. Joshi, IAS (Retd.), Chairman, SEIAA, Flat No. 26, Belvedere, Bhulabhai desai road, Breach candy, Mumbai- 400026.
2. Shri. Ravi Bhushan Budhiraja, Chairman, SEAC-II, 5-South, Dilwara Apartment, Cooperage, M.K.Road, Mumbai 400021
3. Additional Secretary, MOEF, 'MoEF & CC, Indira Paryavaran Bhavan, Jorbagh Road, Aliganj, New Delhi-110003.

4. Member Secretary, Maharashtra Pollution Control Board, with request to display a copy of the clearance.
5. The CCF, Regional Office, Ministry of Environment and Forest (Regional Office, Western Region, Kendriya Paryavaran Bhavan, Link Road No- 3, E-5, Ravi-Shankar Nagar, Bhopal- 462 016). (MP).
6. Regional Office, MPCB, Mumbai.
7. Collector, Mumbai
8. Commissioner, Municipal Corporation Greater Mumbai
9. IA- Division, Monitoring Cell, MoEF & CC, Indira Paryavaran Bhavan, Jorbagh Road, Aliganj, New Delhi-110003.
10. Select file (TC-3)

(EC uploaded on 16/12/14 )

Refn. 583-  
BMP-4245-2008-3,000 Forms

This C.C. is issued subject  
to the provision of Land  
Ceiling and Regulation Act, 1976

C-3  
MUNICIPAL CORPORATION OF GREATER MUMBAI  
FORM 'A'

MAHARASHTRA REGIONAL AND TOWN PLANNING ACT, 1966

No. CE/ 9152 /BSI/WS/AMAK of 27 MAR 2012

COMMENCEMENT CERTIFICATE

To,  
M/s. Tulsiyani Builders  
& Textiles Pvt. Ltd.

Ex. Engineer Bldg. Proposal (WS)  
Hand & Words  
Municipal Officer, A. K. Patkar Marg,  
Bandra (West), Mumbai - 400 050

Sir,

With reference to your application No. 6248 dated 16/07/07 for Development Permission and grant of Commencement Certificate under Section 44 & 69 of the Maharashtra Regional and Town Planning Act 1966, to carry out development and building permission under Section 346 of the Mumbai Municipal Corporation Act 1888 to erect a building.

To the development work of Rep. Club House & Swimming Pool CTS No. 179A/104/230/1100  
at premises at Street M.Y. Rd. village Kondivita plot No. 238-B, 243-A, 243-A/1  
No. ..... situated at Andheri (E) in K/East Ward.

The Commencement Certificate/Building Permit is granted on the following conditions :-

1. The land vacated in consequence of the endorsement of the setback line/road widening line shall form part of the public street.
2. That no new building or part thereof shall be occupied or allowed to be occupied or used or permitted to be used by any person until occupancy permission has been granted.
3. The Commencement Certificate/Development permission shall remain valid for one year commencing from the date of its issue.
4. This permission does not entitle you to develop land which does not vest in you.
5. This Commencement Certificate is renewable every year but such extended period shall be in no case exceed three years provided further that such lapse shall not bar any subsequent application for fresh permission under section 44 of the Maharashtra Regional & Town Planning Act, 1966.
6. This Certificate is liable to be revoked by the Municipal Commissioner for Greater Mumbai if :-
  - (a) The Development work in respect of which permission is granted under this certificate is not carried out or the use thereof is not in accordance with the sanctioned plans.
  - (b) Any of the conditions subject to which the same is granted or any of the restrictions imposed by the Municipal Commissioner for Greater Mumbai is contravened or not complied with.
  - (c) The Municipal Commissioner of Greater Mumbai is satisfied that the same is obtained by the applicant through fraud or misrepresentation and the applicant and every person deriving title through or under him in such an event shall be deemed to have carried out the development work in contravention of Section 42 of 45 of the Maharashtra Regional and Town Planning Act, 1966.

7. The conditions of this certificate shall be binding not only on the applicant but on his heirs, executors, assignees, administrators and successors and every person deriving title through or under him.

The Municipal Commissioner has appointed Shri. P. W. BHANGALE  
Executive Engineer to exercise his powers and functions of the Planning Authority under Section 45 of the said Act.

This CC is valid upto 26 MAR 2013.

This Commencement certificate is for  
carrying out the work upto Plinth only

For and on behalf of Local Authority  
The Municipal Corporation of Greater Mumbai

Executive Eng. [Signature]  
(Western Subs.) 'W/East', 'W/West' & 'K/East', 'K/West' /Wards'

FOR  
MUNICIPAL CORPORATION OF GREATER MUMBAI

Valid up to 26-9-2016

23 APR 2015

CHE/WS/ ~~15137~~ CO/9152/US/1AK  
Further C. C. is ~~re-enclosed~~ upto top of basement  
slab level only above ground level as per approved  
~~contingency plan~~ dt. 16-02-2015.

*[Signature]*

E.E.B.P. (WS) K. Ward

CERTIFIED TRUE COPY

*[Signature]*

M/s. B. S. BAROT  
B. S. BAROT, LICENCE SURVEYOR  
Plot No. 14-A, Yogi Krupa, 1st Floor,  
Jawahar Nagar, S. V. Road,  
Goregaon (W), Mumbai-400 062.

**MUNICIPAL CORPORATION OF GREATER MUMBAI**  
**MUMBAI FIRE BRIGADE**

The Office of  
The Chief Fire Officer  
Mumbai Fire Brigade  
Suburban Head Quarters  
17301 Fire Station,  
A-971 Shyam Dal Marg,  
Mumbai - 400 059.

No. : FB/HR/R-IV/501  
Date: 6/12/13

Recommended NOC stipulating fire fighting & fire protection requirements for Proposed high rise commercial building No. 3 on Sub Plot A, Plot bearing C.T.S. No. 179-A to 179-H of Village Mulgaon C.T.S. No. 230-A to 230-D, 238-D, 243-A and 243-A/1 of Village Kondivita at M.V. Road, Andheri (East).

Ref: Letter dated 14.11.2013 from A.E.B.P. (W.S.) K/E Ward, under No. CE/8644/WS /AK  
M.F.B. No. HR/R-IV/501 dated 02.12.2013.

**E.E. B.P. (W.S.)**

In this case, please refer to this office NOCs. issued under No. FBL/S/497/1705 dated 20.12.07 for the construction of a low rise commercial building comprising of two independent wings i.e. wing A and wing A1 and two interconnected wings i.e. B wing and B1 wing having ground floor on stilts having ground floor on stilts and five upper floors with two level basement with a height of 18.45 mtrs.

Subsequently this office has issued amended NOC under No. FBM/S/508/1099 dated 15.1.09 for the construction of a high rise commercial building comprising of A - A1 wings having ground floor on stilts and one upper floor with a height of 6.25 mtrs., while B - B1 wings having ground floor on stilts and nine upper floors (part 9<sup>th</sup> floor) with two level basement with a height of 30.65 mtrs.

Further, this office has issued amended NOC under No. FB/HR/WS/198 dated 05.06.2010 for the construction of a high rise commercial building comprising of wings A - A1 as well as B - B1 having ground floor partly on stilts and 12 upper floors with two level basement with a height of 40.40 mtrs.

The work of wing B - B1 comprising of ground floor partly on stilts and 12 upper floors with two level basement was completed and Occupation Permission was granted under No. FB/HR/WS/172 dated 14.06.2011. Also E.E.B.P. (W.S.) has granted Occupation Permission under No. CE/8644/WS/AK dated 17.10.2011.

C.C. upto top of basement of wings A - A1 has been granted by E.E.B.P. (W.S.) H & K under No. CE/8644/WS /AK dated 19.06.2007. The work is carried out accordingly.

Now Licensed Surveyor has once again submitted amended plans for approval for wing A - A1 only. Wing A - A1 will now comprise of ground floor partly on stilts and 9 upper floors with two level basement with a height of 36.65 mtrs.

  
06/12/13

The floor-wise user of wing A - A1 is as under.

Floor	User
Lower & Upper Basements	Car parking with two No. of 6.00 mtrs wide each two way Ramps, Fan Rooms, STP plant, BMS room(UB) & Pump Rooms
Ground floor	Food Court, Driver room, Security room, Society Office & stilts for car parking
1 <sup>st</sup> floor	13 No. of Offices & Common Podium for single layer car parking with a 6.00 mtrs wide two way Ramp.
2 <sup>nd</sup> to 6 <sup>th</sup> , 8 <sup>th</sup> & 9 <sup>th</sup> floor	14 No. of Offices
7 <sup>th</sup> floor	12 No. of Offices & Refuge Area.

Both the level basements (common for wings A - A1 as well as B - B1) have been provided with five No. of staircases having flight width of 1.50 mtrs. each. Two No. of two way Ramps of 6.00 mtrs. width each are proposed for both the level Basements as approved earlier. Natural ventilation to the basement will be provided through the ventilation cutouts and trenches. However, the Licensed Surveyor has been directed to provide mechanical ventilation/smoke extraction system facilitating 15 air changes per hour in normal course and capable of converting to 30 air changes per hour in case of emergency.

Wing A - A1 has been provided with two inter-connected enclosed type staircases having flight width of 1.50 mtrs. each which are connected by common passage having width of 2.44 mtrs. The staircases are externally located and adequately ventilated. The lift lobby/common passage at each floor level is directly ventilated to outside air, as shown in the plan.

Total <sup>Three</sup> ~~four~~ No. of lifts are proposed out of which Two No. of lifts (one near each staircase) will be converted into Fire Lifts.

The building abuts on 12.00 mtrs. wide Internal road on North side which is connected to 13.40 mtrs. wide D.P. road on West side as well as M. V. Road on South side. The open spaces around the building are as under.

- North side - 6.00 mtrs. to 10.97 mtrs. at podium levels + 12.00 mtrs. wide Internal road
- South side - 8.06 mtrs. to 22.55 mtrs. including 12.00 mtrs. wide access road
- East side - 9.17 mtrs. to 9.80 mtrs. at ground level
- West side - 6.10 mtrs. to 15.33 mtrs. at ground level and partly ramp for podium

#### Refuge area

Refuge area Floor	Refuge area at a height from Ground level.	Refuge area Required	Refuge area proposed
At 7 <sup>th</sup> floor level	25.70 mtrs.	245.70 sq. mtrs.	252.42 sq. mtrs.



In addition, terrace floor level will be treated as refuge area. Excess refuge area will be counted in FSI. The architect has agreed to paved the R.G. up to 12mtrs on South side to facilitate the rescue operation.

In view of the above, as far as this department is concerned, there would be no objection for the construction of proposed high rise commercial building comprising of Wing A - A1 having ground floor partly on stilts and 9 upper floors with two level basement with a height of 36.65 mtrs. annexed to existing Wing B - B1 having ground floor partly on stilts and 12 upper floors with two level basement with a height of 40.40 mtrs, as per the details shown on the enclosed amended plans, signed in token of approval, subject to satisfactory compliance of the following requirements.

1. All the requirements stipulated earlier vide this office NOC issued under No FB/HRWS/198 dated 05.06.2010 shall be complied along with following requirement.
2. FOOD COURTS:  
Necessary license under Section 394 of BMC Act shall be obtained for the Food Courts.
3. GLASS FAÇADE
  - 1) An Opening to the glass façade of min. width 1.5 m and height 1.5 m shall be provided at every floor at a level of 1.2 m from the flooring facing compulsory open space as well as on road side. Minimum one such opening shall be provided at the interval of every 15 m.  
Mechanism of Opening: - The openable glass panel shall be either left or right hinged to facilitate approach of the rescue cage / ladder. Similarly, this portion shall have manual opening mechanism from inside as well as outside. Such openable panels shall be marked conspicuously so as to easily identify the openable panel from outside.
  - 2) Distance between the external wall/building line (glass / brick) and glass façade shall not be more than 300 mm.
  - 3) The smoke seals / barriers between building wall and façade shall be provided at every floor level in the form of non-combustible material / vermiculate cement.
  - 4) Glass façade blocking the area of staircase, lift lobby and corridor shall be kept openable. Pressurized system of the staircase / lobby shall be synchronized with opening mechanism.
  - 5) The glazing used for the façade shall be of toughened (tempered) safety glass as per I.S. 2553, Part I or laminated safety glass as per I.S. 2553 - Part I, satisfying stability criteria.
  - 6) Automatic wall drenchers shall be provided at every floor level from inside of the façade.
  - 7) Openable vent of 600 mm height to be installed below ceiling level or false ceiling level (if provided). - The openable vent of minimum 2.5% of the floor area shall be provided. It shall be of min 600 mm depth below ceiling / false ceiling or full length on the periphery of the façade whichever is less. - Openable mechanical devices for the said vent shall be located at 1.2 m height from the flooring level. The Openable vent can be pop-out type or

bottom hinged provided with fusible link opening mechanism and shall also be integrated with automatic Smoke Detection system.

OR

Alternate vertical glass panels of the facade shall be openable type with the mechanism mentioned above in order to ventilate the smoke.

- 8) Refuge areas covered with the glass facade shall have all the panels openable (either left or right hinged) both from inside as well as outside.

The party has earlier paid capitation fee of Rs. 2,40,000/- vide receipt No. 675701 dated 19.12.2007 on the gross built-up area of 48000 sq.mtrs. (as low rise building) as certified by the Licensed Surveyor vide his letter dated 20.11.2007.

Subsequently, the Licensed Surveyor vide his letter dated 12.11.2008 has certified the gross built-up area as 48000 sq.mtrs. (as high rise building) and the party has paid additional capitation fee of Rs. 2,40,000/- vide receipt No. 361541 dated 06.01.2009 (SAP docket No. 1000217405).

Subsequently, the Licensed Surveyor vide his letter dated 19.05.2010 has certified the gross built-up area as 94200 sq.mtrs. and the party has paid additional capitation fee of Rs. 4,62,000/- vide receipt No. 1636257 dated 04.06.2010 (SAP docket No. 1000609997) on the additional built-up area of 46200 sq.mtrs.

Now, the Licensed Surveyor vide his letter dated 23.11.2013 has certified the gross built-up area as 78000 sq.mtrs. and the party has paid additional scrutiny fee of Rs. 12,42,000/- vide receipt No. 3410618 dated 03.12.2013 (SAP docket No. 1001606822)

sd/-


Dy. Chief Fire Officer (W.S.)  
Mumbai Fire Brigade.

Copy to: Mr. B.S. Barot, Licensed Surveyor, Mumbai.

  
05/11/13

Dy. Chief Fire Officer (W.S.)  
Mumbai Fire Brigade.

CERTIFIED TRUE COPY

  
M/s. B. S. BAROT  
B. S. BAROT, LICENSE SURVEYOR  
Plot No. 14-A, Yashwantrao Chavan, 1st Floor,  
Jawahar Nagar, S. V. Road,  
Goregaon (W), Mumbai-400 082.

NOCLetter

भारतीय विमानपत्तन प्राधिकरण  
पश्चिमी क्षेत्र मुख्यालय



दुतगामी डाक / SPEED POST Page 1 of 2

AIRPORTS AUTHORITY OF INDIA  
WESTERN REGION HQRS.

No. BT-1/MOCC/CS/MWM/14/MOCAS/550	419	Date: 25/2/2015
MS TULSIANI BUILDERS AND TEXTILES PVT LTD		
TULSIANI SUPER ASSOCIATES, 2103/04, TULSIANI CHAMBERS, 212 KARTAM POINT, MUMBAI 400 021		
<b>NO Objection Certificate for Height Clearance</b>		
This NOC is issued by Airports Authority of India (AAI) in pursuance of responsibility conferred by and as per the provisions of Govt. of India (Ministry of Civil Aviation) order SO84 (E) dated 14th Jan. 2010 for Safe and Regular Aircraft Operations.		
1. References:		
NOCID	SNCR/VEST/IB/091614/63567	
Applicant Letter	NIL dated 04.12.2014	
AAI Reference	MWM/14/MOCAS/550	
2. NOC Details for Height Clearance:		
Applicant Name	MS TULSIANI BUILDERS AND TEXTILES PVT LTD	
Type of Structure	Building	
Site Address	CTS no. 179-A TO 179-H AND CTS NO. 230-A TO 230-D, 238D, 243A & 243A/1 OF VILLAGE MULGGAON AND KONDIVITA AT M.V.ROAD, ANDHERI (EAST), MUMBAI	
Site Coordinates	19 6 43.11N -72 52 5.51E 19 6 52.99N -72 52 5.58E 19 6 42.69N -72 52 7.27E 19 6 44.40N -72 52 11.50E 19 6 44.28N -72 52 13.24E 19 6 51.85N -72 52 9.71E	
Site Elevation AMSL in Mtrs	16.03 Mtrs (One six decimal zero three)	
Permissible height above Ground Level in Mtrs	39.65 Mtrs (Three nine decimal five five)	
Permissible Top Elevation AMSL in Mtrs	55.58 Mtrs (Five five decimal five eight)	
3. This NOC is subject to the terms and conditions as given below:		
a. The site-elevation and site coordinates provided by the applicant are taken for calculation of the permissible top elevation for the proposed structure. If, however, at any stage it is established that the actual data is different from the one, provided by the applicant, this NOC will be invalid.		
b. The issue of the 'NOC' is further subject to the provisions of Section 9-A of the Indian Aircraft Act, 1934 and those of any notifications issued there under from time to time including the Aircraft (Demolition of Obstruction caused by buildings and trees etc.) Rules, 1994.		
c. No radio/TV Antenna, lighting arresters, staircase, Mumea, Overhead water tank and attachments of fixtures of any kind shall project above the Permissible Top Elevation: 55.58 Mtrs, indicated in para 2.		
d. The use of oil fired or electric fired furnace is mandatory, within 8 KM of the Aerodrome Reference Point.		
e. The certificate is valid for a period of 5 years from the date of its issue. If the		

भारतीय विमानपत्तन प्राधिकरण, पश्चिमी क्षेत्र के कार्यालय, सहार रोड, विलेपार्ले (पूर्व), मुंबई - 400 099  
Office of the Regional Executive Director, Western Region, AAI, Sahar Road, Vileparle (E), Mumbai - 400 099

91-22-29217400  
2/25/2015

ए.टी.एस. कॉम्प्लेक्स, सहार कार्गो के पास, सुतार पकाही रोड, सहार, मुंबई - 400 099.  
ATS Complex, Near Sahar Cargo, Sutar Pakahi Road, Sahar, Mumbai - 400 099.

91-22-26819300

building/structure/Chimney is not constructed & completed within the period, the applicant will be required to obtain a fresh 'NOC' from the Designated Officer of Airports Authority of India. The date of completion of Building/Structure/Chimney should be intimated to this office of AAI. Request for revalidation of NOC will not be entertained after the expiry of its validity period.

f. No light or a combination of lights which by reason of its intensity, configuration or colour may cause confusion with the aeronautical ground lights of the Airport shall be installed at the site at any time, during or after the construction of the building.

g. The applicant will not complain/claim compensation against aircraft noise, vibrations, damages etc. caused by aircraft operations at or in the vicinity of the airport.

h. Day markings & night lighting with secondary power supply shall be provided as per the guidelines specified in chapter 6 and appendix 6 of Civil Aviation Requirement Series 'B' Part I Section 4, available on DGCA India website: [www.dgca.nic.in](http://www.dgca.nic.in)

i. The applicant is responsible to obtain all other statutory clearances from the concerned authorities including the approval of building plans as this NOC for height is for the purpose of 'to ensure the safe and regular aircraft operations' and shall not be used as document for any other purpose/claim whatsoever, including ownership of land etc.

j. This NOC has been issued w.r.t. the Civil Airports as notified in SO 84(E). Applicant needs to seek separate NOC from Defence, if the site lies within jurisdiction of Defence Airport.

This certificate is issued for "HEIGHT CLEARANCE ONLY" with the approval of Competent Authority for Permissible Top Elevation 55.58 Mtrs.


59185  
25/04/2015  
(Ibrahim Chittoria)  
DGM (ATM/NOC), WR  
For GM (Aero), WR  
Airports Authority Of India

Copy to:

1. The Executive Director(ATM), AAI, Rajiv Gandhi Bhavan, Safdarjung Airport, New Delhi-110003
2. GM(NOC)/Airport Director(Bundle).
3. Guard File
4. The President, Mumbai International Airport Pvt. Ltd., CSI Airport, 1st Floor, Terminal - 1B, Santacruz (E), Mumbai -400099
5. Asstt. Engineer (Survey) (WS) H&K Ward, Municipal Office Bldg, 1st floor, R.K. Patkar Road, Bandra (West), Mumbai - 400 050
6. Dy.General Manager (Vigilance), WR

CERTIFIED TRUE COPY

B.S.B. & M  
M/s. B. S. BAROT  
B. S. BAROT, LICENCE SURVEYOR  
Plot No. 14-A, Yogi Krupa, 1st Floor,  
Jawahar Nagar, S. V. Road,  
Goregaon (W); Mumbai-400 602.



PLOT-C (AREA AS PER CARD) NATURALLY SUBDIVIDED PLOT-C SQ.MTS.		
CTS. NO.	243-B	2649.00
	243-B/1	26.00
	243-B/2	26.00
	243-B/3	26.00
	243-B/4	8.50
	243-B/5	5.70
	243-B/6	8.50
	243-B/7	8.50
	243-B/8	5.70
	243-B/9	1050.00
	243-B/10	1519.10
GROSS PLOT AREA AS PER CARD		12342.20

POCKET LAND AREA CALC				SQ.MTS.
P1	1/2 x	6.76 x	1.0	4.51
P2	1/2 x	6.76 x	2.2	7.44
TOTAL AREA				1195
ACCEPTED AS PER P.R.C. CTS. NO. 179-B				1195.00
13.4 MT WIDE D.P. ROAD AREA				SQ.MTS.
R1	1/2 x	20.0 x	8.5	85.00
R2	1/2 x	32.0 x	7.0	112.00
R3	1/2 x	32.0 x	10.0	160.00
R4	1/2 x	20.0 x	2.5	25.00
R5	1/2 x	20.0 x	12.5	125.00
R6	1/2 x	26.0 x	8.0	104.00
R7	1/2 x	48.5 x	10.0	194.00
R8	1/2 x	30.5 x	5.5	59.88
R9	1/2 x	30.5 x	7.8	118.35
R10	1/2 x	19.5 x	3.5	92.63
R11	1/2 x	20.5 x	11.0	112.75
R12	1/2 x	20.5 x	6.0	61.50
TOTAL AREA				1559.86
ACCEPTED AS PER P.R.C. CTS. NO. 179-C + 179-F (247.0 + 1169.0)				1516.00

SETBACK AREA CALC				SQ.MTS.
(AREA UNDER 45.73 MT WIDE M.V. ROAD)				
R14	1/2 x	54.0 x	11.0	297.00
R15	1/2 x	54.0 x	3.88	266.76
TOTAL AREA				563.76
ACCEPTED AS PER P.R.C. CTS. NO. 243-A1				563.70

RESER OF LAW COURT & COURT HSG. AREA CALC				SQ.MTS.
A1	1/2 x	20.0 x	2.0	20.00
A2	1/2 x	29.0 x	10.0	275.50
A3	1/2 x	66.0 x	24.0	792.00
A4	1/2 x	40.5 x	33.9	1118.70
A5	1/2 x	30.0 x	14.2	261.00
A6	1/2 x	26.5 x	12.0	177.00
A7	1/2 x	18.5 x	5.0	46.25
A8	1/2 x	54.0 x	33.3	634.50
A9	1/2 x	59.0 x	17.5	516.25
TOTAL AREA				3962.70
ACCEPTED AS PER P.R.C. CTS. NO. 230-C + 179-D (782.0 + 3259.6)				3962.50

RESER OF GARDEN AREA CALC				SQ.MTS.
G1	1/2 x	35.5 x	8.0	142.00
G2	1/2 x	38.0 x	13.0	247.00
G3	1/2 x	46.0 x	22.5	517.50
G4	1/2 x	46.5 x	23.4	683.55
G5	1/2 x	58.39 x	13.5	394.13
G6	1/2 x	64.5 x	4.5	145.13
TOTAL AREA				2123.31
ACCEPTED AS PER P.R.C. CTS. NO. 179-E				2128.60

SUBPLOT-B AREA CALC				SQ.MTS.
B1	1/2 x	46.0 x	14.03	322.63
B2	1/2 x	55.0 x	8.0	220.00
B3	1/2 x	55.0 x	6.0	165.00
B4	1/2 x	21.5 x	6.42	69.02
B5	1/2 x	21.5 x	3.0	21.50
B6	1/2 x	14.0 x	7.0	49.00
B7	1/2 x	20.0 x	6.5	65.00
B8	1/2 x	17.0 x	1.0	8.50
TOTAL AREA				920.71
ACCEPTED AS PER P.R.C. CTS. NO. 179-G				920.70

GROSS AREA OF PLOT (AS PER ALATION)			SQ.MTS.
• 13.4 MT WIDE D.P. ROAD AREA	1516.00	}	2079.70
• SETBACK AREA UNDER EXIST. M.V. ROAD	563.70		
• RESER OF LAW COURT & COURT HSG. AREA	3962.50		
• RESER OF GARDEN AREA	2128.60		
• POCKET LAND AREA	1195.00		
• SUBPLOT-A AREA	40360.30		
• SUBPLOT-B AREA	920.70		
GROSS AREA OF PLOT (AS PER ALATION)			

SUBPLOT-A AREA CALC				SQ.MTS.
1	1/2 x	19.0 x	6.0	57.00
2	1/2 x	25.0 x	7.5	93.75
3	1/2 x	37.5 x	7.5	140.63
4	1/2 x	26.0 x	11.0	143.00
5	1/2 x	31.0 x	11.0	170.50
6	1/2 x	38.0 x	11.0	212.04
7	1/2 x	48.0 x	19.0	617.50
8	1/2 x	30.0 x	4.0	1980.00
9	1/2 x	108.0 x	29.0	1366.00
10	1/2 x	36.5 x	5.0	91.25
11	1/2 x	35.0 x	5.5	166.25
12	1/2 x	22.5 x	1.8	16.88
13	1/2 x	21.0 x	4.5	47.25
14	1/2 x	25.0 x	7.5	93.75
15	1/2 x	39.0 x	13.0	253.50
16	1/2 x	39.0 x	5.0	97.50
17	1/2 x	31.0 x	12.0	186.00
18	1/2 x	21.0 x	7.5	78.75
19	1/2 x	20.0 x	3.0	30.00
20	1/2 x	68.0 x	11.0	374.00
21	1/2 x	68.0 x	6.0	304.00
22	1/2 x	85.0 x	27.0	1147.50
23	1/2 x	30.0 x	33.0	1485.00
24	1/2 x	36.0 x	3.0	54.00
25	1/2 x	26.0 x	5.0	65.00
26	1/2 x	16.0 x	3.0	34.00
27	1/2 x	144.0 x	67.42	4854.24
28	1/2 x	144.0 x	69.89	4974.48
29	1/2 x	97.0 x	7.0	333.50
30	1/2 x	91.0 x	23.0	1046.50
31	1/2 x	107.0 x	35.5	1893.25
32	1/2 x	107.0 x	31.5	1686.25
33	1/2 x	58.0 x	13.0	377.00
34	1/2 x	70.0 x	18.0	630.00
35	1/2 x	70.0 x	21.0	735.00
36	1/2 x	74.0 x	21.5	735.50
37	1/2 x	74.0 x	13.0	481.00
38	1/2 x	56.0 x	17.0	476.00
39	1/2 x	56.0 x	18.5	518.00
TOTAL (1 TO 39)				28306.02

SUBPLOT-A AREA CALC				SQ.MTS.
40	1/2 x	82.0 x	15.0	615.00
41	1/2 x	32.0 x	2.0	32.00
42	1/2 x	84.0 x	19.0	798.00
43	1/2 x	50.0 x	11.0	275.00
44	1/2 x	38.0 x	8.0	152.00
45	1/2 x	29.0 x	15.0	217.50
46	1/2 x	27.0 x	4.0	54.00
47	1/2 x	30.0 x	12.0	180.00
48	1/2 x	30.0 x	5.5	32.50
49	1/2 x	15.0 x	9.5	71.25
50	1/2 x	15.0 x	3.0	67.50
51	1/2 x	18.5 x	7.5	68.38
52	1/2 x	30.0 x	4.5	67.50
53	1/2 x	30.0 x	9.5	142.50
54	1/2 x	103.0 x	10.0	515.00
55	1/2 x	102.0 x	74.61	3893.48
56	1/2 x	112.0 x	20.0	1120.00
57	1/2 x	50.0 x	3.0	75.00
58	1/2 x	70.0 x	41.5	1452.50
59	1/2 x	81.0 x	28.0	1134.00
60	1/2 x	81.0 x	15.0	607.50
61	1/2 x	30.0 x	4.5	67.50
62	1/2 x	15.0 x	2.0	15.00
63	1/2 x	58.0 x	8.5	246.50
64	1/2 x	42.0 x	13.0	273.00
65	1/2 x	16.0 x	2.5	20.00
TOTAL (40 TO 65)				12155.24
(1 TO 39)				28206.02
TOTAL AREA				40361.26
CTS. NO. 179-A, 179-H, 230-A (142), ACCEPTED AS PER P.R.C. 243-B, 243-B/1 TO 243-B/10				40360.30

NET PLOT AREA				SQ.MTS.
C1	1/2 x	66.5 x	31.59	717.87
C2	1/2 x	93.0 x	34.0	1581.00
C3	1/2 x	93.0 x	52.09	2419.40
C4	1/2 x	74.0 x	43.0	1591.00
C5	1/2 x	74.0 x	14.25	527.35
C6	1/2 x	83.0 x	20.0	830.00
C7	1/2 x	97.0 x	7.5	363.75
C8	1/2 x	98.5 x	4.0	197.00
C9	1/2 x	98.5 x	19.5	969.38
SETBACK AREA (45.73 MT WIDE EXIST. M.V. ROAD AREA)				
D1	1/2 x	65.5 x	9.25	302.94
D2	1/2 x	61.0 x	10.75	327.87
D3	1/2 x	64.75 x	10.0	323.75
D4	1/2 x	104.5 x	6.0	313.50
D5	1/2 x	104.5 x	26.0	1358.50
D6	1/2 x	58.25 x	10.25	328.06
GROSS AREA OF SUBPLOT C (AS PER ALATION)				12342.20

SUBPLOT-C PLOT AREA STATEMENTS		SQ.MTS.
1	GROSS PLOT AREA (AS PER CARD)	12342.20
2	DEDUCTION:	
a	SETBACK AREA (45.73 MT WIDE EXIST. M.V. ROAD)	3156.60
3	NET PLOT AREA (1-2)	9185.60
4	LESS: 10% AMENITY OPEN SPACE AREA	918.56
5	BALANCE PLOT AREA	8267.04
6	ADD. FOR F.S.I. 100% SETBACK AREA	3156.60
7	TOTAL AREA (5+6)	8268.64
8	TOTAL PERMISSIBLE AREA	8268.64

GROSS AREA OF PLOT (AS PER CARD)			SQ.MTS.
CTS. Nos. OWNER			
179-A	M/S. RASTIYA METAL IND. LTD. (Subplot-A)		527.10
179-B	M/S. RASTIYA METAL IND. LTD. (Pocket Land)		11.50
230-C	LAW COURT & COURT HOUSING (Subplot-A)		702.30
179-D	LAW COURT & COURT HOUSING (Subplot-A)		355.85
179-E	RESER OF GARDEN		2128.60
179-G	M/S. RASTIYA METAL IND. LTD. (Subplot-B)		920.70
179-H M/S. RASTIYA METAL IND. LTD. (Subplot-A) 1002.50			
230-A1 M/S. RASTIYA METAL IND. LTD. (Subplot-A) 1344.10			
230-A2 M/S. RASTIYA METAL IND. LTD. (Subplot-A) 2700.00			
230-B M/S. RASTIYA METAL IND. LTD. (Subplot-A) 221.10			
238-B RAMESH SHAH & OTHERS CIV. OWNER (Subplot-A) 202.60			
243-A M/S. TULSAH BUILDERS & M/S. CHANDUMAL SONS PVT. LTD. (Subplot-A) 8856.70			
243-A1 M.C.G.M. ROAD 563.70			
179-F 13.4 MT. D.P. ROAD 347.00 2079.70			
179-G 13.4 MT. D.P. ROAD 1169.00			
GROSS AREA OF PLOT AS PER ALATION & P.R. CARD			49464.30

PROFORMA II  
CONTENTS OF SHEET  
PLOT AREA DIAGRAM & PLOT AREA CALC.  
STAMP OF DATE OF RECEIPT OF PLANS.

STAMP OF DATE OF APPROVAL OF PLANS.

APPROVABLE  
(Subject to Compliance of Registered Terms & Conditions of this Office)  
Letter No. CE/1199/10K  
Date 24 Sep 2010  
Rastriya  
CERTIFIED TRUE COPY

DESCRIPTION OF PROPOSAL & PLOT AREA CALC.  
PROP. AMBAGARATION, NATURALLY SUBDIVISIONS, LAYOUT OF RESERVE BEARING CTS. NO. 179-A TO 179-H, 230-A, 230-B, 243-B, 243-B/1 TO 243-B/10 OF VILLAGE MUGGAON, CTS. NO. 220A TO 230-D, 238-B, 243-A & 243-A/1 OF VILLAGE KONDIVITA AT M.V. ROAD ANDHERI EAST MUNICIPAL CORPORATION.

NAME OF THE OWNER  
M/S. RASTIYA METAL IND. LTD. M/S. TULSAH BUILDERS & TEXTILES PVT. LTD. M/S. CHANDUMAL SONS PVT. LTD. & SHRI RAMESH SHAH & OTHERS CIV. A TO OWNER.

NAME ADDRESS & SIGN OF LICENCE SEEKER  
M/S. B. S. BARGI  
LICENCE SEEKER  
PLOT NO. 14-A, 1ST FLOOR  
JANAKI NAGAR, 5th ROAD  
MUGGAON (WEST)  
MUMBAI-400064.

DRN. BY SHARDA  
DATE: 24/9/2010  
REV. DT: 18/12/2006  
REV. DT: 26/2/2010



## MUNICIPAL CORPORATION OF GREATER MUMBAI

Office of the  
Chief Engineer (Development Plan)  
Municipal Head Office  
4th Floor, Extn. Building  
Mahapalika Marg, Fort  
Mumbai - 400 001

To  
SUMER BUILDERS  
201, Commerce House,  
140N.M.Road  
Fort, Mumbai 400001

No: CHE/<sup>183</sup>~~221~~/DPWS/K/E

Date: 28 MAY 2014

**Sub:** Sanctioned Revised Development Plan Remarks for the land bearing C.T.S.No 179A, 179B, 179C, 179D, 179E, 179F, 179G, 179GH, of village Mulgaon 230A/1, 230B, 230C, 230D, 234, 243A & 243A/1 of village kondivata

**Ref:** Your Application u/no. 0001921 and payment of certifying charges made under Receipt no. 1001753498 dated 16/05/14

**Sir/Madam,**

Sanctioned Revised Development Plan Remarks for the land shown bounded blue on the accompanying plan are as under:-

Description of the Land	:	C.T.S.No 179A, 179B, 179C, 179D, 179E, 179F, 179G, 179GH, of village Mulgaon 230A/1, 230B, 230C, 230D, 234, 243A & 243A/1 of village Kondivata
Sanctioned Revised Development Plan referred to Ward	:	K/E
Reservations affecting the land [as shown on plan]	:	GARDEN and LAW COURT & COURT HOUSING (both parts of larger reservations)
Reservations Abutting the land [as shown on plan]	:	GARDEN
Designations affecting the land [as shown on plan]	:	NIL
Designations Abutting the land [as shown on plan]	:	NIL
D.P. Roads affecting the land [as shown on plan]	:	DP ROAD (13.40 M)
Existing Roads [as shown on plan]	:	PRESENT

The widening, if any, of the existing road shall be as per the regular line prescribed by and subject to the actual demarcation on site by the Executive Engineer (Traffic & Co-ordination) / A.E. Survey (WS) H&K Wards.

Zone [as shown on plan] : SPECIAL INDUSTRIAL ZONE (I-3)

**Remarks from other Departments/Offices:**

Demarcation: The Alignment of the proposed road & the boundaries of the reservations are subject to the actual demarcation on site by this office staff along with the representative of A.E. Survey.

As per the directives issued by State Govt. in U.D. Dept. under section 154 of M.R.T.P.-Act u/no. TPB-4305/2342/CR-302/05/UD-11 dtd.17.01.2006, No objection from M.M.R.D.A. shall be obtained separately in view of M.R.T.S. before any development on the land.

The land under reference is affected by Nalla, and hence, specific remarks from the Ex.Eng.(S.W.D.) of M.C.G.M shall be obtained separately before any development on the land.

**RELOCATION:** Director's approval u/n.Dir/ES&P/5746/I,Dated 8/03/2004.

Consequent upon the representation made in the past by the Owner/ Developer of the land under reference and in consonance with the existing site conditions and by direction the reservation of Garden (G) has been relocated from its position shown in washed green colour to that shown dotted green lines on the plan, and the reservation of Law Court & Court Housing has been relocated from its position shown in washed red colour to that shown dotted red lines on the plan.

**Note:**

The land under reference comprises of C.T.S.Nos. 179A, 179B, 179C, 179D, 179E, 179F, 179G, 179GH, of village Mulgaon 230A/1, 230B, 230C, 230D, 234, 243A & 243A/1 of village Kondivata and hence, specific remarks for the Layout/ sub-division / amalgamation shall be obtained from the E.E.B.P.(WS) H&K Wards and development thereof will be as per the terms and conditions of the layout.

Remarks are offered only from the zoning point of view without reference to ownership and without carrying out actual site inspection and without verification of the status of the structures if any on the land under reference. Status of the existing road, if any, shall be confirmed from the concerned Ward Office.

The boundaries shown in the accompanying plan are as per the available records with this office. However the boundaries shown in the records of City Survey Office shall supercede those shown in the D. P. Remarks Plan.

Yours Faithfully

*Wagh* 28/5/14  
Assistant Engineer,  
Development Plan


(K/E Ward)

**CERTIFIED TRUE COPY**


*B.S. Barot*

**M/s. B. S. BAROT**  
**B. S. BAROT, LICENCE SURVEYOR**  
Plot No. 14-A, Yogi Krupa, 1st Floor,  
Jawahar Nagar, S. V. Road,  
Goregaon (W); Mumbai-400 062.

Acc~1 plan



**BLOCK PLAN**  
 Scale 1:500 Land Bearing C.T.S.No(s) 179A, 179C, 179B, 179D, 179E, 179F, 179G, 179GH, Of village Mulgaon 230A/1, 230B, 230D, 234, 230C, 243A, 243A/1 and 230C of Kondivate Village in K/E Ward



**LOCATION PLAN**  
 Scale 1:4000

**NOTE:**  
 D.P. Remarks have been offered only from the zoning point of view without any reference to the existing and status of the structures on the land under reference etc. This plan is to be read with letter under  
 No.CHE/183/DPWS/K/E Dated: 28 MAY 2014

*Wagh*  
 28/5/14  
 Assistant Engineer (DP) K/E Ward



## MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010437/4020781  
/4037124/4035273  
Fax : 24044532/4024068 /4023516  
Email : rohq@mpcb.gov.in  
Visit At <http://mpcb.gov.in>



Kalpataru Point, 3rd & 4th floor, Sion- Matunga  
Scheme Road No. 8, Opp. Cine Planet Cinema,  
Near Sion Circle, Sion (E),  
Mumbai - 400 022

**Infrastructure /Orange/LSI**

Consent order No: Format1.0/BO/RO-HQ/MU-7088-16 /CE-Revalidation/CC- <sup>0259</sup> Date-03/02/2017

To,

M/s. Tulsiani Sumer Associates,  
Plot No. 179A to 179H of Village-Mulgaon &  
CTS No.243/A,243/A/1,230A,230B,230C & 230/D & 238/D,  
Village-Kondivita, M.V.Road, Andheri (E), Mumbai

**Subject: Revalidation of Consent to Establish for Building/Construction project.  
ORANGE category.**

**Ref : 1. Consent to Establish granted by Board vide no.BO/RO (P&P)/338  
dtd.22/03/2006.  
2. Minutes of CC meeting held on 16/06/2016.**

**Your application no: CE1602000769 Dated: 29/12/2015**

**For: Revalidation of Consent to Establish for Building/Construction project.**

under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous and Other Wastes (M & T M) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II ,III & IV annexed to this order:

1. The consent is granted for a period up to commissioning of the project or co-terminus with validity of Environment Clearance i.e. 10/12/2021.
2. The capital investment of the project is Rs. 292.2 Crs. (As per Undertaking submitted by the project proponent).

The Consent to Establish Extension is valid for construction of Commercial Building Project under named as M/s. Tulsiani Sumer Associates, Plot No. 179A to 179H of Village-Mulgaon &, CTS No.243/A, 243/A/1, 230A, 230B, 230C & 230/D & 238/D, Village-Kondivita, M. V. Road, Andheri (E),Mumbai of on total plot area of 49,464.30 sq. mtrs and total construction built up area 80,580.82 sq.mtrs including utilities and services as per construction commencement certificate issued by local body.[Board has granted consent to operate part for total built up area 40,000 sq.m and remaining built up area for establish is 80,580.82 sq.m).

**3. Conditions under Water (P&CP), 1974 Act for discharge of effluent:**

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	NIL	NA	NA
2.	Domestic effluent	295.0	As per Schedule -I	60% shall be reused & recycled and remaining shall be discharged in municipal sewer.



*[Handwritten signature]*

4. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
1.	DG set (380 KVA)	1	As per Schedule -II

5. Conditions under Solid Waste Management Rules, 2016:

Sr. no.	Type Of Waste	Quantity	Treatment	Disposal
1	Biodegradable	850.0 kg/day	OWC	Used as Manure
2	Non-Biodegradable	690.0 kg/day	---	Segregate and Hand over to Local Body for recycling
2	STP Sludge	10.0 kg/day	---	Used as Manure

6. Conditions under Hazardous and Other Wastes (M & TM) Rules, 2016 for treatment and disposal of hazardous waste:

Sr. No.	Type Of Waste	Category	Quantity	UOM	Treatment	Disposal
Nil						

7. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
8. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
9. Project Proponent shall submit an affidavit in Board's prescribed format within 15 days regarding the compliance of conditions of EC/CRZ clearance and C to E.
10. The applicant shall comply with the conditions stipulated in Environment Clearance granted by GOM, vide no: SEAC-2013/CR-185/TC-1 dtd.10/12/2014.
11. This consent is issued on the basis of IOD dtd. 20/11/2015 and Commencement Certificate dtd. 16/01/2016 issued by MCGM.
12. Project Proponent shall not carry out any expansion or modification which violate the orders passed by the Hon'ble High Court of Judicature at Bombay dated February 26 and 29, 2016 in the case of Civil Application No. 221 OF 2013 in Public Interest Litigation No. 217 of 2009 and Environment Clearance.
13. This consent is issued under signature of HOD, as HOD is authorized to sign the consent vide office order issued by Environment Department, GoM vide no. सकिर्ण २०१७/प्र.क्र २६ /आस्थापना Dated 23/01/2017.

For and on behalf of the  
Maharashtra Pollution Control Board



(N.N.Gurav)  
Regional Officer (HQ)

Received Consent fee of -

Sr. No.	Amount(Rs.)	DD. No.	Date	Drawn On
1.	4,24,531 /-	456511	16/12/2015	HDFC Bank

Copy to:

1. Regional Officer -Mumbai and Sub-Regional Officer, Mumbai-II MPCB, - They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Mumbai.
3. CC/CAC desk- for record & website updation purpose

### Schedule-I

#### Terms & conditions for compliance of Water Pollution Control:

1) A] As per your consent application, you have proposed to provide the sewage treatment system with the design capacity of 300 CMD (60 CMD +240 CMD).

B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

1	Suspended Solids	Not to exceed	50 mg/l.
2	BOD 3 Days 27 degree C	Not to exceed	10 mg/l.
3	COD	Not to exceed	100 mg/l.

C] The treated domestic effluent shall be 60% recycled and reused for flushing, fire fighting and cooling of Air conditioners etc. The remaining shall be discharged into Municipal sewer/ utilized on land for gardening after conforming to above standards. The firm shall affix the separate meter for ensurance of 60% recycling of treated sewage and keep the records of the same. In no case effluent shall find its way to any water body directly /indirectly at any time.

2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of water, works for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.

3) The firm shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

4) In case, the water consumption of the project is not covered under the water consumption of local body, in that situation, the project proponent shall submit the CESS Returns in the prescribed format given under the provision of Water (Prevention & Control of Pollution) Cess Act, 1977 and Rules made there under for various category of water consumption.

In case the water consumption is duly assessed under the quantity of water consumption of local body, the project proponent shall submit certificate to that effect from the concern local body with the request not to assess CESS on their water consumption, being already assessed on the water consumption of local body.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Domestic purpose	420.0

5) The firm shall provide Specific Water Pollution control system as per the conditions of EPAct,1986 and rule made there under from time to time/ Environmental Clearance.



*Sumer*

## Schedule-II

### Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have erected following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM
01.	DG set (380 KVA )	Acoustic Enclosure	5.0*	HSD	56.90 Lit/Hr

\*Above roof of the building in which it is installed.

# D.G. Set shall be operate only in case of power failure.

2. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm <sup>3</sup> .
--------------------	---------------	--------------------------

3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
5. Ambient noise levels should conform to prescribed standards both during day and night. The ambient air and noise quality should be closely monitored during construction phase.



*[Handwritten Signature]*

**Schedule-III**  
**Details of Bank Guarantees**

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	Consent to Establish	Rs. 10 lakh	15 Days	Towards compliance of consent conditions	Upto Commissioning of the project	Five years



Maharashtra Pollution Control Board

#### Schedule-IV

##### General Conditions:

The following general conditions shall apply as per the type of the industry.

- 1) The applicant shall provide facility for collection of samples of sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) The firm shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and environmental protection Act 1986 and Solid Waste Management Rules, 2016 and E-Waste (Management) Rules, 2016.
- 3) Drainage system shall be provided for collection of sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No sewage shall be admitted in the pipes/sewers downstream of the terminal manholes. No sewage shall find its way other than in designed and provided collection system.
- 4) Vehicles hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
- 5) Conditions for D.G. Set
  - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
  - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - c) The industry shall take adequate measures for control of noise levels from its own sources within the premises in respect of noise to less than 55 dB(A) during day time and 45 dB(A) during the night time. Day time is reckoned between 6 a.m. to 10 p.m and night time is reckoned between 10 p.m to 6 a.m.
  - d) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - e) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - f) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - g) D.G. Set shall be operated only in case of power failure.
  - h) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - i) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.
- 6) ~~Solid Waste~~ The applicant shall provide onsite municipal solid waste processing system & shall comply with Solid Waste Management Rules, 2016 & E-Waste (M) Rules, 2016.
- 7) Affidavit undertaking in respect of no change in the status of consent conditions and compliance of the consent conditions the draft can be downloaded from the official web site of the MPCB.
- 8) The treated sewage shall be disinfected using suitable disinfection method.
- 9) The firm shall submit to this office, the 30th day of September every year, the environment statement report for the financial year ending 31st march in the prescribed Form-V as per the provision of rule 14 of the Environmental (Protection) Second Amended rule 1992.
- 10) The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before commissioning of the project.



*[Handwritten Signature]*

बृहन्मुंबई महानगरपालिका

**आरोग्य पत्रिका**

मुंबई   
 आरोग्य अभियान  
 आपली मुंबई, निरोगी मुंबई

विभाग

सांकेतिक क्र.

कंत्राटदाराचे नाव / कार्यस्थळ पत्ता / संपर्क क्र.

कामगाराचे नाव


वय २५/१८ पुरुष/स्त्री

B 964

विकासकाचे नाव / कार्यस्थळ पत्ता / संपर्क क्र.

**आरोग्य विषयक इतर सूचना**

- जेवण्यापूर्वी तसेच शौचावरून आल्यावर साबणाने हात स्वच्छ धुवावेत.
- बाहेरून आल्यावर हात, पाय आणि चेहरा पाण्यानी स्वच्छ धुवावा.
- रस्त्यावर विकण्यास ठेवलेले उघडयावरचे अन्नपदार्थ व कापलेली फळे खाऊ नये.
- उघडया नख्रमांवर पट्टी बांधावी.
- पायावर नख्रम झाल्यास साचलेल्या पाण्यातून ये- ना करणे टाळावे, लेप्टोपासून स्वतःला वाचवावे.
- तंबाखू, धुम्रपान व मद्यपान टाळावे.
- खिडक्यांना १.५ मिमी पेक्षा लहान आकाराच्या जाळया लावाव्यात
- रोज झोपतानां माणसांचा व डासांचा संपर्क टाळण्यासाठी मच्छरदाण्यांचा वापर करावा
- केवळ डॉक्टरी सल्ल्याने औषधोपचार करावा. स्वमर्नीने औषधोपचार करू नये.
- डॉक्टरांनी दिलेला औषधाचा डोस वेळेवर व पूर्ण घ्यावा.








बृहन्मुंबई महानगरपालिका

# आरोग्य पत्रिका



विभाग

सांकेतिक क्र.

कंत्राटदाराचे नाव / कार्यस्थळ पत्ता / संपर्क क्र.

कामगाराचे नाव


वय २२/५५ पुरुष/स्त्री

Sony

विकासकाचे नाव / कार्यस्थळ पत्ता / संपर्क क्र.

## आरोग्य विषयक इतर सूचना

- जेवण्यापूर्वी तसेच शौचावरून आल्यावर साबणाने हात स्वच्छ धुवावेत.
- बाहेरून आल्यावर हात, पाय आणि चेहरा पाण्यानी स्वच्छ धुवावा.
- रस्त्यावर विकण्यास ठेवलेले उघडयावरचे अन्नपदार्थ व कापलेली फळे खाऊ नये.
- उघडया नखमांवर पट्टी बांधावी.
- पायावर नखम झाल्यास साचलेल्या पाण्यातून ये- ना करणे टाळावे, लेप्टोपासून स्वतःला वाचवावे.
- तंबाखू, धुम्रपान व मद्यपान टाळावे.
- खिडक्यांना १.५ मिमी पेक्षा लहान आकाराच्या जाळ्या लावाव्यात
- रोज झोपतानां माणसांचा व डासांचा संपर्क टाळण्यासाठी मच्छरदाण्यांचा वापर करावा
- केवळ डॉक्टरांनी सल्ल्याने औषधोपचार करावा. स्वमर्जीने औषधोपचार करू नये.
- डॉक्टरांनी दिलेला औषधाचा डोस वेळेवर व पूर्ण घ्यावा.






बृहन्मुंबई महानगरपालिका

# आरोग्य पत्रिका



बृहन्मुंबई  
महानगरपालिका



मुंबई  
आरोग्य अभियान  
आपली मुंबई, निरोगी मुंबई

विभाग

सांकेतिक क्र.

कंत्राटदाराचे नाव / कार्यस्थळ पत्ता / संपर्क क्र.

कामगाराचे नाव


वय 30.1m पुरुष/स्त्री

Bijay

विकासकाचे नाव / कार्यस्थळ पत्ता / संपर्क क्र.

## आरोग्य विषयक इतर सूचना

- जेवण्यापूर्वी तसेच शौचावरून आल्यावर साबणाने हात स्वच्छ धुवावेत.
- बाहेरून आल्यावर हात, पाय आणि चेहरा पाण्यानी स्वच्छ धुवावा.
- रस्त्यावर विकण्यास ठेवलेले उघड्यावरचे अन्नपदार्थ व कापलेली फळे खाऊ नये.
- उघड्या नस्रमांवर पट्टी बांधावी.
- पायावर नस्रम झाल्यास साचलेल्या पाण्यातून ये- ना करणे टाळावे, लेप्टोपासून स्वतःला वाचवावे.
- तंबाखू, धुम्रपान व मद्यपान टाळावे.
- खिडक्यांना १.५ मिमी पेक्षा लहान आकाराच्या जाळ्या लावाव्यात
- रोज झोपतानां माणसांचा व डासांचा संपर्क टाळण्यासाठी मच्छरदाण्यांचा वापर करावा
- केवळ डॉक्टरी सल्ल्याने औषधोपचार करावा. स्वमंर्नीने औषधोपचार करू नये.
- डॉक्टरांनी दिलेला औषधाचा डोस वेळेवर व पूर्ण घ्यावा.





बृहन्मुंबई महानगरपालिका

# आरोग्य पत्रिका



विभाग

सांकेतिक क्र.

कंत्राटदाराचे नाव / कार्यस्थळ पत्ता / संपर्क क्र.

कामगाराचे नाव


Par Kash

वय 27/11/1980 पुरुष/स्त्री

विकाराकाचे नाव / कार्यस्थळ पत्ता / संपर्क क्र.

## आरोग्य विषयक इतर सूचना

- जेवण्यापूर्वी तसेच शौचावरून आल्यावर साबणाने हात स्वच्छ धुवावेत.
- बाहेरून आल्यावर हात, पाय आणि चेहरा पाण्यानी स्वच्छ धुवावा.
- रस्त्यावर विकण्यास ठेवलेले उघडयावरचे अन्नपदार्थ व कापलेली फळे खाऊ नये.
- उघडया नखमांवर पट्टी बांधावी.
- पायावर नखम झाल्यास साचलेल्या पाण्यातून ये- ना करणे टाळावे, लेप्टोपासून स्वतःला वाचवावे.
- तंबाखू, धुम्रपान व मद्यपान टाळावे.
- खिडक्यांना 9.५ मिमी पेक्षा लहान आकाराच्या जाळया लावाव्यात
- रोज झोपतानां माणसांचा व डासांचा संपर्क टाळण्यासाठी मच्छरदाण्यांचा वापर करावा
- केवळ डॉक्टरी सल्ल्याने औषधोपचार करावा. स्वमर्नीने औषधोपचार करू नये.
- डॉक्टरांनी दिलेला औषधाचा डोस वेळेवर व पूर्ण घ्यावा.





# बृहन्मुंबई महानगरपालिका आरोग्य पत्रिका



विभाग ..... सांकेतिक क्र. ....

कंत्राटदाराचे नाव / कार्यस्थळ पत्ता / संपर्क क्र. ....  
Shree Ganesh

कामगाराचे नाव ..... पांडु

वय 27 पुरुष / स्त्री

विकासकाचे नाव / कार्यस्थळ पत्ता / संपर्क क्र. .... Sahar plaza building,  
Chakala, Andheri (E)

## आरोग्य विषयक इतर सूचना

- जेवण्यापूर्वी तसेच शौचावरून आल्यावर साबणाने हात स्वच्छ धुवावेत.
- वाहेरून आल्यावर हात, पाय आणि चेहरा पाण्याने स्वच्छ धुवावा.
- रस्त्यावर विकण्यास ठेवलेले उघड्यावरचे अन्नपदार्थ व कापलेली फळे खाऊ नयेत.
- उघड्या जरखमांवर पट्टी बांधावी.
- पायावर जखम झाल्यास साचलेल्या पाण्यातून ये-जा करणे टाळावे, लेप्टोपासून स्वतःला वाचवावे.
- तंबाखू, धुम्रपान व मद्यपान टाळावे.
- खिडक्यांना १.५ मिमी पेक्षा लहान आकाराच्या जाळ्या लावाव्यात.
- माणसांचा व डासांचा संपर्क टाळण्यासाठी झोपताना मच्छरदाण्यांचा नियमित वापर करावा.
- केवळ डॉक्टरांनी सल्ल्याने औषधोपचार करावा, स्वमर्जीने औषधोपचार करू नये.
- डॉक्टरांनी दिलेला औषधांचा संपूर्ण डोस वेळेवर घ्यावा.



बृहन्मुंबई महानगरपालिका  
सार्वजनिक आरोग्य खात्याद्वारे वित्तरित  
मुद्रक, व्यवस्थापक मनपा मुख्यालय, मुंबई-४०० ०१

**वेळेत निदान, वाचवी प्राण**


NSPH42-BMPP-24530-2016-17-1,20,000 Cards

महिना	तपासणी दिनांक	निदान व अभिप्राय	आरोग्य कर्मचारी / वैद्यकीय अधिकारी सही	शेरा
	31 Aug 16	No fer		
	8.9.16	G.c fer		
	20 Sep 16	No fer		
	7.10.16	No fer		
	19 Oct 16	G.c fer		
	15/10/2017 Oct	fer		

डॉ. डि. बी. चौधरी  
बी.ए.एम.एस. (मुंबई)  
रजि. नं. आय. ६४७०९-ए



# बृहन्मुंबई महानगरपालिका आरोग्य पत्रिका



विभाग ..... सांकेतिक क्र. ....

कंत्राटदाराचे नाव / कार्यस्थळ पत्ता / संपर्क क्र. ....

कामगाराचे नाव ..... सुनिल

वय 21 वर्ष / स्त्री

विकासकाचे नाव / कार्यस्थळ पत्ता / संपर्क क्र. ....

## आरोग्य विषयक इतर सूचना

- जेवण्यापूर्वी तसेच शौचावरून आल्यावर साबणाने हात स्वच्छ धुवावेत.
- वाहेरून आल्यावर हात, पाय आणि चेहरा पाण्याने स्वच्छ धुवावा.
- रस्त्यावर विकण्यास ठेवलेले उघड्यावरचे अन्नपदार्थ व कापलेली फळे खाऊ नयेत.
- उघड्या जखमांवर पट्टी बांधावी.
- पायावर जखम झाल्यास साचलेल्या पाण्यातून ये-जा करणे टाळावे, लेप्टोपासून स्वतःला वाचवावे.
- तंबाखू, धूम्रपान व मद्यपान टाळावे.
- खिडक्यांना १.५ मिमी पेक्षा लहान आकाराच्या जाळ्या लावाव्यात.
- माणसांचा व डासांचा संपर्क टाळण्यासाठी झोपताना मच्छरदाण्यांचा नियमित वापर करावा.
- केवळ डॉक्टरांनी सल्ल्याने औषधोपचार करावा, स्वमर्जीने औषधोपचार करू नये.
- डॉक्टरांनी दिलेला औषधांचा संपूर्ण डोस वेळेवर घ्यावा.



.....

बृहन्मुंबई महानगरपालिका  
सार्वजनिक आरोग्य खात्याद्वारे वितरित  
मुद्रक, व्यवस्थापक मनषा मुद्रणालय, मुंबई-४०० ०१

**वेळेत निदान, वाचवी प्राण**

NSPH42-BMPP-24530-2016-17-1,20,000 Cards



**MUNICIPAL CORPORATION OF GREATER MUMBAI**  
**SOLID WASTE MANAGEMENT (W.S.)**  
Office of the Dy.H.S.(S.W.M.) Z-III, MCGM Building, 2<sup>nd</sup> Floor, 321 TPS 2, Nehru  
Road, Vile Parle (E), Mumbai - 400 057

VALID UPTO 24.08.2015

To,  
M/s Tulsiani-Sumer Associates,  
1103/4 Tulsiani Chambers,  
212 Nariman Point,  
Mumbai-400021

EX. ENG / SWM / 491 / Z-III  
← 21 / 08 / 15

**Sub:** - Handling & transportation of waste generated under "Debris Management Plan" for proposed Club house & Swimming Pool on sub-plot A on plot bearing CTS. No. 179-A to 179-H of village Mulgaon, CTS no. 230-A to 230-D, 238-B, 243-A & 243-A/1 of village Kondivita at M.V. Road, Andheri (E) Mumbai

- Ref:** - 1) Your application received From A.E. (SWM) K/E  
u/no. A.E/K/E/6449/SWM Dt.21.08.2015  
2) Work order-CIDCO/EE (AP-R/R-II) 2015/34 Dt. 03.02.15  
3) CIDCO/CE (NMIA)/2015/ACE (11)84 Dt.05.01.2015  
4) CIDCO/EE (AP-R/R-II)/2015/83 Dt. 31.03.2015  
5) Letter from P.D. Earthmovers to M/s. Mishra Transport Services  
Dt.09.04.2015  
6) Letter from M/s. Mishra Transport Service to M/s. Tulsiani-Sumer Associates  
7) IOD u/no. CE/9152/WS/AK Dt. 10.08.2011 and further amended IOD  
u/no CHE/9152/WS/AK Dt.16.02.2015  
8) Excavation permission u/no. AC/DESK-IV/MNL/SR-251/2015-16  
Dt.23.07.2015

**Gentlemen,**

With reference to your application along with papers submitted, you are allowed to transport debris from designated point of generation to designated point of disposal as stated in "Debris Management Plan" submitted by you. This is only transportation approval & does not amount to permission to dispose off debris at designated or any other site. As per papers submitted and after the site inspection of by A.E.(SWM) K/E and his NOC it is observed that as per the letter, you have proposed to handle & transport approximately **200 brass of excavation earth** to be unloaded at Development of land for Rehabilitation and Resettlement of Airport Project Affected villages in Sector 24 of Vahal, Ulwe Node, Navi Mumbai for Debris clearance certificate under the "Construction Demolition Waste (Management & Disposal) Rules 2006", for the subject plot. You are requested to abide the rules and regulations as below:-

**Environmental Conditions:-**

1. You are allowed to transport approx. **200 brass of excavation earth** to be unloaded at Development of land for Rehabilitation and Resettlement of Airport Project Affected villages in Sector 24 of Vahal, Ulwe Node, Navi Mumbai through transport contractor M/s. Lokesh Transport
2. You will ensure that, debris / construction waste generated is stored in proper container till its utilizations. Under any circumstances the debris / construction waste generated is not

7. The vehicles specified shall not create any nuisance i.e. spilling slurry / waste on road while transportation. The body, wheels, chassis etc, shall therefore be washed and cleaned thoroughly to avoid spreading of waste on road.
8. The vehicles deployed shall abide by the vehicle registration numbers given to this office and see that they confirm to R.T.O. Rules & Regulations and Pollution Control Norms and be properly covered with tarpaulin or any other suitable material firmly on the vehicle to avoid any escape and fall of waste on road.
9. Each of the vehicle deployed under this approval shall carry the copy of approval while transportation of waste.
10. The challan used for transportation and unloading shall clearly specify all the details including loading and disposal site.
11. You will ensure that barricading and enclosure are provided at construction site to avoid escape of fugitive dust into the atmosphere, as well as its deposits to spread on street / footpaths / drains etc.
12. You will ensure that precautionary measures are taken to avoid any disaster due to excavation of earth to the neighboring structures / compound walls / roads / S.W.D. etc. and excavation work will strictly be carried out under the supervision and responsibility of structural engineer.
13. While carrying out the work, if any damaged occurred to the neighboring structure / compound wall / road / S.W.D. etc. or during dumping / disposal of excavated earth, chokes flooding situation to nearby area / house, then developer / owner / builder will be held responsible and they have to carry out repairs of damaged structure / compound wall / Roads / S.W.D. etc. free of cost.
14. You will ensure that the necessary permission from the Collector for excavation purpose and permission from Building Proposal department for any changes, modification/alteration/ demolition if any be obtained before actual starting of the work and copy of the same be produced to this office for perusal & for which a separate C & D permission is to be obtained by the concerned.
15. The NOC / Permission required for Central / State or any Government authority shall be complied with before execution of the work.
16. The letter is granted presuning that the papers submitted by the applicants / POA / Occupant / Owners are genuine & for any dispute arising out of documents submitted by applicant, POA / Occupant / Owner will be held responsible.
17. This letter is not valid for the areas covered with mangroves contravention of this clause will be attract prosecution under the Environment Protection Act & other relevant act.
18. Violation of any condition stated above will attract the action as per the C. & D. Rules.
19. The approval granted here to does not absolve the approval required from the other department.
20. The transportation of excavation earth / construction waste shall be done in day time only.
21. The M.C.G.M. reserves the right to revoke the same permission if conditions of environment is not followed or in any such unavoidable circumstances without giving any notice or reasons.

MH-04 EB-7891	MH-04 EB-7909	MH-04 EY-2707	MH-04 EY-2797
MH-04 EY-6424	MH-04 EY-6433	MH-04 EY-7099	MH-04 EY-7189
MH-04 FD-16	MH-04 FD-835	MH-04 FD-250	MH-04 EL-8647
MH-04 GC-9781	MH-04 GC-9754	-----	-----

Yours faithfully,



# *Sumer Corporation*

B u i l d e r s & D e v e l o p e r s

SC/2013.

Dt. 23.10.2013.

To  
M/s. Tulsiani Sumer Associates,  
Sahar Plaza Complex, Next to Kohinoor hotel,  
JB Nagar, Sir M. V. Road,  
Andheri (east),  
**MUMBAI – 400059.**

**Reg.: Usage of Excavated Earth for site filling and leveling of our SRA project at Chandivali.**

**Ref.: Excavation of Land for Basement for "Windfall Building" near Kohinoor Hotel at Ahdheri Kurla Road, Andheri (E), Mumbai.**

Dear Sir,

This is in refrence to the Earth Excavation activity for construction of basement at the above referred site.

We would state that the Excavated Earth (Constrcution waste) generated at the project Sahar Plaza "Windfall Building" has been used in filling and leveling of our site at property bearing CTS No.11A(pt.), 16, 19, 20(pt), 11D(pt), 50A(pt), 25(pt) of Village Chandivali Taluka-Kurla.


Due to topography of our plot we had required the excavated earth for filling and leveling some of the portions of our property for its proper usage.

The activity of Earth Excavation was carried out from 2006 onwards and the same was used far filling and leveling at our above referred site. Appx 300 Truck loads would have been used in the same.

Thanking you,

Yours faithfully,

**For SUMER CORPORATION,**

  
**PARTNER.**



# *Sumer Earth Movers Pvt. Ltd.*

• INFRASTRUCTURE DEVELOPERS & SERVICES •

To,

Date: - 22/02/2006

Tulsiani Sumer Associates,  
1103/4 , Tulsiani Chambers,  
21 Nariman Point,  
Mumbai-400021

**Sub:-** Shifting of Surplus soil from Excavation at Sahar Plaza, Andheri (E),  
Mumbai to our Slum Redevelopment Project at Chandivali, Mumbai

Dear Sir,

As explained to you earlier we want to put on record that whatsoever Surplus soil will be available during Excavation of soil at Sahar Plaza, Andheri (E), Mumbai will be shifted by us to our Slum Redevelopment Project at Chandivali, Mumbai (being developed by our sister concern M/s Sumer Corporation) and will be used for filling purpose.

This is for your information & record please.

For **Sumer Earthmovers,**

**(Rahul R. Shah)**

**MUNICIPAL CORPORATION OF GREATER MUMBAI**

A/E/ENV/916/RE

Office of Ex. Eng(ENV) Z-III  
Santacruz Municipal Garage,  
S.M. Road, Santacruz(W)  
Mumbai - 52

10/9/2007

To,  
M/s S.G. Kanade  
Architect & Interior Designer  
173/20, 'AALAP' Co-op Hsg. Soc. Ltd.,  
Sir Bhalchandra road, Hindu Colony,  
Dadar, Mumbai - 400 014

Sub: -Debris NOC on proposed development on CTS No. 243A/1,  
230A to D, 238/D of village Kondvita at Andheri(E) for Building No.3  
Chakala, Andheri Ghatkopar Road, Andheri(E), Mumbai.

- (Ref: 1) Your letter u/no.916 dated 10/9/07  
2) CE/1199/LOKEN  
3) CE/8644/AK

Gentlemen,

With reference to application and documents submitted thereat, the site is visited and approval is hereby granted for handling, storage and disposal of waste generated under the "Construction Demolition waste (Management & Disposal) Rules - 2006", subject to the following conditions.

1. As per your above referred application quantity is 300 Cu.M which will be utilized within the same plot.
2. You will ensure that barricading & enclosure are provided at construction site to avoid escape of fugitive dust into atmosphere, as well as its deposits to spread on street/footpath/drains etc.
3. You will ensure that, debris / construction waste generated is stored in proper container till its transportation. Under any circumstances the debris / construction waste generated is not deposited on roads or footpath
4. You will adhere to the pollution norms the noise level for the activities to be performed & covered under this permission.
5. You will transport the construction & demolition waste through the vehicles furnished by you only. Any change in the same shall be intimated & got approved before implementation.

6. The vehicles specified shall not create any nuisance; spillage of slurry / waste on road while transportation. The body, wheels chasis etc shall be washed and cleaned thoroughly to avoid spreading of waste / mud on road.

7. The vehicles deployed shall be covered with tarpaulin or any other suitable material firmly fixed on the vehicle to avoid any escape & fall of waste on road.

8. Each of the vehicles deployed under this approval shall carry the copy of the approval while transportation of waste.

9. The challan used for transportation and unloading shall clearly specify all the details including loading and disposal site. The record of the same shall be maintained and produced on demand.

10. The unloading of waste shall be done only at the designated disposal site for which "No Objection Certificate" issued by the concerned.

11. The applicant shall keep proper record of handling & transportation of C & D waste of the collection spot and disposal site and the same shall be produced on demand.

12. The surrounding & vicinity of loading & disposal site shall be maintained clean.

13. The permission is granted presuming that the papers submitted by the applicant / POA / occupant owners are genuine & for any dispute arising out of documents submitted by applicant / POA / occupant owners will be held responsible.

14. This permission not valid for the area covered with mangroves contravention of this clause will attract prosecution under the Environment Protection Act & other relevant act.

15. Violation of any conditions stated above will attract the action as per the C & D rules.

16. The approval granted hereto does not absolve the approval required from the other departments.

Yours faithfully,

  
17/7/2023  
( Ex.Eng.(ENV) Z(III) )





**Environmental Consultancy & Laboratory**  
**Lab. Gazetted by MoEF - Govt. of India**

ISO 9001 : 2015  
 OHSAS 18001 : 2007

**Laboratory** : G. V. Brothers Building, Bata Compound, Khopat, Near Flower Valley, Thane (West) - 400 601, Maharashtra, India  
**Telefax** : +91 22 2547 49 07 / +91 22 2547 62 17 **Email** : lab@ultratech.in

## TEST REPORT

**ISSUED TO:** M/s. TULSIANI-SUMER ASSOCIATES. **REPORT NO.** : UT/ELS/REPORT/0341/05-2017  
**For Your Site:** "Sahar Plaza Complex" **ISSUE DATE** : 31/05/2017  
 Sir M.V. Road, Next to Kohinoor Continental Hotel, **YOUR REF.** : Work Order Letter  
 Andheri (East), Mumbai - 400059 **REF. DATE** : 12/05/2017

<b>SAMPLE PARTICULARS</b>	:	<b>AMBIENT AIR QUALITY MONITORING</b>
<b>Sampling Plan Ref. No.:</b>	: UG26-05/2017	<b>Location Code</b> : 01
<b>Sample Registration Date</b>	: 25/05/2017	<b>Sample Location</b> : Backside of windfall building (05 Meter Off towards North Direction )
<b>Date of Sampling</b>	: 24/05/2017	<b>Collected By</b> : ULTRA-TECH
<b>Time of Sampling</b>	: 10:15 Hrs. to 18:15 Hrs.	<b>Height of Sampler</b> : 1.0 Meter
<b>Analysis Starting Date</b>	: 25/05/2017	<b>Sampling Duration</b> : 8 Hours
<b>Analysis Completion Date</b>	: 27/05/2017	<b>Relative Humidity</b> : 49.2 % to 75.2 %
<b>Sample Lab Code</b>	: UT/ELS/0461/05-2017	
<b>Ambient Air Temperature</b>	: 30.2 °C to 40.1 °C	

Sr. No.	Test Parameter	Test Method	Test Result	Unit
1.	Sulphur Dioxide (SO <sub>2</sub> )	IS 5182 (Part 02) : 2001	25	µg/m <sup>3</sup>
2.	Oxides of Nitrogen (NO <sub>x</sub> )	IS 5182 (Part 06) : 2006	27	µg/m <sup>3</sup>
3.	Particulate Matter (PM <sub>10</sub> )	EPA/625/R-96/010a Compendium Method IO-2.1	89	µg/m <sup>3</sup>
4.	Particulate Matter (PM <sub>2.5</sub> )	UT/LQMS/SOP/A04	30	µg/m <sup>3</sup>
5.	Carbon Monoxide (CO) * <sup>s</sup>	IS 5182 (Part 10) : 1999	0.8	mg/m <sup>3</sup>


§: Sampling Period 1 Hr.

**Opinions / Interpretations:** National Ambient Air Quality Monitoring Standard, Part III- Section IV is enclosed Enclosure-I for your reference.

Sampling Equipment Details	Instrument Used	Make & Model	Calibration Status
	Respirable Dust Sampler	Make - ENVIROTECH; Model - APM460BL; Sr. No. 853-DTD-2007	Valid up to - 01/01/2018
Fine Dust Sampler	Make - ENVIROTECH; Model- APM 550; Sr. No. 488-DTJ-2010	Valid up to - 01/01/2018	

- Note:**
1. This test report refers only to the sample tested.
  2. Monitoring area coming under Industrial areas and observed values are relevant to sample collected only.
  3. This test report may not be reproduced in part, without the permission of this laboratory.
  4. Any correction invalidates this test report.
  5. Weather was Sunny during day and Clear at dark.
  6. \*: Parameters are not covered under NABL Scope.

**- END OF REPORT -**



Laboratory : G. V. Brothers Building, Bata Compound, Khopat, Near Flower Valley, Thane (West) - 400 601, Maharashtra, India  
Telefax : +91 22 2547 49 07 / +91 22 2547 62 17 Email : lab@ultratech.in

## TEST REPORT

<b>ISSUED TO: M/s. TULSIANI-SUMER ASSOCIATES.</b> <b>For Your Site: "Sahar Plaza Complex"</b> Sir M.V. Road, Next to Kohinoor Continental Hotel, Andheri (East), Mumbai - 400059	<b>REPORT NO.</b> : UT/ELS/REPORT/0321/05-2017 <b>ISSUE DATE</b> : 31/05/2017 <b>YOUR REF.</b> : Work Order Letter <b>REF. DATE</b> : 12/05/2017
---	---

<b>SAMPLE PARTICULARS</b> : <b>Sampling Plan Ref. No.:</b> : UG26-05/2017 <b>Sample Registration Date</b> : 25/05/2017 <b>Date of Sampling</b> : 24/05/2017 <b>Time of Sampling</b> : 10:30 Hrs. to 18:30 Hrs. <b>Analysis Starting Date</b> : 25/05/2017 <b>Analysis Completion Date</b> : 27/05/2017 <b>Sample Lab Code</b> : UT/ELS/0462/05-2017 <b>Ambient Air Temperature</b> : 28.2 °C to 37.3 °C	<b>AMBIENT AIR QUALITY MONITORING</b> <b>Location Code</b> : 02 <b>Sample Location</b> : Main gate Of Minta Building (10 Meter Off towards East Direction) <b>Collected By</b> : ULTRA-TECH <b>Height of Sampler</b> : 1.0 Meter <b>Sampling Duration</b> : 8 Hours <b>Relative Humidity</b> : 47.4 % to 72.4 %
---	---

Sr. No.	Test Parameter	Test Method	Test Result	Unit
1.	Sulphur Dioxide (SO <sub>2</sub> )	IS 5182 (Part 02) : 2001	20	µg/m <sup>3</sup>
2.	Oxides of Nitrogen (NO <sub>x</sub> )	IS 5182 (Part 06) : 2006	21	µg/m <sup>3</sup>
3.	Particulate Matter (PM <sub>10</sub> )	EPA/625/R-96/010a Compendium Method IO-2.1	93	µg/m <sup>3</sup>
4.	Particulate Matter (PM <sub>2.5</sub> )	UT/LQMS/SOP/A04	40	µg/m <sup>3</sup>
5.	Carbon Monoxide (CO) **	IS 5182 (Part 10) : 1999	1.3	mg/m <sup>3</sup>

\$: Sampling Period 1 Hr.

**Opinions / Interpretations:** National Ambient Air Quality Monitoring Standard, Part III- Section IV is enclosed Enclosure-I for your reference.

Sampling Equipment Details	Instrument Used	Make & Model	Calibration Status
	Respirable Dust Sampler	Make - POLLTECH; Model - PEM-RDS 8NL ; Sr. No. 3213	Valid up to - 10/01/2018
	Fine Dust Sampler	Make - NETEL; Model-NPM FDS2.5/10µ (A); Sr. No. 154	Valid up to -01/01/2018

- Note:**
1. This test report refers only to the sample tested.
  2. Monitoring area coming under Industrial areas and observed values are relevant to sample collected only.
  3. This test report may not be reproduced in part, without the permission of this laboratory.
  4. Any correction invalidates this test report.
  5. Weather was Sunny during day and Clear at dark.
  6. \*: Parameters are not covered under NABL Scope.

**- END OF REPORT -**



For ULTRA-TECH,  
**Dr. Rahul Kolhapurkar**  
 (Authorized Signatory)

## TEST REPORT

<b>ISSUED TO: M/s. TULSIANI-SUMER ASSOCIATES.</b> <b>For Your Site : "Sahar Plaza Complex"</b> Sir M.V. Road, Next to Kohinoor Continental Hotel, Andheri (East), Mumbai - 400059	<b>REPORT NO.</b> : UT/ELS/REPORT/0322/05-2017 <b>ISSUE DATE</b> : 31/05/2017 <b>YOUR REF.</b> : Work Order Letter <b>REF. DATE</b> : 12/05/2017
--	---

<b>SAMPLE PARTICULARS</b> : <b>Sampling Plan Ref. No.:</b> : UG26-05/2017 <b>Sample Registration Date</b> : 25/05/2017 <b>Date of Sampling</b> : 24/05/2017 <b>Time of Sampling</b> : 10:45 Hrs. to 18:45 Hrs. <b>Analysis Starting Date</b> : 25/05/2017 <b>Analysis Completion Date</b> : 27/05/2017 <b>Sample Lab Code</b> : UT/ELS/0463/05-2017 <b>Ambient Air Temperature</b> : 31.7 °C to 39.2 °C	<b>AMBIENT AIR QUALITY MONITORING</b> <b>Location Code</b> : 03 <b>Sample Location</b> : Near Site Office (07 meters off towards South Direction) <b>Collected By</b> : ULTRA-TECH <b>Height of Sampler</b> : 1.0 Meter <b>Sampling Duration</b> : 8 Hours <b>Relative Humidity</b> : 48.2 % to 77.2 %
---	--

Sr. No.	Test Parameter	Test Method	Test Result	Unit
1.	Sulphur Dioxide (SO <sub>2</sub> )	IS 5182 (Part 02) : 2001	24	µg/m <sup>3</sup>
2.	Oxides of Nitrogen (NO <sub>x</sub> )	IS 5182 (Part 06) : 2006	25	µg/m <sup>3</sup>
3.	Particulate Matter (PM <sub>10</sub> )	EPA/625/R-96/010a Compendium Method IO-2.1	80	µg/m <sup>3</sup>
4.	Particulate Matter (PM <sub>2.5</sub> )	UT/LQMS/SOP/A04	20	µg/m <sup>3</sup>
5.	Carbon Monoxide (CO) *\$	IS 5182 (Part 10) : 1999	0.9	mg/m <sup>3</sup>

\$: Sampling Period 1 Hr.

**Opinions / Interpretations:** National Ambient Air Quality Monitoring Standard, Part III- Section IV is enclosed Enclosure-I for your reference.

Sampling Equipment Details	Instrument Used	Make & Model	Calibration Status
	Respirable Dust Sampler	Make - POLLTECH; Model - PEM-RDS 8NL; Sr. No. 3413	Valid up to - 10/01/2018
	Fine Dust Sampler	Make - NETEL; Model- NPM FDS2.5/10µ (A); Sr. No. 243	Valid up to - 08/01/2018

- Note:**
1. This test report refers only to the sample tested.
  2. Monitoring area coming under Industrial areas and observed values are relevant to sample collected only.
  3. This test report may not be reproduced in part, without the permission of this laboratory.
  4. Any correction invalidates this test report.
  5. Weather was Sunny during day and Clear at dark.
  6. \*: Parameters are not covered under NABL Scope.

**- END OF REPORT -**



## ENCLOSURE-I

**NATIONAL AMBIENT AIR QUALITY STANDARDS, PART III-SECTION IV**  
**The Gazette of India with Effect from Wednesday, November 18, 2009/KARTIKA 27, 1931**

Sr. No.	Pollutants	Time Weighted Average	National Ambient Air Quality Standards	
			Industrial, Residential, Rural and Other Area	Ecological Sensitive Area (Notified by Central Government)
01.	Sulphur Dioxide (SO <sub>2</sub> ), µg/m <sup>3</sup>	Annual*	50	20
		24 Hours**	80	80
02.	Oxides of Nitrogen (NO <sub>x</sub> ), µg/m <sup>3</sup>	Annual*	40	30
		24 Hours**	80	80
03.	Particulate Matter (PM <sub>10</sub> ), µg/m <sup>3</sup>	Annual*	60	60
		24 Hours**	100	100
04.	Particulate Matter (PM <sub>2.5</sub> ), µg/m <sup>3</sup>	Annual*	40	40
		24 Hours**	60	60
05.	Carbon Monoxide (CO), mg/m <sup>3</sup>	08 Hours*	02	02
		01 Hours**	04	04

\* Annual arithmetic mean of minimum 104 measurements in a year at a particular site taken twice a week 24 hourly at uniform intervals.

\*\* 24 hourly or 8 hourly or 1 hourly monitored values, as applicable, shall be complied with 98% of the time in a year. 2% of the time, they may exceed the limits but not on two consecutive days of monitoring.

**NOTE:** Whenever and wherever monitoring results on two consecutive days of monitoring exceed the limits specified above for the respective category, it shall be considered adequate reason to institute regular or continuous monitoring and further



## TEST REPORT

**ISSUED TO: M/s. TULSIANI-SUMER ASSOCIATES.**  
**For Your Site : "Sahar Plaza Complex"**  
Sir M.V. Road, Next to Kohinoor Continental Hotel,  
Andheri (East), Mumbai - 400059

**REPORT NO.** : UT/ELS/REPORT/0323A/05-2017  
**ISSUE DATE** : 31/05/2017  
**YOUR REF.** : Work Order Letter  
**REF. DATE** : 12/05/2017

**SAMPLE PARTICULARS :**

**Sampling Plan Ref. No.** : UG26-05/2017  
**Date of Monitoring** : 24/05/2017

**WORKPLACE NOISE LEVEL MONITORING**

**Sample Lab Code** : UT/ELS/464/05-2017  
**Survey Done By** : ULTRA-TECH

Sr. No.	Location	Noise Level Reading in dB(A) Leq			
		Time (Hrs)	Day dB(A)	Time (Hrs)	Night dB(A)
01.	Near Main Gate, Minta Building	15:05 to 15:10	70.2	22:30 to 22:35	44.8
02.	Back Side Of Windfall Building	15:20 to 15:25	60.7	22:45 to 22:50	42.8
03.	Near Site Office At Windfall Building	15:35 to 15:40	57.2	23:00 to 23:05	42.5
04.	Centre Of Project Site	15:50 to 15:55	61.8	23:15 to 23:20	43.2

**Opinions / Interpretations:** *The Noise Pollution (Regulation And Control) Rules, 2000: Ambient Noise Standard Is Enclosed as Enclosure II for Your Reference.*

**Note:** 1. Monitoring area coming under Industrial Area.  
2. 3. Noise level monitored is an average for period as stated above, the permissible sound pressure level is to be determined with respect to the total time workman is being exposed (continuously or a number of short term exposures per day) in Hrs.

Sampling Equipment Details	Instrument Used	Make & Model	Calibration Status
	Sound Meter	Make - OPTEL Solutions; Model - dB Meter; Sl. no. 6N-91	Valid up to - 30/09/2017

**Note:** 1. This test report refers only to the monitoring conducted.  
2. This test report may not be reproduced in part, without the permission of this laboratory.  
3. Any correction invalidates this test report.

**- END OF REPORT -**


**Dr. Rahul Kolhapurkar**  
Authorized Signatory

## ENCLOSURE - II

### THE NOISE POLLUTION (REGULATION AND CONTROL) RULES, 2000

(The Principal Rules were published in the Gazette of India, vide S.O. 123(E), dated 14.2.2000 and subsequently amended vide S.O. 1046(E), dated 22.11.2000, S.O. 1088(E), dated 11.10.2002, S.O. 1569 (E), dated 19.09.2006 and S.O. 50 (E) dated 11.01.2010 under the Environment (Protection) Act, 1986.)

#### • SCHEDULE

(See rule 3(1) and 4(1))

Ambient Air Quality Standards in respect of Noise

Area Code	Category of Area / Zone	Limits in dB(A) Leq	
		Day Time	Night Time
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Zone	50	40

- Note:
1. Day time shall mean from 6.00 a.m. to 10.00 p.m.
  2. Night time shall mean from 10.00 p.m. to 6.00 a.m.
  3. Silence zone is an area comprising not less than 100 meters around hospitals, educational institutions, courts, religious places or any other area which is declared as such by the competent authority.
  4. Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

\* dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale A which is relatable to human hearing.

A "decibel" is a unit in which noise is measured.

"A", in dB(A) Leq, denotes the frequency weighting in the measurement of noise and corresponds to frequency response characteristics of the human ear.

Leq: It is energy mean of the noise level over a specified period.

#### • CONSTRUCTION ACTIVITIES

The maximum noise levels near the construction site should be limited to 75 dB(A) Leq(5 min.) in industrial areas and to 65 dB(A) Leq(5 min.) in other areas.

#### • THE PERMISSIBLE LEVELS FOR NOISE EXPOSURE FOR WORK ZONE

(The Model Rules Of The Factories Act, 1948)

Peak sound pressure level in dB	Permitted number of impulses or impact/day
140	100
135	315
130	1000
125	3160
120	10000

- Notes:
1. No exposure in excess of 140 dB peak sound pressure level is permitted.
  2. For any peak sound pressure level falling in between any figure and the next higher or lower figure as indicated in column 1, the permitted number of impulses or impacts per day is to be determined by extrapolation on a proportionate basis.

Total time exposure (continuous or a number of short term exposures per day) in Hrs	Sound Pressure Level in dB(A)
8	90
4	93
2	96
1	99
1/2	102
1/8	108
1/16	111
1/32 (2 minutes) or less	114

- Notes:
1. No exposure in excess of 115 dB(A) is to be permitted.
  2. For any period of exposure falling in between any figure and the next higher or lower figure as indicated in column 1, the permissible sound pressure level is to be determined by extrapolation on a proportionate basis.



## TEST REPORT

**ISSUED TO: M/s. TULSIANI-SUMER ASSOCIATES.**  
**For Your Site : "Sahar Plaza Complex"**  
Sir M.V. Road, Next to Kohinoor Continental Hotel,  
Andheri (East), Mumbai - 400059

**REPORT NO. :** UT/ELS/REPORT/C-043/11-2017  
**ISSUE DATE :** 08/11/2017  
**YOUR REF. :** Work Order Letter  
**REF. DATE :** 12/05/2017

<b>SAMPLE PARTICULARS :</b>	<b>STACK EMISSIONS QUALITY MONITORING</b>
<b>Sampling Plan Ref. No. :</b> C-15/04-2017	<b>Analysis Starting Date :</b> 21/04/2017
<b>Sample Registration Date :</b> 21/04/2017	<b>Analysis Completion Date :</b> 24/04/2017
<b>Date of Sampling :</b> 20/04/2017	<b>Sample Lab Code :</b> UT/ELS/C-070/04-2017
<b>Time of Sampling :</b> 11:40 Hrs. to 13:00 Hrs.	<b>Sample Collected By :</b> ULTRA-TECH

### STACK DETAILS

<b>Stack ID :</b> --	<b>Stack Height :</b> 2.5 Meter from Ground Level
<b>Stack Attached To :</b> D.G. Set [380KVA]	<b>Stack Diameter :</b> 0.15 Meter @ Sampling Point
<b>Stack Shape :</b> Round	<b>Fuel Used :</b> Diesel
<b>Stack MOC :</b> M. S.	<b>Fuel Consumption :</b> 20Litres/Hours

### FLUE GAS CHARACTERISTICS

<b>Flue Gas Temperature :</b> 572 °K	<b>Volumetric Flow Rate :</b> 283 Nm <sup>3</sup> /hr
<b>Flue Gas Velocity :</b> 8.7 m/sec	<b>Total Volume of Flue Gas :</b> 1.000 Nm <sup>3</sup> (@ STP)

Sr. No.	Test Parameter	Test Method	Test Result	Unit	Standard Limits [MPCB Consent]
1.	Total Particulate Matter (TPM)	UT/LQMS/SOP/SE01	19	mg/Nm <sup>3</sup>	150
2.	Sulphur Dioxide (SO <sub>2</sub> )	IS 11255 (Part 02) : 1985	BDL[DL=5]	mg/Nm <sup>3</sup>	--

BDL - Below Detection Limit

DL - Detection Limit

**Opinions / Interpretations:** *The observed values for above mentioned parameters are within the prescribed standard limits wherever applicable as per MPCB Consent for Emissions of Air Pollutants tabulated above. [Ref.: Consent No. Format 1.0/BO/RO-HQ/EIC-Mu-3626-12-Autorenewal/CR/CC-688 Dated 08/05/2014 and valid for a period up to 30/04/2018]*

Sampling Equipment Details	Instrument Used	Make & Model	Calibration Status
	Stack Sampling Kit	Make - POLLTECH; Model - SMS 4; Sr. No. 3913	Valid up to - 01/11/2017

- Note:**
1. This test report refers only to the sample tested.
  2. This test report is valid at the time of and under the conditions specified herein.
  3. This test report may not be reproduced in part, without the permission of this laboratory.
  4. Any correction invalidates this test report.

**- END OF REPORT -**



## TEST REPORT

ISSUED TO: M/s. TULSIANI-SUMER ASSOCIATES.

For Your Site : "Sahar Plaza Complex"

Sir M.V. Road, Next to Kohinoor Continental Hotel,  
Andheri (East), Mumbai - 400059

REPORT NO. : UT/ELS/REPORT/0003/06-2017

ISSUE DATE : 06/06/2017

YOUR REF. : Work Order Letter

REF. DATE : 12/05/2017

### SAMPLE PARTICULARS

Sampling Plan Ref. No. : UG 26-05/2017  
Sample Registration Date : 31/05/2017  
Date & Time of Sampling : 31/05/2017 at 12:35hrs.  
Analysis Starting Date : 31/05/2017  
Analysis Completion Date : 05/06/2017  
Sample Collected By : ULTRA-TECH  
Sample Lab Code : UT/ELS/0611/05-2017

### WASTE WATER SAMPLE ANALYSIS

Sample Type : STP Inlet  
Sample Location : Before Aeration Tank  
Sample Quantity & Packing Details : 1L in Wide Mouth Glass Bottle for Oil and Grease and 2L In Plastic Container for other parameters

Sr. No.	Test Parameter	Test Method	Test Result	Unit
1.	pH	IS 3025 (Part 11) : 1983	7.2	-
2.	Total Suspended Solids	IS 3025 (Part 17) : 1984	48	mg/L
3.	Oil & Grease	IS 3025 (Part 39) : 1991	14	mg/L
4.	Biochemical Oxygen Demand (27°C, 3Days)	IS 3025 (Part 44) : 1993	135	mg/L
5.	Chemical Oxygen Demand	IS 3025 (Part 58) : 2006	482	mg/L

Opinions / Interpretations: Nil

- Note:
1. This test report refers only to the sample tested.
  2. This test report may not be reproduced in part, without the permission of this laboratory.
  3. Any correction invalidates this test report.
  4. All parameters are covered under NABL Scope

**- END OF REPORT -**





**Laboratory :** G. V. Brothers Building, Bata Compound, Khopat, Near Flower Valley, Thane (West) - 400 601, Maharashtra, India  
**Telefax :** +91 22 2547 49 07 / +91 22 2547 62 17 **Email :** lab@ultratech.in

## TEST REPORT

**ISSUED TO:** M/s. TULSIANI-SUMER ASSOCIATES.

**For Your Site :** "Sahar Plaza Complex"

Sir M.V. Road, Next to Kohinoor Continental Hotel,  
Andheri (East), Mumbai - 400059

**REPORT NO. :** UT/ELS/REPORT/0004/06-2017

**ISSUE DATE :** 06/06/2017

**YOUR REF. :** Work Order Letter

**REF. DATE :** 12/05/2017

### SAMPLE PARTICULARS

**Sampling Plan Ref. No. :** UG 26-05/2017  
**Sample Registration Date :** 31/05/2017  
**Date & Time of Sampling :** 31/05/2017 at 12:45hrs.  
**Analysis Starting Date :** 31/05/2017  
**Analysis Completion Date :** 05/06/2017  
**Sample Collected By :** ULTRA-TECH  
**Sample Lab Code :** UT/ELS/0612/05-2017

### WASTE WATER SAMPLE ANALYSIS

**Sample Type :** STP Outlet  
**Sample Location :** Near Club House, Pump No.02  
**Sample Quantity & Packing Details :** 1L in Wide Mouth Glass Bottle for Oil and Grease and 2L In Plastic Container for other parameters

Sr. No.	Test Parameter	Test Method	Test Result	Unit	Standard Limits [MPCB Consent]
1.	pH	IS 3025 (Part 11) : 1983	7.2	-	6.0 - 8.5
2.	Total Suspended Solids	IS 3025 (Part 17) : 1984	6	mg/L	Not to exceed 100
3.	Oil & Grease	IS 3025 (Part 39) : 1991	BDL[DL=10]	mg/L	Not Exceed 10
4.	Biochemical Oxygen Demand (27°C, 3Days)	IS 3025 (Part 44) : 1993	13	mg/L	Not to exceed 100
5.	Chemical Oxygen Demand	IS 3025 (Part 58) : 2006	47	mg/L	Not to exceed 250


DL - Detection Limit BDL - Below Detection Limit

**Opinions / Interpretations:** *The results comply with MPCB Consent requirement [Ref.: Consent No. Format 1.0/BO/RO-HQ/EIC-Mu-3626-12-Autorenewal/CR/CC-688 Dated 08/05/2014 and valid for a period up to 30/04/2018]*

**Note:**  
1. This test report refers only to the sample tested.  
2. This test report may not be reproduced in part, without the permission of this laboratory.  
3. Any correction invalidates this test report.  
4. All parameters are covered under NABL Scope

**- END OF REPORT -**

For ULTRA-TECH



**Dr. Rahul Kolhapurkar**  
(Authorized Signatory)

## TEST REPORT

<b>ISSUED TO: M/s. TULSIANI-SUMER ASSOCIATES.</b> <b>For Your Site : "Sahar Plaza Complex"</b> Sir M.V. Road, Next to Kohinoor Continental Hotel, Andheri (East), Mumbai - 400059	<b>REPORT NO. :</b> UT/ELS/REPORT/0005/06-2017 <b>ISSUE DATE :</b> 06/06/2017 <b>YOUR REF. :</b> Work Order Letter <b>REF. DATE :</b> 12/05/2017
--	---


<b>SAMPLE PARTICULARS :</b> <b>Sampling Plan Ref. No. :</b> UG 26-05/2017 <b>Sample Registration Date :</b> 25/05/2017 <b>Date &amp; Time of Sampling :</b> 25/05/2017 at 16:30Hrs. <b>Analysis Starting Date :</b> 25/05/2017 <b>Analysis Completion Date :</b> 01/06/2017 <b>Sample Collected By :</b> ULTRA-TECH <b>Sample Lab Code :</b> UT/ELS/0466/05-2017	<b>SOIL/SEDIMENT QUALITY MONITORING</b> <b>Sample Type :</b> Surface Soil (at 15cm depth) <b>Sample Location :</b> Near Club House  <b>Sample Quantity &amp; Packing Details :</b> 1kg In Plastic Bag Contained in Zip Lock Bag
---	---

Sr. No.	Test Parameter	Test Methods	Test Result	Unit
1.	Colour	-	Brown	-
2.	Moisture Content	IS:2720 (Part 2) : 1973	5.7	%
3.	Bulk Density	UT/LQMS/SOP/S03	1029	kg/m <sup>3</sup>
4.	Organic Matter	IS:2720 (Part 22) : 1972	0.8	%
5.	Total Organic Carbon	IS:2720 (Part 22) : 1972	0.4	%
6.	pH	IS:2720 (Part 26) : 1987	8.1	-
7.	Conductivity(1:2soil:Water Extract)	IS:14767- 2000	0.594	mS/cm
8.	Salinity (1:2 soil: Water Extract)	Calculated in terms of Total Dissolved Solids	368	mg/L
9.	Sodium as Na (Water Extractable)	UT/LQMS/SOP/S19	52	mg/kg
10.	Magnesium as Mg (Water Extractable)	UT/LQMS/SOP/S22	29	mg/kg
11.	Chlorides as Cl <sup>-</sup> (Water Extractable)	UT/LQMS/SOP/S23	75	mg/kg
12.	Sulphate as SO <sub>4</sub> <sup>2-</sup> (Water Extractable)	UT/LQMS/SOP/S24	234	mg/kg
13.	Sodium Adsorption Ratio	UT/LQMS/SOP/S26	1.6	(meq/kg) <sup>1/2</sup>
14.	Cation Exchange Capacity	USEPA 846 9080	32.2	meq/100g
15.	Water Holding Capacity	ASTM- T7367-07	65.8	%
16.	Available Boron as B (Available)	UT/LQMS/SOP/S27	1.3	mg/kg
17.	Phosphorous as P <sub>2</sub> O <sub>5</sub> (Available)	UT/LQMS/SOP/S28	89	kg/ha
18.	Potassium as K <sub>2</sub> O (Available)	UT/LQMS/SOP/S29	392	kg/ha
19.	Nitrogen as N (Available)	UT/LQMS/SOP/S30	173	Kg/ha
20.	Iron as Fe	USEPA SW846 7380	69854	mg/kg
21.	Zinc as Zn	USEPA SW846 7950	198.5	mg/kg

**Opinions / Interpretations:**    *NIL*

**Note:** 1. This test report refers only to the sample tested.  
 2. This test report may not be reproduced in part, without the permission of this laboratory.  
 3. Any correction invalidates this test report.

**- END OF REPORT -**



For ULTRA-TECH

THANE (W)  
INDIA  
PIN-400 601

**Dr. Rahul Kolhapurkar**  
(Authorized Signatory)

ANNEXURE 12- PUC CERTIFICATE

MOTOR VEHICLE DEPARTMENT TEST & HEAVY VEHICLE	
Motor Vehicle No.	MH. 04. HD. 6502
Date of Issue	29 MAY 2017
Date of Expiry	28 NOV 2017
Serial Number	Emmission Test Result
M.P. 4W-A मिनेसन के साथ Rs.120/- 6030872	Smoke Density in Hartridge Smoke Units 324 AS

MAXIMUM PERMISSIBLE SMOKE DENSITY	
Light absorption Co-efficient (1/m)	Hartridge Units
2.45	29 MAY 2017 65
Authorisation Number & Address (D)   A	28 NOV 2017
BAGRANG PUC CENTRE Marol Naka, Andheri (East) Auth No: 57/2016 Validity 08/11/2017	Signature of person authorised to conduct the test
Note : Holding a Valid PUC Certificate does not give immunity from checking a vehicle for pollution and levy of fine thereafter during the validity period of PUC Certificate in case of excessive emission.	

MAHARASHTRA MOTOR VEHICLES DEPARTMENT  
POLLUTION TEST CERTIFICATE FOR DIESEL & HEAVY VEHICLES

Motor Vehicle No.	MH-04-GC-9994
Date of Issue	23/05/2017
Date of Expiry	22/11/2017
Serial Number	M. P. 4W-A 5380432
Emmission Test Result	Smoke Density in Hatridge Smoke Units 0.83% OK

**MAHARASHTRA MOTOR VEHICLES DEPARTMENT**  
**POLLUTION TEST CERTIFICATE FOR 2 WHEELER PETROL / C.N.G. / L.P.G. VEHICLES**

Motor Vehicle No. MAHARASHTRA 2018  
 Date of Issue 10/02/2018  
 Date of Expiry 10/02/2018

Serial Number 7362893

M. P. 4W-A  
 2/W P.U.C.  
 2/W P.U.C. 2/W P.U.C.

Emission Test Result	
Co Monoxide	<u>0.35</u>
Hydro Carbon	<u>0.20</u>
Non-Methane HC	<u>0.15</u>
Reactive HC	<u>0.15</u>

**IDLING EMISSION STANDARDS**

Sl. No.	Vehicle Type	Co % equivalent ppm)	HC (n-hexane equivalent ppm)	Non methane HC (NMHC)	Reactive HC (RHIC)
1	2 & 3-Wheelers (2/4-stroke) (Vehicles Mfgd. on and before 31st March 2000)	4.5	9,000		
2	2 & 3-Wheelers (2-Stroke) (Vehicles Mfgd. after 31st March 2000)	3.5	6,000	0.3 times HC	0.5 times HC
3	2 & 3-Wheelers (4-Stroke) (Vehicles Mfgd. after 31st March 2000)	3.5	4,500		
4	Bihar (2-stroke) compliant 2 Wheelers	0.5	750		
5	4-whe. dies. other than Bharat Stage II Compliant	3	1,500		

Authorisation Number & Address (P) A


Signature of person authorised to conduct the test

Note - Holding a Valid PUC Certificate does not give immunity from checking a vehicle for pollution and levy of fine thereon during the validity period of PUC Certificate in case of excessive emission.

**द्विजल** **Rs. 120/-**  
**MAHARASHTRA MOTOR VEHICLES DEPARTMENT**  
**POLLUTION TEST CERTIFICATE FOR DIESEL & HEAVY VEHICLES**

Motor Vehicle No.	MH. 04. FD. 6563	
Date of Issue	29 MAY 2017	
Date of Expiry	28 NOV 2017	
Serial Number	Emission Test Result	
M.P. 4W-A मिनेसन के साथ Rs. 120/- 6030873	Smoke Density In Hartridge Smoke Units	28x HSC

ये सिर्फ द्विजल की P.U.C है। Rs. 120/-

MAXIMUM PERMISSIBLE SMOKE DENSITY	
Light absorption Co-efficient (1/m)	Hartridge Units
2.45	29 MAY 2017
Authorisation Number & Address (D)	A
BAGRANG PUC CENTRE Marol Naka Andheri (East) Auth No 57/2016 Validity 08/11/2017	28 NOV 2017 

Note : Holding a Valid PUC Certificate does not give immunity from checking a vehicle for pollution and levy of fine thereafter during the validity period of PUC Certificate in case of excessive emission.

CERTIFICATION FROM STRUCTURAL ENGINEER REGARDING EQ RESISTANT DESIGN



Off: T/W Fax: 2334 0913  
5110 0061  
Res: 2334 0061  
e-mail: ashokparikh@gmail.com

CONSULTING ENGINEERS, R.C.C. SPECIALIST, STRUCTURAL ENGINEERS

**ASHOK J. PARIKH**

B.E. CIVIL, M.T.E. INDIA, D.C.E. (MUMBAI)  
OFFICE - 7-40, BAROD A.C. MARKET, TARDEO, MUMBAI-400 034.

TO WHOMSOEVER IT MAY CONCERN

"Meadows" & "Windfall" Office Building No 6 & No.3 respectively and proposed "Mini" building on Sub-Plot "A" of property on Plot No. 179-A to 179-H of Village Mulgaon, CTS No 230-A to 230-D, 238-D, 243-A & 243-A/1 of Village Kondivita, Matharadas Vasanji Road, Andheri (East), Mumbai. for M/s Tulsiani Sumer & Associates, Tulsiani Chambers, Nariman Point, Mumbai - 400 020.

This is to certify that the R.C.C. for the above-referred buildings No 6 & 3 (Lower Basement, Upper Basement, Silt Floor plus upper floors) is completed as per my design & detailed drawings. To the best of my knowledge, the workmanship and the materials used are of good quality and sound enough to sustain the loads for which it is designed. The soil strata available on site is capable to take the bearing pressure as per investigations carried out by the soil expert. Raft foundation is designed for the bearing pressure for which it was recommended.

Further, I state the buildings are designed as a framed structure to resist the seismic forces and conditions as per the provision of relevant Code IS 1893 & other relevant codes concerned. However, the structural behavior depends upon the ground profile and ground vibrations.

ASHOK J. PARIKH,  
Consulting Structural Engineer  
Lic. No. STR/P/38.  
Membership No. M-20622  
Date: 12<sup>th</sup> April 2013



## Dr. Fixit Curing Compound

WAX BASED MEMBRANE FOR CURING CONCRETE SURFACES

### Description

**Dr. Fixit Curing Compound** is composed of synthetic emulsions, white pigments, fine fillers & additives. On drying it forms a temporary membrane, which allows the concrete to retain sufficient water for optimum curing of 28 days. After 28 days, curing compound dissipates itself from the concrete surface hence no problem for bonding of plasters. This economical and efficient curing membrane eliminates the need for keeping concrete continuously wet for minimum 28 days. The white pigment reflects the light and heat of sun and minimizes the chances of cracking of the surfaces.

### Standard Compliances / Specification

Meets the requirement of ASTM: C 309

### Areas of Application

- All concrete and plaster surfaces which requires curing,
- Towers, Bridge decks, Highways, Canals, Dams.
  - Rams & walls.
  - Dry shake hardened floors used over, Hospitals & Industrial floors.
  - Runways Retaining walls.
  - RCC repaired sections.

### Features & Benefits

- **VOC free** - Water based product. No objectionable fumes.
- **Ease of application** - Quickly and easily applied by brush or spray application.
- **Curing** - Forms an efficient barrier of moisture for optimum curing of concrete.
- **Water & time saving** - Eliminates the requirement of water in traditional repeating concrete curing method.
- **Cracking** - Keeps concrete cool by reflecting light and heat and minimises the chance of surface cracking.
- **Bonding** - Breaks down by natural weathering to allow subsequent applications over the cured concrete without affecting bonding.
- **Suitability** - Suitable for interior and exterior application.

### Method of Application

- Dr. Fixit Curing Compound should be applied uniformly at the proper coverage rate by brush or spray on the fresh concrete after the surface has become free from bleeding water and final toweling is over. In-situ concrete should be coated with Dr. Fixit Curing Compound as soon as the shuttering is removed.

### Precautions & Limitations

- Ensure complete removal of membrane from the surface before applying any treatment / coating over it
- Ensure protection of membrane when applied on horizontal surfaces.



# Dr. Fixit Curing Compound



WAX BASED MEMBRANE FOR CURING CONCRETE SURFACES

## Technical Information

PROPERTIES	SPECIFICATION	RESULTS
Appearance		Free flowing liquid
Colour		White
Specific Gravity at 30°C, gms/ml		1.03 ± 0.02
Viscosity @ 30°C, Poise		2 - 4
Drying Time at 30°C, Hrs	ASTM C - 309	2
Cracking during drying	ASTM C - 309	Nil
Water evaporation rate Kg/ sqM	ASTM C - 309	0.40
Reflectance against MgO, %	ASTM C - 309	78

## Coverage

3-5 sq Meter / Kg depending upon the concrete

## Packaging

30 litres

## Shelf Life & Storage

- Shelf life is 12 months from date of manufacturing in unopened containers.
- Store at cool & dry place, away from sun heat

## Health & Safety Precautions

- Use rubber hand gloves & safety goggles, while using Dr. Fixit Curing Compound
- In case of contact with skin, wash with plenty of water.
- Keep out of reach of children

## Other Product Categories Available

DR. FIXIT has wide range of Waterproofing & Construction chemicals which includes,

- Waterproofing Products
- Repair Products
- Sealants
- Flooring Products
- Exterior Coating Products
- Tile Fixing Range
- Concrete Admixtures
- Grouts



## Pidilite Industries Limited

Construction Chemicals Division  
Ramkrishna Mandir Road  
Post Box No. 17411  
Andheri (E) Mumbai 400059 INDIA  
Tel +91-22-2835 7000 • Fax +91-22-2835 7008  
website [www.doctor-fixit.com](http://www.doctor-fixit.com) • E-mail [drfixit@pidilite.com](mailto:drfixit@pidilite.com)  
**Toll Free No.: 1800-22-5502**

**DISCLAIMER** The product information & application details given by the company & its agents has been provided in good faith & meant to serve only as a general guideline during usage. Users are advised to carry out tests & take trials to ensure on the suitability of products meeting their requirement prior to full scale usage of our products. Since the correct identification of the problems, quality of other materials used and the on-site workmanship are factors beyond our control, there are no expressed or implied guarantee / warranty as to the results obtained. The company does not assume any liability or consequential damage for unsatisfactory results, arising from the use of our products.

# NOTICE

Notice is hereby given by **M/sTulsiani- Summer Associates** that the proposed project "**Sahar Plaza**" located at plot no. Plot no.179A to H (new CTS no.) of village- Mulgaon and CTS no.s 243/A, 243/A/1, 230/A ,230/B, 230/C & 230/D (new CTS no.) and 238/D of Village Kondivita of M.V. Road, Andheri (E), M u m b a i - 400059, Maharashtra State has been **accorded Environmental Clearance**. The copies of the clearance letter are available with Maharashtra Pollution Control Board and may also be seen on Department of Environment website <http://ec.maharashtra.gov.in>.

# सुचना

(में) तुलसीयानी समर असोशिएट यांच्या द्वारे सुचना देण्यात येत आहे की, एम.व्ही.रोड. अंधेरी(पुर्व) मुंबई, महाराष्ट्र राज्य येथील व्यवसायीक प्रकल्प सहारा प्लाझा गाव मुळगाव येथील सब प्लॉट क. १७९/A to H (नवीन सी.टी.एस.क.) आणि गाव कोंडीविता येथील सी.टी.एस.क. २४३ /A, 243/A/1, 230/A, 230/B, 230/C, 230/D (नवीन सी.टी.एस.क.) आणि 238/D मु वरिल व्यवसायीक विकास करण्यासाठी पर्यावरणीय दाखला संपादित करण्यात आला आहे. आणि त्या दाखला पत्राच्या प्रति महाराष्ट्र राज्य प्रदुषण नियंत्रण महामंडळाकडे उपलब्ध आहे. तसेच त्या वन आणि पर्यावरण मंत्रालय [/http.ec.maharashtra.gov.in](http://http.ec.maharashtra.gov.in) तसेच या संकेतस्थळावर पाहता येतील.