



TULSIANI-SUMER ASSOCIATES

BUILDERS & DEVELOPERS

Date: 14-10-2022

To,

**Ministry of Environment, Forest & Climate Change
Integrated Regional Office,**

Ground Floor, East Wing, New Secretariat Building,
Civil Lines, Nagpur – 440 001, Maharashtra.

Sub : Submission of six-monthly compliance status report as per terms & Conditions stipulated in Environmental clearance letter for the proposed 'Sahar Plaza', located at plot no. 179A to H (new CTS no.) of village Mulgaon & CTS nos. 243/A, 243A/1, 230/A, 230/B, 230/C & 230/D (new CTS no.) & 238/B, Kondivita of M. V. Road, Andheri (East), Mumbai. Maharashtra.'

Ref. No. : Environmental clearance no. SEAC-2013/CR-185/TC-1, dated: 10/12/2014.

Respected Sir / Madam,

In reference to the above referred letter of your highly revered office we would like to submit the current status of our construction work and point-wise compliance status to various stipulations laid down by the Ministry in its clearance letter no. **SEAC-2013/CR-185/TC-1, dated: 10/12/2014** along with the necessary annexure.

This compliance report is submitted for the period from **April 2022 to September 2022.**

This is for your kind consideration and records. Kindly acknowledge the same.

Thanking You,

Yours Sincerely,

For **Tulsiani Sumer Associates**

Authorized Signatory

Encl : Part A: Current status of construction work.
Part B: Point-wise compliance status.
Datashheets & Annexures.

Copy to Regional Office, MPCB, Sion, Mumbai.
Regional Office, CPCB, Vadodara.
Department of Environment, Mantralaya, Mumbai.

INDEX

Sl. No.	PARTICULARS
1.	Part A : Current status of work
2.	Part B : Point-wise compliance status
3.	Datasheet
4.	Annexures
Annexure - 01	Copies of Occupancy certificates
Annexure - 02	Minutes of the 87 th meeting of SEIAA
Annexure - 03	Copies of Environmental clearance
Annexure - 04	Commencement certificate
Annexure - 05	Re-validation letter for CC
Annexure - 06	Fire NOC
Annexure - 07	Approved building plan
Annexure - 08	Revised DP Remarks
Annexure - 09	Height clearance (AAI NOC)
Annexure - 10	Copies of Revalidated consent to establish & Application
Annexure - 11	Health screening report
Annexure - 12	Debris NOC
Annexure - 13	Environmental Monitoring Reports
Annexure - 14	PUC certificate
Annexure - 15	Structural stability certificate
Annexure - 16	Copies of consent to operate
Annexure - 17	Advertisement copy

: PART A :

Current status of work

Current status of construction work	:	<ul style="list-style-type: none"> ❖ ‘No construction activity at project site since December 2018.’ ❖ Construction work completed on site as of September 2022 is 1,12,000 Sq. meters. ❖ Building no. 3 Wing aa1: Basement completed. 5th floor slab in progress. Brick work completed up to 4th floor. Wing bb1: Completed & OC granted. ❖ Club House: Completed & OC granted. ❖ Please refer Annexure – 1 for copies of Part Occupancy certificate.
a.	Date of commencement (Actual and/or planned)	: 13/01/2007 (Actual)
b.	Date of completion (Actual and/or planned)	: December, 2023 (Planned)

: PART B :

Compliance status of conditions stipulated in Environmental clearance for the proposed ‘Sahar Plaza’, Commercial complex development at plot no. 179A to 179H (New VTS no.), of village Mulgaon and CTS no. 243/A, 243/A1, 230/A, 230/B, 230/C & 230/D (New CTS nos.) and 238/B of village Kondivita, M.V. Road, Andheri (East), Mumbai - 400 059 granted by SEIAA, Govt. of Maharashtra vide letter no. SEAC-2013/CR.185/TC-1, dated: 10/12/2014 are as follows;

Sl. No	Stipulated clearance condition	Compliance status
General conditions for pre-construction phase:		
i	This environmental clearance is issued subject to restricting total FSI 71,613 sq m & parking to 215 as per approved plans by MCGM vide letter dated 17.06.2011 & 12.06.2014 approved.	<ul style="list-style-type: none"> ❖ As per the 87th meeting held on 10th to 12th August, 2015. SEIAA, Govt. of Maharashtra granted amended in the parking to 636 nos. ❖ Received concession document from MCGM dated: 12/06/2014. ❖ Please refer Annexure – 2 for minutes of the 87th meeting of SEIAA.
ii	This Environmental clearance is issued subject to land use verification. Local authority / planning authority should ensure this with respect to Rules, Regulations, Notifications, Government Resolutions, Circulars, etc. issued if any. Judgments / Orders issued by Hon’ble High Court, Hon’ble NGT, Hon’ble Supreme Court regarding DCR provisions, environmental issues applicable in this matter should be verified. PP should submit exactly the same plans appraised by concern SEAC and SEIAA. If any discrepancy found in the plans submitted or details provided in the above para may be reported to environment department. This environmental clearance issued with respect to the environmental consideration and it does not mean that State Level Impact Assessment Authority (SEIAA) approved the proposed land use.	<ul style="list-style-type: none"> ❖ Obtained Environmental clearance from MoEF, Govt. of India vide file no. 21-139/2006-IA-III, dated: 19/10/2006 and Amendment in EC by SEIAA, Govt. of Maharashtra vide letter no. SEAC-2013/CR-185/TC-1, dated: 10/12/2014. ❖ Please refer Annexure – 3 for copies of Environmental clearance. ❖ MCGM issued commencement certificate for the project vide letter no. CE/9152/WS/AK, dated: 27/03/2012. ❖ Please refer Annexure – 4 for Commencement certificate. ❖ Applied to MCGM for Re-validation of Commencement certificate for proposed Commercial building vide letter dated: 09/03/2021, 06/07/2021 and 13/05/2022. ❖ Please refer Annexure – 5 for Re-Validation letter for CC. ❖ Dy. Chief Fire Officer, Mumbai Fire Brigade, MCGM issued Fire NOC for the Project vide letter no. FB/HR/RIV/501, dated: 06/12/2013. ❖ Please refer Annexure – 6 for Fire NOC.
iii	This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angel	<ul style="list-style-type: none"> ❖ NOC from Wild Life Board is Not Applicable as per Final Notification reg.

Sl. No	Stipulated clearance condition	Compliance status
	including clearance from the standing committee of the National Board for Wild life as if applicable & this environmental clearance does not necessarily imply that Forestry & Wild life clearance granted to the project which will be considered separately on merit.	ESZ of SGNP published by MoEF & CC u/no. S.O.3645 (E), dated: 05/12/2016 as our project site is not affected by the ESZ belt.
iv	PP has to abide by the conditions stipulated by SEAC & SEIAA.	❖ Agreed to comply with.
v	The height, construction built up area of proposed construction shall be in accordance with the existing FSI/FAR norms of the urban local body & it should ensure the same along with survey number before approving layout plan & before according commencement certificate to proposed work. Plan approving Authority should also ensure the zoning permissibility for the proposed project as per the approved development plan of the area.	<ul style="list-style-type: none"> ❖ Obtained Environmental clearance from MoEF, Govt. of India vide file no. 21-139/2006-IA-III, dated: 19/10/2006 and Amendment in EC by SEIAA, Govt. of Maharashtra vide letter no. SEAC-2013/CR-185/TC-1, dated: 10/12/2014. ❖ MCGM issued commencement certificate for the project vide letter no. CE/9152/WS/AK, dated: 27/03/2012. ❖ Applied to MCGM for Re-validation of Commencement certificate for proposed Commercial building vide letter dated: 09/03/2021, 06/07/2021 and 13/05/2022. ❖ Dy. Chief Fire Officer, Mumbai Fire Brigade, MCGM issued Fire NOC for the Project vide letter no. FB/HR/RIV/501, dated: 06/12/2013. ❖ MCGM issued approved building plan for the project vide letter no. CE/9152/WS/AK, dated: 13/08/2019. ❖ Please refer Annexure – 7 for Approved Building plan. ❖ Construction built-up area, height of the building is in accordance with the existing FSI norms of the MCGM. ❖ Height of the building is as per the approved building plan. ❖ MCGM issued Sanctioned Revised Development Plan Remarks for the Project vide letter no. CHE/183/DPWS/K/E, dated: 28/05/2014. ❖ As per DP remarks project site falls under Special Industrial Zone (I-3). ❖ Please refer Annexure – 8 for Revised DP Remarks. ❖ Airports Authority of India issued Height Clearance for the project vide NOC no. BT-1/NOCC/CS/MUM/14/550/419,

Sl. No	Stipulated clearance condition	Compliance status
		dated: 25/02/2015. ❖ Please refer Annexure - 9 for AAI NOC.
vi	“Consent for Establishment “shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment Department before start of any construction work at the site.	❖ MPCB granted consent to establish for the project vide order no. BO/RO (P&P) 338, dated: 22/03/2006 and Re-validation of consent to establish vide order no. Format 1.0/BO/RO-HQ/MU-7088-16/CE-Revalidation/CC-0259, dated: 03/02/2017 further applied for Expansion in EC vide UAN no. MPCB-CONSENT-0000131458, dated: 05/02/2022. ❖ As per the 12 th Consent Committee Meeting of 2022-23 held on 01/08/2022 at MPCB HQ, Sion, Mumbai approved consent to establish for proposed Commercial building vide UAN no. MPCB-CONSENT-0000131458. ❖ Please refer Annexure – 10 for copies of Revalidated Consent, Application & Minutes of the 12th meeting.
vii	All required Sanitary & Hygienic Measures should be in Place before starting construction activities and to be maintained throughout the Construction phase.	❖ All necessary facilities have been provided on site for the construction workers. ❖ 10 nos of hutments have been provided on site for 4 nos of residential workers, also 1 no of non-residential workers are working on site. ❖ Site sanitation like safe & adequate Municipal water for drinking and tanker water for domestic purpose, 4 nos of toilets, 4 nos of bathroom, First Aid kit and periodical medical checkup facilities have been provided at site. ❖ Please refer Annexure – 11 for Health Screening reports. ❖ Proper housekeeping & regular pest control have been carried out. ❖ Green dust been provided for biodegradable waste and blue dustbin provided for non-biodegradable waste at source generation.
General Conditions for Construction Phase;		
i	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe	❖ All necessary facilities have been provided on site for the construction workers. ❖ 10 nos of hutments have been provided on

Sl. No	Stipulated clearance condition	Compliance status
	drinking water, medical health care, crèche, and first Aid room etc.	<p>site for 4 nos of residential workers, also 1 no of non-residential workers are working on site.</p> <ul style="list-style-type: none"> ❖ Site sanitation like safe & adequate Municipal water for drinking and tanker water for domestic purpose, 4 nos of toilets, 4 nos of bathroom, First Aid kit and periodical medical checkup facilities have been provided at site. ❖ Proper housekeeping & regular pest control have been carried out. ❖ Green dust been provided for biodegradable waste and blue dustbin provided for non-biodegradable waste at source generation.
ii	Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.	<ul style="list-style-type: none"> ❖ All necessary facilities have been provided on site for the construction workers. ❖ 10 nos of hutments have been provided on site for 4 nos of residential workers 1 no of non-residential workers are working. ❖ Site sanitation like safe & adequate Municipal water for drinking and tanker water for domestic purpose, 4 nos of toilets, 4 nos of bathroom, First Aid kit and periodical medical checkup facilities have been provided at site. ❖ Proper housekeeping & regular pest control have been carried out. ❖ Green dust been provided for biodegradable waste and blue dustbin provided for non-biodegradable waste at source generation.
iii	The solid waste generated should be properly collected and segregated. Dry /inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.	<ul style="list-style-type: none"> ❖ Excavated material was partly re-used on site for plot leveling and partly disposed to authorized landfill site as per the approval from Solid Waste Management division of MCGM vide letter no. Ex. ENG/SWM/491/Z-III, dated: 21/08/2015. ❖ Excess excavated material has been re-used in filling and leveling at property bearing CTS no. 11A (pt), 16, 19, 20(pt), 11D (pt), 50A (pt), 25(pt) of village Chandivali, Tal. Kurla. Mumbai. ❖ Please refer Annexure – 12 for Debris NOC.

Sl. No	Stipulated clearance condition	Compliance status
iv	Disposal of muck during construction phase should not create any adverse effects on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.	<ul style="list-style-type: none"> ❖ Excavated material was partly re-used on site for plot leveling and partly disposed to authorized landfill site as per the approval from Solid Waste Management division of MCGM vide letter no. Ex. ENG/SWM/491/Z-III, dated: 21/08/2015. ❖ Excess excavated material has been re-used in filling and leveling at property bearing CTS no. 11A (pt), 16, 19, 20(pt), 11D (pt), 50A (pt), 25(pt) of village Chandivali, Tal. Kurla. Mumbai.
v	Arrangement shall be made that waste water and storm water do not get mixed.	<ul style="list-style-type: none"> ❖ Separate drains have been provided for the storm water. ❖ STP of capacity 60 LKD & 450 KLD has been provided at site and is in operational conditional.
vi	All the topsoil excavated during construction activities should be stored for use in horticulture/ landscape development within the project site.	<ul style="list-style-type: none"> ❖ Previously, the area was rocky land; hence top soil did not generate.
vii	Additional soil for leveling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.	<ul style="list-style-type: none"> ❖ Excavated material was partly re-used on site for plot leveling and partly disposed to authorized landfill site as per the approval from Solid Waste Management division of MCGM vide letter no. Ex. ENG/SWM/491/Z-III, dated: 21/08/2015. ❖ Excess excavated material has been re-used in filling and leveling at property bearing CTS no. 11A (pt), 16, 19, 20(pt), 11D (pt), 50A (pt), 25(pt) of village Chandivali, Tal. Kurla. Mumbai.
viii	Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.	<ul style="list-style-type: none"> ❖ RG area has been developed over on area 5548.9 Sq. meters on ground with the total plantation of 147 nos of trees to mitigate noise pollution and to maintain noise levels within permissible standards. Additional 600 nos of trees planted at Aarey Colony, Goregaon, Mumbai.
ix	Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.	<ul style="list-style-type: none"> ❖ Report of chemical analysis of ground water done at the time of geotechnical investigation. ❖ Soil quality is being monitored. ❖ Please refer Annexure – 13 for Soil Quality monitoring reports.
x	Construction spoils including bituminous material and other hazardous materials must not be allowed to contaminate water courses and the dump sites	<ul style="list-style-type: none"> ❖ No generation of hazardous waste during construction.

Sl. No	Stipulated clearance condition	Compliance status
	for such materials must be secured so that they should not leach in to the ground water.	
xi	Any hazardous waste generated during construction phase should be disposed off as per applicable rules & norms with necessary approvals of the MPCB.	❖ No generation of hazardous waste during construction.
xii	Vehicles hired for bringing construction material to the site should be in good condition and should have valid “pollution under check” (PUC) certificate and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.	❖ Vehicles with valid PUC are allowed to enter the site. Also, vehicles are operated only during non-peak hours. Records of PUC certificate maintained at main gate. ❖ Please refer Annexure – 14 PUC Certificates.
xiii	The diesel generator sets to be used during construction phase should be low Sulphur diesel type and should be confirm to Environments (Protection) Rules prescribed for air and noise emission standards.	❖ No use of DG set during construction.
xiv	The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from concerned authority shall be taken.	❖ No use of DG set during construction.
xv	Ambient noise level should conform to residential standards both during day and night. Incremental pollution load on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by the CPCB / MPCB.	❖ RG area has been developed over on area 5548.9 Sq. meters on ground with the total plantation of 147 nos of trees to mitigate noise pollution and to maintain noise levels within permissible standards. Additional 600 nos of trees planted at Aarey Colony, Goregaon, Mumbai. ❖ Adequate measures have been taken to reduce ambient air & noise levels. ❖ Ambient air and noise levels monitoring are being carried out. ❖ Please refer Annexure – 13 for Environmental monitoring reports.
xvi	Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September 1999 and amended as on 27 th August, 2003. (The above condition is applicable only if the project site is located within the 100 Km of Thermal Power Stations.)	❖ OPC Cement contains Fly Ash (22-25 % by design mix) was used in the building construction.
xvii	Ready mixed concrete must be used in building construction.	❖ Ready Mixed Concrete was used in building construction.
xviii	The approval of competent authority shall be obtained for structural safety of the buildings due to any possible earthquake, adequacy of firefighting equipment’s etc. as per the National Building Code including measures from lighting	❖ Structural stability: ❖ M/s. Ashok J. Parikh, consulting Structural Engineer certified the structural Stability of the building vide letter dated: 12/04/2013.

Sl. No	Stipulated clearance condition	Compliance status
		<ul style="list-style-type: none"> ❖ Please refer Annexure – 15 for Structural stability certificate. ❖ Fire NOC: ❖ Dy. Chief Fire Officer, Mumbai Fire Brigade, MCGM issued Fire NOC for the Project vide letter no. FB/HR/RIV/501, dated: 06/12/2013.
xix	The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.	<ul style="list-style-type: none"> ❖ Report of chemical analysis of ground water done at the time of geotechnical investigation. ❖ Soil quality is being monitored. ❖ Please refer Annexure – 13 for Soil Quality monitoring reports.
xx	Storm water control and its reuse as per CGWB and BIS standards for various applications.	<ul style="list-style-type: none"> ❖ Storm water drains have been provided. ❖ Also 22 nos of recharge pits have been provided for recharging of ground water.
xxi	Water demand during construction should be reduced by using pre-mixed concrete, curing agents and best practices referred.	<ul style="list-style-type: none"> ❖ Ready Mixed Concrete and curing agents were used in building construction.
xxii	The installation of the sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Discharge of this unused treated effluent, if any should be discharge in the sewer line. Treated effluent emanating from STP shall be recycled/reused to the maximum extent possible. Discharge of this unused treated effluent, if any should be discharge in the sewer line. Treatment of 100% gray water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP.	<ul style="list-style-type: none"> ❖ STP of capacity 60 LKD & 450 KLD has been provided at site and is in operational conditional. ❖ Treated wastewater is being re-used for flushing, gardening, and AC makeup to reduce freshwater demand. ❖ Treated wastewater quality is being monitored regularly through external MoEF approved laboratory. ❖ MPCB granted renewal of consent to Operate vide order no. Format 1.0/BO/RO-HQ/EIC-MU-3626-12-Autorenewal/CR/CC-688, dated: 08/05/2014 and Renewal of 1st part Consent to operate with 2nd part consent to operate and amalgamation for commercial building vide order no. Format 1.0/BO/JD (WPC) UAN No. 0000062083/2nd part CO/CC-1903001457, dated: 26/03/2019. ❖ Further Renewal of consent to operate (Part) for commercial building vide order no. Format 1.0/CC/UAN No. 0000131448/CR/2205000263, dated: 05/05/2022. ❖ Please refer Annexure – 16 for copies of Consent to operate.

Sl. No	Stipulated clearance condition	Compliance status
xxiii	Permission to draw ground water and construction of basement if any shall be obtained from competent authority prior to construction/operation of project.	<ul style="list-style-type: none"> ❖ No extraction of ground water for construction and in operation phase also we are not planning to withdraw ground water for any purpose in future, hence permission from CGWA is not applicable. ❖ Tanker water were used for building construction. ❖ MCGM is supplying adequate potable water for occupied buildings. ❖ Treated waste water is being re-used for flushing, gardening and AC makeup to reduce fresh water demand.
xxiv	Use of glass may be reduced to 40% to reduce the electricity consumption and load on air conditioning. If necessary, use high quality double glass with special reflective coating in windows.	❖ Noted.
xxv	Separation of gray and black water should be done by the use of dual plumbing line for separation of gray and black water.	❖ Dual plumbing system has been provided for the usage of treated water for flushing & gardening at occupied building.
xxvi	Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor-based control.	❖ Low flow fixtures have been provided for toilets at occupied building.
xxvii	Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material.	❖ Roof insulation has been carried with brick bat, Indian Patent Stone (IPS).
xxviii i	Energy conservation measures like installation of CFLs/TFLs for lightning the areas outside the building should be integral part of the project design and should be in place before commissioning. Use CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible like installing solar street lights, common solar water heaters system. Project proponent should install, after checking feasibility, solar plus hybrid non-conventional energy source as source of energy.	<p>Energy conservation measures are as follows;</p> <ul style="list-style-type: none"> ❖ 1500 LED tubes fittings have been provided. ❖ LED street lights have been provided.
xxix	Traffic congestion near the entry and exit points from the roads adjoining the proposed site must be avoided. Parking should be fully internalized, and no public space should be utilized.	<ul style="list-style-type: none"> ❖ Total parking area has been provided over an area of 33742.8 Sq. meters. ❖ Width of internal road of 6-12 meter has been provided.
xxx	The building should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation.	❖ 12-meter distance is provided between the buildings to allow movement of fresh air & passage of natural light & ventilation.

Sl. No	Stipulated clearance condition	Compliance status
xxxii	Diesel power generating sets proposed as source of backup power for elevators and common area illumination during operation phase should be of "Enclosed type" and conform to rules made under Environment (Protection) Act 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low Sulphur diesel. The location of the DG sets may be decided with MPCB.	❖ CPCB approved enclosed type of 3 DG sets of capacity 125 kVA, 200 kVA & 380 kVA has been installed for occupied buildings and is being used as a power back-up source.
xxxiii	Noise should be controlled to ensure that it does not exceed the prescribed standards During night time the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.	<ul style="list-style-type: none"> ❖ RG area has been developed over on area 5548.9 Sq. meters on ground with the total plantation of 147 nos of trees to mitigate noise pollution and to maintain noise levels within permissible standards. Additional 600 nos of trees planted at Aarey Colony, Goregaon, Mumbai. ❖ Adequate measures have been taken to reduce ambient air & noise levels. ❖ Ambient air and noise levels monitoring are being carried out. ❖ Please refer Annexure – 13 for Environmental monitoring reports.
xxxiii i	Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code, which is proposed to be mandatory for all air-conditioned spaces while it is aspirational for non-air-conditioned spaces by use of appropriate thermal insulation material to fulfill requirement.	❖ Noted.
xxxiii v	Regular supervision of above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings.	❖ Regular supervision is being carried out under Mr. Jayesh Mehta, (Project Manager) and Mr. Vidyadhar Jagdale, (Facility Manager)
xxxv	Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.	❖ Obtained Environmental clearance from MoEF, Govt. of India vide file no. 21-139/2006-IA-III, dated: 19/10/2006 and Amendment in EC by SEIAA, Govt. of Maharashtra vide letter no. SEAC-2013/CR-185/TC-1, dated: 10/12/2014.
xxxv i	Six monthly monitoring reports should be submitted to the Regional Office MoEF, Bhopal with copy to this Department and MPCB.	❖ Submitting six monthly compliance reports regularly since the grant of EC.
General conditions for post construction / operation phase;		
i	Project proponent shall ensure completion of STP, MSW disposal Facility, green belt development prior to occupation of the buildings. No physical occupation or allotment will be given unless all	<ul style="list-style-type: none"> ❖ STP of capacity 60 LKD & 450 KLD has been provided at site and is in operational conditional. ❖ Treated wastewater is being re-used for

Sl. No	Stipulated clearance condition	Compliance status
	<p>above said environmental infrastructure is installed and made functional including water requirement in Para. 2. Prior certification from appropriate authority shall be obtained.</p>	<p>flushing, gardening, and AC makeup to reduce freshwater demand.</p> <ul style="list-style-type: none"> ❖ Treated wastewater quality is being monitored regularly through external MoEF approved laboratory. ❖ MCGM issued Part occupation certificate for commercial building of wing B-B1 vide letter no. CE/8644/WS/AK, dated: 17/10/2011, later Full occupancy Certificate issued for commercial building with club house building vide letter no. CE/9152/WS/AK-BCC/Amend (1), dated: 13/08/2019. ❖ MPCB granted renewal of consent to Operate vide order no. Format 1.0/BO/RO-HQ/EIC-MU-3626-12-Autorenewal/CR/CC-688, dated: 08/05/2014 and Renewal of 1st part Consent to operate with 2nd part consent to operate and amalgamation for commercial building vide order no. Format 1.0/BO/JD (WPC) UAN No. 0000062083/2nd part CO/CC-1903001457, dated: 26/03/2019. ❖ Further Renewal of consent to operate (Part) for commercial building vide order no. Format 1.0/CC/UAN No. 0000131448/CR/2205000263, dated: 05/05/2022. ❖ Biodegradable waste is being treated in an Organic Waste Converter (OWC) of capacity 25 Kgs/batch. ❖ Further, treated compost is being re-used in gardening as manure. ❖ RG area has been developed over on area 5548.9 Sq. meters on ground with the total plantation of 147 nos of trees to mitigate noise pollution and to maintain noise levels within permissible standards. Additional 600 nos of trees planted at Aarey Colony, Goregaon, Mumbai.
ii	<p>Wet Garbage should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. Local authority should ensure this.</p>	<ul style="list-style-type: none"> ❖ Biodegradable waste is being treated in an Organic Waste Converter (OWC) of capacity 25 Kgs/batch. ❖ Further, treated compost is being re-used in gardening as manure.

Sl. No	Stipulated clearance condition	Compliance status
iii	Local body should ensure that no occupation certification is issued prior to operation of STP/MSW site, etc. with due permission of MPCB	<ul style="list-style-type: none"> ❖ STP of capacity 60 LKD & 450 KLD has been provided at site and is in operational conditional. ❖ Treated wastewater is being re-used for flushing, gardening, and AC makeup to reduce freshwater demand. ❖ Treated wastewater quality is being monitored regularly through external MoEF approved laboratory. ❖ MCGM issued Part occupation certificate for commercial building of wing B-B1 vide letter no. CE/8644/WS/AK, dated: 17/10/2011, later Full occupancy Certificate issued for commercial building with club house building vide letter no. CE/9152/WS/AK-BCC/Amend (1), dated: 13/08/2019. ❖ MPCB granted renewal of consent to Operate vide order no. Format 1.0/BO/RO-HQ/EIC-MU-3626-12-Autorenewal/CR/CC-688, dated: 08/05/2014 and Renewal of 1st part Consent to operate with 2nd part consent to operate and amalgamation for commercial building vide order no. Format 1.0/BO/JD (WPC) UAN No. 0000062083/2nd part CO/CC-1903001457, dated: 26/03/2019. ❖ Further Renewal of consent to operate (Part) for commercial building vide order no. Format 1.0/CC/UAN No. 0000131448/CR/2205000263, dated: 05/05/2022. ❖ Biodegradable waste is being treated in an Organic Waste Convertor (OWC) of capacity 25 Kgs/batch. ❖ Further, treated compost is being re-used in gardening as manure. ❖ RG area has been developed over on area 5548.9 Sq. meters on ground with the total plantation of 147 nos of trees to mitigate noise pollution and to maintain noise levels within permissible standards. Additional 600 nos of trees planted at Aarey Colony, Goregaon, Mumbai.

Sl. No	Stipulated clearance condition	Compliance status
iv	A complete set of all documents submitted to the Department should be forwarded to the Local Authority and MPCB.	❖ A complete set of all the documents have been submitted to MPCB along with the application of consent to establish & operate.
v	In case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Department.	❖ Noted.
vi	A separate environmental Management Cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.	❖ A separate Environment Management cell with qualified staff has been appointed for implementation of the stipulated Environmental safeguards under Mr. Jayesh Mehta, (Project Manager) and Mr. Vidyadhar Jagdale, (Facility Manager).
viii	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. This cost shall be included as part of the project cost. The funds earmarked for the environmental protection measures shall not be diverted for other purposes and year-wise expenditure should report to the MPCB & this Department.	Separate funds have been allocated for Implementation of Environmental Protection Measures. During construction phase. ❖ Rs. 95.6 Lakhs have been allocated for the entire construction period. During operation phase. ❖ Recurring Rs. 43.4 Lakhs per annum.
viii	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of the clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://ec.maharashtra.gov.in .	❖ After getting Environmental clearance from MoEF, Govt. of India vide file no. 21-139/2006-IA-III, dated: 19/10/2006, we published public notice in local newspapers like Navshakti and Free Press Journal. ❖ Please refer Annexure – 17 for Advertisement copy.
ix	Project management should submit half yearly compliance reports in respect of the stipulated prior environmental clearance terms & conditions in hard & soft copies to the MPCB & this Department, on 1 st June & 1 st December of each calendar year	❖ Submitting six monthly compliance reports to; ❖ RO, MPCB, Sion, Mumbai. ❖ RO, CPCB, Vadodara. ❖ RO, MoEF & CC, Nagpur. ❖ Environmental Department, Mantralaya.
x	A copy of clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.	❖ Copy of the Environmental clearance submitted to MCGM.
xi	The proponent shall upload the status of compliance of the stipulated EC conditions,	❖ Six monthly compliance status reports are being uploaded as per stipulated EC

Sl. No	Stipulated clearance condition	Compliance status
	including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the regional office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely: SPM, RSPM, SO ₂ , NO _x (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	conditions on company web site and Environmental monitoring results displayed outside the main gate of the project.
xii	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal office of CPCB and the SPCB.	<ul style="list-style-type: none"> ❖ Submitting six monthly compliance reports to; ❖ RO, MPCB, Sion, Mumbai. ❖ RO, CPCB, Vadodara. ❖ RO, MoEF & CC, Nagpur. ❖ Environmental Department, Mantralaya.
xiii	The environmental statement for each financial year ending 31 st March in Form-V as is mandated to be submitted by the project proponent to the concerned SPC Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective RO of MoEF by e-mail.	❖ Environmental Statement (Form-V) has been uploaded on MPCB Online Web Portal for the FY 2021-22.
4	The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him. If any or action initiated under EP Act.	❖ Noted.
5	In case of submission of false document and noncompliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environmental Clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.	❖ Noted.
6	The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other Admin reason.	❖ Noted.

Sl. No	Stipulated clearance condition	Compliance status
7	Validity of Environment Clearance: The environmental clearance accorded shall be valid for a period of 5 years.	❖ Noted.
8	In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the conditions (S) imposed and to incorporate additional environmental protection measures required, if any.	❖ Noted.
9	The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981. The Environment (Protection) Act 1986 and rules there under, HW (Management and Handling) Rules 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.	❖ Noted.
10	Any appeal against this environmental clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1 st Floor, D-, Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act. 2010.	❖ Noted.
11	This Environment Clearance is issued for proposed project “Sahar Plaza” located at plot no 179A to H (new CTS no) of Village Mulgaon & CTS no 243/A, 243A/1, 230/B, 230/C & 230/D 90 (new CTS no) & 238/B of village Kondivita of M V Road, Andheri (E), Mumbai by Tulsiani – Summer associates.	❖ Noted.

Monitoring the Implementation of Environmental Safeguards
Ministry of Environment, Forests & Climate Change
Regional Office (WCZ), Nagpur

Monitoring Report

DATA SHEET

1.	Project type: River - valley/ Mining / Industry / Thermal / Nuclear / Other (specify)	:	Construction Project.
2.	Name of the project	:	'Sahar Plaza', proposed commercial development project at Andheri (East), Mumbai.
3.	Clearance letter (s)/OM No. and Date	:	❖ Obtained Environmental clearance from MoEF, Govt. of India vide file no. 21-139/2006-IA-III, dated: 19/10/2006 and Amendment in EC by SEIAA, Govt. of Maharashtra vide letter no. SEAC-2013/CR-185/TC-1, dated: 10/12/2014.
4.	Location;		
	a.	District (s)	: Mumbai.
	b.	State (s)	: Maharashtra.
	c.	Latitude / Longitude	: Latitude: 19° 6'48.94" N Longitude: 72° 52'6.12" E
5.	Address for correspondence		: Mr. S. M. Kuvelkar (Partner) M/s. Tulsiani-Sumer Associates 1103/1104, Tulsiani Chambers, 212, Nariman, Mumbai – 400 021. Maharashtra. Tel. no. 022-2285 1505 & Fax no. 022-2285 5856
	a.	Address of Concerned Project Chief Engineer (with pin code & Telephone / telex / fax numbers)	: Mr. Jayesh Mehta (Project Manager) M/s. Tulsiani-Sumer Associates Sahar Plaza Complex, M.V. Road, Next to Kohinoor Continental Hotel, Andheri (East), Mumbai – 400 059. Tel. no. 022-3082 0126/7 & Fax no. 022-2838 2412
	b.	Address of Executive Project: Manager (with pin code/ Fax numbers)	: Andheri (East), Mumbai – 400 059. Tel. no. 022-3082 0126/7 & Fax no. 022-2838 2412
6.	Salient features;		
	a.	of the project	: 'Sahar Plaza', - Building comprises; 5 Buildings + 1 club houses, Midas: B + G + 7, Bonanza: G + 7, Meadows: 2B + G + 10, Windfall: 2B + G + 12, Mint: 2B + G + 8 ½ (proposed building), Mint and Windfall are having common basement, Club House: G + 1.

	b.	of the environmental management plans	:	Separate funds have been allocated for Implementation of Environmental Protection Measures. During construction phase. ❖ Rs. 95.6 Lakhs have been allocated for the entire construction period. During operation phase. ❖ Recurring Rs. 43.4 Lakhs per annum.	
7.	Breakup of the project area				
	a.	submergence area forest & non-forest	:	Not Applicable.	
	b.	Others	:	❖ FSI area: 71,733.94 Sq. meters ❖ Non-FSI area: 48,846.88 Sq. meters & ❖ Construction Built-up area: 1,20,580.82 Sq. Meters.	
8.	Breakup of the project affected Population with enumeration of Those losing houses / dwelling units' Only agricultural land only, both Dwelling units & agricultural Land & landless laborer's/artisan.			:	Not Applicable.
	a.	SC, ST/Adivasis	:	Not Applicable.	
	b.	Others (Please indicate whether these Figures are based on any scientific and systematic survey carried out Or only provisional figures, if a Survey is carried out give details And years of survey)	:	Not Applicable.	
9.	Financial details				
	a.	Project cost as originally planned and subsequent revised estimates and the year of price reference:			
	1.	Total Cost of the Project	:	Rs. 360 Crores	
	b.	Allocation made for environmental management plans with item wise and year wise Break-up.	:	Separate funds have been allocated for Implementation of Environmental Protection Measures. During construction phase. ❖ Rs. 95.6 Lakhs have been allocated for the entire construction period. During operation phase. ❖ Recurring Rs. 43.4 Lakhs per annum.	
	c.	Benefit cost ratio/Internal rate of Return and the year of assessment	:	--	
	d.	Whether (C) includes the cost of environmental management as shown in the above.	:	--	
	e.	Actual expenditure incurred on the project so far	:	Rs. 317.26 Cr.	

	f.	Actual expenditure incurred on the environmental management plans so far.	:	Rs. 3.03 Cr.
10.	Forest land requirement			
	a.	The status of approval for diversion of forest land for non-forestry use	:	Not Applicable.
	b.	The status of clearing felling	:	Not Applicable.
	c.	The status of compensatory afforestation, if any	:	Not Applicable.
	d.	Comments on the viability & sustainability of compensatory afforestation program in the light of actual field experience so far.	:	Not Applicable.
11.	The status of clear felling in non-forest areas (such as submergence area of reservoir, approach roads), if any with quantitative information		:	Not Applicable.
12.	Status of construction		:	<ul style="list-style-type: none"> ❖ 'No construction activity at project site since December 2018.' ❖ Construction work completed on site as of September 2022 is 1,12,000 Sq. meters. ❖ Building no. 3 Wing aa1: Basement completed. 5th floor slab in progress. Brick work completed up to 4th floor. Wing bb1: Completed & OC granted. ❖ Club House: Completed & OC granted.
	a.	Date of commencement (Actual and/or planned)	:	13/01/2007 (Actual)
	b.	Date of completion (Actual and/or planned)	:	December 2023 (Planned)
13.	Reasons for the delay if the Project is yet to start		:	No construction activity at project site since December 2018 due to modifications and redesigning of building plan.
14.	Dates of site visits			
	a.	The dates on which the project was monitored by the Regional Office on previous Occasions, if any	:	❖ Regional Officer MoEF & CC, Nagpur visited project site on 04/07/2017 to certify the compliance report.

	b.	Date of site visit for this monitoring report.	:	❖ Regional Officer MoEF & CC, Nagpur visited project site on 04/07/2017 and submitted monitoring report on 31/07/2017.
15.		Details of correspondence with Project authorities for obtaining Action plans/information on Status of compliance to safeguards Other than the routine letters for Logistic support for site visits) (The first monitoring report may contain the details of all the Letters issued so far, but the Later reports may cover only the Letters issued subsequently.)	:	❖ Regional Officer MoEF & CC, Nagpur visited project site on 04/07/2017 & submitted monitoring report on 31/07/2017.

7 OCT 2010

PART OCCUPATION CERTIFICATE

To
M/s. Tulsiani Builders & Textiles Pvt. Ltd. and
Rashtriya Metal Indl. Ltd., and M/s. Chandumal Sons Pvt. Ltd.
and Shri. Ramesh Shah and others C.A. to Owner.
1103/4, Tulsiani Chambers,
212, Nariman Point,
Mumbai - 400021.

Ex. Approved Bldg. Proposal (W.S.
H and K Ward)
Municipal Office, R. K. Park Marg,
Bandra (West), Mumbai - 400 050

Sir,

The part development work of commercial bldg. comprising of Wing 'B'-B1 for lower Basement + Upper Basement + Ground (Pt.) + 1st floor for office / podium + 2nd to 12th upper floors on plot bearing C.T.S. No. 179A to 179 H of Village Mulgaon and CTS No. 230-A to 230-D, 243-A and 243-A/1 of Village Kondivita situated at Mathurdas Vasanji Road, Andheri (East), Mumbai is completed under the supervision of Licensed Surveyor Shri. B.S.Barot, License No. B/52, may be occupied on the following condition :-

- 1) That the certificate under section 270-A of M.M.C. Act shall be obtained from H.E. and a certified true copy of the same shall be submitted to this office within three months from the date of issue of occupation certificate.
- 2) That all the conditions of I.O.D. shall be complied with for the remaining work.
- 3) That the balance condition of layout shall be complied with for remaining work.

A set of certified completion plan is attached herewith.

Yours faithfully,

sd/-

Executive Engineer (Bldg.Proposals)
Western Subs. [K] Ward.

Copy to : Architect Shri. B.S.Barot
 3) E.E.[V]W.S.
 5) Sup. [K/E] Ward,
 7) Asstt. Commissioner [K/E] Ward

- 2) E.E.D.P. (H&K)
- 4) Dy. A & C.(S)
- 6) A.E.W.W.[K/E] Ward,
- 8) A.E.(Survey) H & K Ward.

For information please.

CERTIFIED TRUE COPY

[Signature]

[Signature]
E.E.B.P.(W.S.) K Ward.

M/S. B. S. BAROT
ARCHITECTS & ENGINEERS
Jawahar Nagar, Plot No. 14, 1st Floor,
S. V Road, Goregaon (West),
Mumbai - 400 062.



MUNICIPAL CORPORATION OF GREATER MUMBAI

APPENDIX XXII

FULL OCCUPANCY Under Regulation 6(7)* and BUILDING COMPLETION CERTIFICATE Under Regulation 6(6)*
[CE/9152/WS/AK - BCC/Amend(1) of 13 August 2019]

To,
M/S TULSIANI BUILDERS AND TEXTILES PVT. LTD. & M/S. RASHTRIYA
1102/3, TULSIANI CHAMBERS, 212 NARIMAN POINT, MUMBAI-400 021..

Dear Applicant/Owners,

The **full** development work of **commercial** building comprising of **club House building on Layout RG comprising of basement + Ground floor + 1st upper floor alongwith open to sky swimming pool** on plot bearing C.S.No./CTS No. **179-A to 179-H of village Mulgaon & C.T.S.No.230-A 230-D, 238-D, 243-A & 243-A/1** of of village **KONDIVATE** at **Near J.B.Nagar chakala Metro station,Andheri(E),Mumbai** is completed under the supervision of Shri. **B. S. Barot** , **Licensed Surveyor** , Lic. No. **B/52/LS** , Shri. **ASHESH RAGHUVIR KENI** , RCC Consultant, Lic. No. **STR/K/224** and Shri. **Jayesh D. Mehta** , Site supervisor, Lic.No. **M/291/SSI** and as per development completion certificate submitted by architect and as per completion certificate issued by Chief Fire Officer u/no. **NORTEX FIRE EQUIPMENTS CO.PVT.LTD.,having Lic.No.MFS-LA/2019/RD-24** dated **13 August 2019**. The same may be occupied and completion certificate submitted by you is hereby accepted.

It can be occupied with the following condition/s.

- 1) That all the Layout conditions including handing over of Amenity open space & submission of separate P R cards shall be Complied with before asking Further OCC to the building in the Layout & as per Layout condition.
- 2) That all Fire Fighting Systems shall be maintained in good working condition as per certificate issued by Consultant **NORTEX FIRE EQUIPMENTS CO.PVT.LTD..**
- 3) That this Full OCC BCC is without Prejudice to Legal matters pending in Court of Law if any.


Copy To :

1. Asstt. Commissioner, K/E Ward
 2. A.A. & C. , K/E Ward
 3. EE (V), Western Suburb I
 4. M.I. , K/E Ward
 5. A.E.W.W. , K/E Ward
 6. Architect, B. S. Barot, Plot No.36, Kalpana Building, 3rd Floor, Hatkesh Society, J.V.P.D. Scheme, N.S.Road No.5, Vile Parle(W) Plot No.14, Yogi Krupa, 1st Floor, Jawahar Nagar,S.V.Road,Goregaon(W)
- For information please

Name : Prakash Rajaram Rasal
Designation : Executive
Engineer
Organization : Municipal
Corporation of Greater Mumbai
Date : 13-Aug-2019 16: 58:45



Yours faithfully
Executive Engineer (Building Proposals)
Municipal Corporation of Greater Mumbai
K/E Ward



20% AMENITY SPACE AREA DIAGRAM
SCALE - 1: 500

R.G. 8- AREA CALCULATION

SR.NO.	UNITS	SIZE IN METERS	AREA IN SQ.M.
1	1/2	30.25 x 8.25	124.78
2	1/2	32.50 x 17.50	284.37
3	1/2	32.50 x 10.50	170.63
TOTAL AREA OF R.G. - 8			579.78

R.G. 1- AREA CALCULATION

SR.NO.	UNITS	SIZE IN METERS	AREA IN SQ.M.
1	1/2	25.00 X 14.00	175.00
2	1/2	25.00 X 10.00	125.00
3	1/2	30.00 X 5.75	86.25
4	1/2	72.00 X 7.00	504.00
5	1/2	23.00 X 3.00	69.00
6	1/2	35.00 X 9.00	315.00
7	1/2	130.00 X 21.00	2730.00
8	1/2	66.00 X 9.50	627.00
9	1/2	32.50 X 4.00	130.00
10	1/2	31.00 X 8.50	263.50
11	1/2	31.00 X 9.50	294.50
TOTAL AREA			2892.25
DED. A			2/3
DED. A			15.50 X 3.00
NET AREA OF R.G. - 1			2861.25

R.G. 5- AREA CALCULATION

SR.	UNITS	SIZE IN METERS	AREA IN SQ.M.
1	1/2	24.00 X 5.00	60.00
2	1/2	25.00 X 6.00	75.00
3	1/2	25.00 X 10.50	262.50
4	1/2	23.00 X 7.00	161.00
5	1/2	23.00 X 4.00	92.00
6	1/2	15.00 X 6.00	90.00
TOTAL AREA OF R.G. - 5			437.75

R.G. 6- AREA CALCULATION

SR.	UNITS	SIZE IN METERS	AREA IN SQ.M.
1	1/2	22.50 X 3.50	39.38
2	1/2	27.50 X 4.00	110.00
3	2/3	7.50 X 1.50	7.50
4	1/2	30.00 X 8.00	240.00
5	1/2	30.00 X 16.50	495.00
6	1/2	63.00 X 11.50	724.50
7	1/2	63.00 X 5.50	346.50
8	1/2	19.00 X 3.00	57.00
9	1/2	35.00 X 5.50	192.50
10	1/2	24.00 X 6.50	156.00
11	1/2	24.00 X 6.50	156.00
12	1/2	9.50 X 23.50	223.25
TOTAL AREA OF R.G. - 6			1508.88

R.G. 7- AREA CALCULATION

SR.	UNITS	SIZE IN METERS	AREA IN SQ.M.
1		23.00 X 9.50	218.50
TOTAL AREA OF R.G. - 7			218.50

R.G. 3- AREA CALCULATION

SR.NO.	UNITS	SIZE IN METERS	AREA IN SQ.M.
1	1/2	22.37 X 2.04	45.74
2	1/2	25.05 X 4.16	104.21
3	1/2	25.05 X 3.18	79.66
4	1/2	33.46 X 21.22	709.98
5	1/2	29.46 X 15.26	448.48
TOTAL AREA OF R.G. - 3			694.54

TOTAL 25% R.G. AREA REQD. (25% OF 38638.84 SQ.MT.) 9659.71

R.G. - 1 AREA	R.G. - 2 AREA	R.G. - 3 AREA	R.G. - 4 AREA	R.G. - 5 AREA	R.G. - 6 AREA	R.G. - 7 AREA	R.G. - 8 AREA
2861.25	866.26	694.54	2495.08	437.75	1508.88	218.50	579.78
TOTAL R.G. AREA PROPOSED							9662.04

R.G. 2- AREA CALCULATION

SR.NO.	UNITS	SIZE IN METERS	AREA IN SQ.M.
1	1/2	18.00 X 6.00	54.00
2	1/2	18.00 X 8.00	72.00
3	1/2	17.50 X 7.50	131.25
4	1/2	23.00 X 15.00	345.00
5	1/2	46.00 X 7.50	345.00
6	1/2	46.00 X 13.00	598.00
7	1/2	17.50 X 3.50	61.25
TOTAL AREA OF R.G. - 2			866.26

PERMISSIBLE AREA STATEMENT

SR.	DESCRIPTION	GROSS AREA SQ.MTS.	SUB PLOT-A SQ. MTS.	SUB PLOT-B SQ. MTS.	POCKET LAND SQ. MTS.
1	GROSS PLOT AREA (AS PER P. R. CARD.)	49464.30			
2	DEDUCTIONS:-				
a.	20% AMENITY OPEN SPACE AREA (FOR I3 TO C)	1722.06			
b.	20% OF 49464.30 = (9892.86-8170.80)				
c.	(2128.60 + 3982.50 + 2079.70) = 8170.80				
3	NET GROSS AREA	47742.24			
4	DEDUCTIONS:-				
a.	13.40MT. WIDE D. P. ROAD AREA	1516.00			
b.	SET BACK AREA	563.70			
c.	(45.73MT. WIDE EXIST. M. V. ROAD AREA)				
d.	D. P. RESER OF GARDEN AREA	2128.60			
e.	D. P. RESER OF LAW COURT & COURT HSG. AREA	3982.50			
(a to d)	TOTAL DEDUCTIONS:	8170.80			
5	NET PLOT AREA (47742.24 - 8170.80)	39571.44	38638.84	920.70	11.90
6	LESS: 10% R. G. AREA	3957.14	3863.88	92.07	1.19
7	BALANCE PLOT AREA	33714.30	32843.01	828.63	10.71
8	ADD FOR E.S.I.				
9	TOTAL PERMISSIBLE AREA (7 + 8)	33714.30	32843.01	828.63	10.71

AMENITY SPACE AREA CALCULATION

REQD. AMENITY AREA	AREA IN SQ.M.		
20% OF 49464.30 SQ. MT.	9892.86		
LESS: RESER OF GARDEN AREA = 2128.60			
RESER OF LAW COURT & = 3982.50			
COURT HSG AREA			
AREA UNDER ROAD AND SET BACK=2079.70			
(13.40MT. WIDE D. P. ROAD AREA = 1516.00			
SET BACK AREA 45.73 MT. W. RD. = 563.70)	8170.80		
NET AMENITY SPACE AREA REQD.	1722.06		
PROPOSED AMENITY SPACE AREA CALCULATION			
SR.NO.	UNITS	SIZE IN METERS	AREA IN SQ.M.
01	1/2	58.30 X 29.45	858.47
02	1/2	58.30 X 23.40	682.11
03	1/2	55.17 X 6.58	181.51
TOTAL PROPOSED AMENITY OPEN SPACE AREA			1722.09

PROFORMA-B

CONTENTS OF SHEET:
BLOCK PLAN/LOCATION PLAN/R.G.AREA CALCULATIONS & AREA STATEMENT

DESCRIPTION OF PROPOSAL & PROPERTY:
PROPOSED CLUB HOUSE & SWIMMING POOL ON SUB PLOT 'A' OF PROPERTY BEARING C.T.S. NO. 179A/1, 179A/2, 179-B, C.E.F.G. OF VILLAGE MULGAON, C.T.S. NO. 230A/1A, 1B, 1C, 230B, 243-A & 243-A/1 OF VILLAGE KONDVATA M.V. ROAD, ANDHERI (EAST), MUMBAI.

NAME/ADDRESS OF OWNER:
M/S TULSIANI BUILDERS & TEXTILES PVT. LTD. & M/S RASHTRIYA METAL IND. LTD. M/S CHANDANAL SONS PVT. LTD. & SRI. RAMESH SHAIH & OTHERS C.A. TO OWNER, 1103/94, TULSIANI CHAMBERS, 1103 NARIMAN POINT, MUMBAI-400021

FOR TULSIANI BUILDERS & TEXTILES PVT. LTD. S.M.K. VILKAR
DIGITAL SIGN: DIGITAL SIGN: DIGITAL SIGN: DIGITAL SIGN: DIGITAL SIGN:

FOR RASHTRIYA METAL IND. LTD. S.M.K. VILKAR
DIGITAL SIGN: DIGITAL SIGN: DIGITAL SIGN: DIGITAL SIGN: DIGITAL SIGN:

FOR CHANDANAL SONS PVT. LTD. ASHRI RAMSHI SHAIH & OTHERS C.A. TO OWNER
DIGITAL SIGN: DIGITAL SIGN: DIGITAL SIGN: DIGITAL SIGN: DIGITAL SIGN:


NAME/ADDRESS OF C.A.
M/S. B. S. BAROT

SCALE: 1:100
DRAWN BY: samjv
CHECK BY:

NAME ADDRESS AND SIGN OF LICENCE SURVEYOR: DIGITAL SIGN.

PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT

PROPOSED NALLA COVERD WITH R.C.C. SLAB




EXISTING STP

R.G. -4

U.G. WATER TANK WITH SUBMERSIBLE PUMP

GROUND FLOOR PLAN

SCALE : 1 : 100
NOTE:- ALL DIMENSIONS ARE IN METER



SECTION-CC


SCALE : 1 : 100

PROFORMA-B				
CONTENTS OF SHEET:				
GROUND FLOOR PLAN & SECTION-CC				
DESCRIPTION OF PROPOSAL & PROPERTY:				
PROPOSED CLUB HOUSE & SWIMMING POOL ON SUB PLOT "A" OF PROPERTY BEARING C.T.S. NO. 179A/1, 179A/2, 179-B, C.E.F.G. OF VILLAGE MULGAON, C.T.S. NO 230-A/1A, 1B, 1C, 238-B, 243-A & 243-A/1 OF VILLAGE KONDIVITA AT M.V. ROAD, ANDHERI (EAST), MUMBAI.				
NAME, ADDRESS OF OWNER				
M/S TULSIANI BUILDERS & TEXTILES PVT. LTD. & M/S RASHTRIYA METAL IND. LTD. M/S CHANDUMAL SONS PVT. LTD. & SHRI. RAMESH SHAH & OTHERS C.A. TO OWNER. 1103/04, TULSIANI CHAMBERS, 212, NARIMAN POINT, MUMBAI-400021				
FOR TULSIANI BUILDERS & TEXTILES PVT. LTD. (S.M.KUVELKER) DIRECTOR	FOR RASHTRIYA METAL IND. LTD. (S.M.KUVELKER) C.A.	S.M.KUVELKER	CHANDUMAL SONS PVT. LTD. & SHRI. RAMESH SHAH & OTHERS C.A. TO OWNER	
DIGITAL SIGN.	DIGITAL SIGN.	DIGITAL SIGN.	DIGITAL SIGN.	DIGITAL SIGN.
NAME, ADDRESS OF C.A.				
B.M.C. FILE NO. CE / 9152 / WS / AK				
STAMP OF APPROVAL OF PLAN				
ACCEPTED AS COMPLETION PLANS AS ACCOMPANIMENT OF ACCEPTANCE OF O.C.C. ALONG WITH B.C.C. BY THIS OFFICE LETTER ISSUED UNDER NO. CE/9152/WS/AK ON EVEN DATE 13/08/2019				
S.E.B.P./K/EAST NORTH WARD	A.E.B.P. / K / E WARD	E.E.B.P. / K WARD		
NORTH			SCALE	DRAWN BY
			1 : 100	sanjiv
NAME ADDRESS AND SIGN. OF LICENCE SURVEYOR			DIGITAL SIGN.	
<p>M/S. B. S. BAROT B. S. BAROT, LICENCE SURVEYOR, PLOT NO.-14A, YOGI KRUPA, 1st FLOOR, JAWAHAR NAGAR, S.V. ROAD, GOREGAON (W), MUM.-400 062.</p>				


KCP1.1 / D. / drawing/ sahar club house final/sahar club house draft plan/ club house draft plan 08-02-2015

PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT


PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT




TERRACE FLOOR PLAN
SCALE: 1: 100



FIRST FLOOR PLAN
SCALE: 1: 100




BASEMENT FLOOR PLAN
SCALE: 1: 100




LINE AREA DIAGRAM FOR BASEMENT FLR. FOR STORAGE CLUB HOUSE
SCALE: 1: 100



LINE AREA DIAGRAM FOR TERRACE FLOOR
SCALE: 1: 100




LINE AREA DIAGRAM FOR 1ST FLOOR
SCALE: 1: 100



LINE AREA DIAGRAM FOR GROUND FLOOR
SCALE: 1: 100

STORAGE FOR CLUB HOUSE AT BASEMENT BUILT AREA CALCULATION

ADDITIONS :-	AREA IN SQ. MTS.
B	13.07 X 00.91 = 11.89
B1	02.44 X 08.74 = 21.33
B2	00.30 X 00.18 = 00.05
B3	04.58 X 02.02 = 09.25
B4	19.18 X 08.92 = 171.09
B5	10.94 X 01.46 = 15.97
TOTAL BUILT-UP AREA OF STORAGE CLUB HOUSE (BASEMENT)	= 229.58



SECTION-DD
SCALE: 1: 100

BUILT UP AREA CALCULATION FOR GROUND FLOOR

ADDITIONS :-	AREA IN SQ. MTS.
A	32.48 X 18.52 = 601.53
B	03.37 X 0.60 X 2/3 = 1.35
C	1/2(6.52+2.89) X 7.62 = 35.85
D	02.33 X 0.02 X 2/3 = 0.03
E	1/2(2.33+2.45) X 0.23 = 0.05
F	00.23 X 08.31 = 01.91
G	04.60 X 00.23 = 01.06
H	00.60 X 00.23 = 00.14
I	03.84 X 00.23 = 00.88
J	04.19 X 00.23 = 00.96
O	1/2(2.22+2.65) X 1.68 = 04.09
TOTAL	= 648.35

BUILT UP AREA CALCULATION FOR 1ST FLOOR

ADDITIONS :-	AREA IN SQ. MTS.
A	32.48 X 18.52 = 601.53
C	1/2(6.52+2.89) X 7.62 X 0.5 = 17.93
D	02.33 X 0.02 X 2/3 = 0.03
E	1/2(2.33+2.45) X 0.23 = 0.05
F	00.23 X 08.31 = 01.91
G	04.60 X 00.23 = 01.06
H	00.60 X 00.23 X 2 = 00.28
I	04.94 X 00.23 = 01.14
J	16.26 X 00.15 = 02.44
K	18.52 X 00.15 = 02.78
L	11.78 X 00.15 = 01.77
M	07.84 X 00.23 = 01.80
O	1/2(2.22+2.65) X 1.68 X 0.5 = 02.05
TOTAL	= 635.27

DEDUCTIONS :-

1	1.66 X 9.22 = 15.31
2	8.55 X 0.91 = 07.78
3	2.43 X 0.98 = 2.38
4	1/2(0.41+0.19) X 3.37 = 01.01
5	8.44 X 0.32 X 2/3 = 1.80
6	2.45 X 0.03 X 2/3 = 0.05
S	3.43 X 5.79 X 1 = 19.86
TOTAL DEDUCTIONS :-	= 48.19

DEDUCTIONS :-

1	1.66 X 9.22 = 15.31
2	8.55 X 0.91 = 07.78
3	2.43 X 0.98 = 2.38
5	8.44 X 0.32 X 2/3 = 1.80
6	2.45 X 0.03 X 2/3 = 0.05
7	1.66 X 0.45 X 0.5 = 0.37
8	4.11 X 8.85 X 0.5 = 18.19
TOTAL DEDUCTIONS :-	= 45.88

BUILT UP AREA CALCULATION FOR TERRACE FLOOR

ADDITIONS :-	AREA IN SQ. MTS.
A	08.41 X 00.23 = 01.93
B	05.83 X 00.23 = 01.34
C	23.18 X 00.23 = 05.33
D	18.52 X 00.91 = 16.85
E	20.37 X 00.23 = 04.69
TOTAL BUILT UP AREA FOR TERRACE FLOOR	= 30.14

NET BUILT UP AREA FOR GR. FLOOR
(648.35 - 48.19) = 600.16

NET BUILT UP AREA FOR 1ST FLOOR
(635.27 - 45.88) = 589.39

BUILT-UP AREA STATEMENT

FLOOR	TOTAL AREA IN SQ.MTS.
GROUND FLOOR	600.16 SQ.MTS.
FIRST FLOOR	589.39 SQ.MTS.
TERRACE FLOOR AREA	30.14 SQ. MTS.
STORAGE FOR CLUB HOUSE AT BASEMENT BUILT-UP AREA	229.58 SQ. MTS.
TOTAL PROPOSED BUILT-UP AREA	1449.27 SQ.MTS.

PLINTH AREA STATEMENT

TOTAL PROP. R.G. AREA	= 9662.04 SQ. MTS.
PERMISSIBLE BUILT-UP AREA 15% OF 9662.04 SQ. MTS.	= 1449.31 SQ.MTRS
PERMISSIBLE PLINTH AREA 10% OF 9662.04SQ.MTS.	= 966.20 SQ.MTRS
PROPOSED GROUND FLR.AREA	= 600.16 SQ.MTRS

PROFORMA-B

CONTENTS OF SHEET:
BASEMENT FLOOR PLAN, 1ST FLOOR PLAN, TERRACE FLOOR PLAN, SECTION-DD, LINE AREA DIAGRAMS, AREA CALCULATIONS & AREA STATEMENT

DESCRIPTION OF PROPOSAL & PROPERTY:
PROPOSED CLUB HOUSE & SWIMMING POOL ON SUB PLOT 'A' OF PROPERTY BEARING C.T.S. NO. 179A/1, 179A/2, 179-B, C, E, G OF VILLAGE MULGAON, C.T.S. NO 230-A/1, B, 1C, 238-B, 243-A & 243-A/1 OF VILLAGE KONDVITA AT M.V. ROAD, ANDHERI (EAST), MUMBAI.

NAME, ADDRESS OF OWNER:
MS TULSIANI BUILDERS & TEXTILES PVT. LTD. & MS RASHTRIYA METAL IND. LTD., MS CHANDUMAL SONS PVT. LTD. & SHRI. RAMESH SHAH & OTHERS C.A. TO OWNER.
1103/04, TULSIANI CHAMBERS,
212, NARIMAN POINT, MUMBAI-400021

FOR TULSIANI BUILDERS & TEXTILES PVT. LTD. (S.M.KUVELKER) DIRECTOR: [Signature] **FOR RASHTRIYA METAL IND. LTD. (S.M.KUVELKER) DIRECTOR:** [Signature] **CHANDUMAL SONS PVT. LTD. & SHRI. RAMESH SHAH & OTHERS C.A. TO OWNER:** [Signature]

NAME, ADDRESS OF C.A.:

B.M.C. FILE NO.: CE / 9152 / WS / AK

STAMP OF APPROVAL OF PLAN

ACCEPTED AS COMPLETION PLANS AS ACCOMPANIMENT OF ACCEPTANCE OF O.C.C. ALONG WITH B.C.C. BY THIS OFFICE ISSUED UNDER NO. CE/9152/WS/AK ON EVEN DATE 13/08/2019

S.E.B./K/EAST NORTH WARD: [Signature] **A.E.B.P./K/E WARD:** [Signature] **E.E.B.P./K WARD:** [Signature]

NORTH **SCALE** 1: 100 **DRAWN BY:** sanjiv **CHECK BY:** [Signature]

NAME ADDRESS AND SIGN. OF LICENCE SURVEYOR

M./S. B. S. BAROT
B. S. BAROT, LICENCE SURVEYOR,
PLOT NO. 14A, YASH KRIPA, 16 FLOOR, JAWAHAR NAGAR,
S.V. ROAD, GOREGAON (W), MUM. - 400 062.

Item No. 67

Subject: Amendment in EC for proposed project "Sahar Plaza" proposed development of commercial complex at plot no. 179A to H (new CTS no.) of village Mulgaon and CTS nos. 243/A, 243/A/1, 230/A, 230/B, 230/C & 230/D (new CTS no) and 238/B of village Kondivita of vM.V. Road, Andheri (E), Mumbai by M/s. Tulsiani- Sumer Associates Builders & Developers.

Authority noted that environment clearance has been issued to M/s. Tulsiani- Sumer Associates Builders & Developers for proposed project "Sahar Plaza" proposed development of commercial complex at plot no. 179A to H (new CTS no.) of village Mulgaon and CTS nos. 243/A, 243/A/1, 230/A, 230/B, 230/C & 230/D (new CTS no) and 238/B of village Kondivita of vM.V. Road, Andheri (E), Mumbai. Now, PP vide letter dated 30th May, 2015 has approached to SEIAA for amendment in EC. The Project proponent has sought amendment as below-

Comparative Statement of Sahar Plaza by M/s Tulsiani Summer Associates				
Sr. No	Description	As per EC received	Proposed Anemdment	Remarks
1.	Total plot area	49464.3 sq.m	49464.30 sq. m	PR card is furnished in hard copy.
2.	Deductions	14117.6 sq.m	12489.25 sq. m	As per MCGM approval.
3.	Net Plot Area	35,346.70 sq.m	36975.05 sq.m	Amenity open space area calculation was change from 12.5% of net plot area to total deduction of 20% including garden & other reservation.
4	Maximum permissible BUA	48850.00 sq.m	71733.94 sq.m	48,850 sq.m does not include first 2 buildings(Bldg n0.1(Midas):8867.59 sq.m&Bldg.no.2(Bonanza):6849.48sq.m.
5	Total BUA area	48850.00 sq.m	71733.94 sq.m	


Chairman


Member Secretary

Minutes of the 87th meeting of the SEIAA held on 10th to 12th August, 2015

				FSI area is increased because of revised plot area.
6	Non FSI area	48015 sq.m (not considered in EC)	48846.88sq.m	Non FSI area was not considered in earlier Environment Clearance.
7	Total construction built up area(FSI + Non FSI Area)	48 850 sq.m(mentioned in EC) Total :(FSI+ Non FSI):96865 sq.m	120580.82 sq.m	48,850 sq.m does not include first 2 buildings and non FSI area.
8	Total cost of project	Rs.202.27 crores	Rs.360 crores	---
9	Green area	5302sq.m on ground (not mentioned in old EC) 15% of net plot 4150.42 sq.m on other green area Total:9452.42 sq.m	5548.9 sq.m on ground(15% of net plot) 7557.3sq.m on other green area Total =13106.2sq.m	--
10	Nos. of trees to be planted	142 no.s as per MCGM (Not mentioned in Environment Clearance)	Existing :142 no.s; Proposed:147nos as per MCGM norms Total no.s:289	---
11	No. of parking	1180 no.s	636 no.s (As per Concession document by MCGM dtd 12June 2014.)	--
12	No. of population Commercial	4250 no.s	7173 nos	---
13	Water req	244.5 cum/day	405cum/day	--
14	Wastewater	50 cum/day	295cum/day	---
15	Capacity of STP	50 cum/day (60 KLD is installed on site and is in	Proposed STP 240 cum/day Total STP	


Chairman


Member Secretary

Minutes of the 87th meeting of the SEIAA held on 10th to 12th August, 2015

		full operation)	capacity:300 cum/day	
16	STP Sludge	0.03TPD	0.147TPD	
17	Rain water harvesting	Rain water harvesting pits of 3 meter dia and 3 meter deep. No. of harvesting pits proposed is 24.	22 Rain water harvesting chambers ,each of 25.92 cum/day are constructed on site. Total 570 cum/day for percolation. No additional chambers/trenches are proposed. It is proposed to have rain water collection tanks of 120m ³ capacity (total) and harvested water is used is equal to 2 days terrace rainfall for pro. Bldg.	
18	Solid waste Generation	1.1 TPD	1.54 TPD	
19	Energy	Reliance Energy	Reliance Energy	
20	DG Set	380 kva*1 and 180kva *1 KVA provided for essential services	Existing Bldg: Windfall:380 kva*1 Meadows:200kva*1 Bonanza & Midas 125 kVA = 1 no Club house-50 kVA = 1 no Proposed Bldg.:Mint:380 kva*1	
21	Clearance side and front	6m	6m	
22	Right of way (width of the road from the nearest fire station to the	60m	60 m	


Chairman


Member Secretary

Minutes of the 87th meeting of the SEIAA held on 10th to 12th August, 2015

	proposed building			
23	Turning radius for easy access for fire tender movement from all around the building excluding the width for the plantation	12m	12m	
24	Width of all internal roads	12m	12m	


The Authority noted the the D.O. letter no. SEIAA-2014/CR.133/TC-3 dated 29th November, 2014 by Addl. Chief Secretary, Environment Department, GoM to Secretary, MoEF&CC regarding amendments in EC issued to the building projects.

In the 87th meeting, Authority further noted that due to change in parking proposed, PP applied for amendment in Earlier EC issued by SEIAA.

After discussing the proposed changes in detail and considering OM dated 19.06.2013 issued by MoEF wherein it is clarified that SEIAA/SEAC need not focus on the other issues which are normally looked after by the concerned local bodies, SEIAA decided to accord approval to the amendment sought in the EC as the consequential impact on account of the proposed changes is not likely to be adverse on the environmental parameters.



Chairman



Member Secretary

BY SPEED POST

No. 21-139/2006-IA -III
Government of India
Ministry of Environment and Forests
(I.A Division)

Paryavaran Bhawan,
CGO Complex, Lodhi Road
New Delhi 110003
Dated: October 19, 2006

To

✓
M/S Tulsiani Sumer Associates,
1103/04, Tulsiani Chambers,
212, Nariman Point,
Mumbai- 400 021

Subject: Environmental Clearance for construction of Commercial Complex 'Sahar Plaza' at Andheri (E), Mumbai.

Sir,

I am directed to refer to your application seeking prior environmental clearance for the above project under the EIA Notification 1994 as amended on July 7, 2004. The above proposal has been appraised as per prescribed procedure on the basis of the documents enclosed with the application viz., the Questionnaire, EIA, EMP, Public Hearing proceedings and the additional clarifications furnished in response to the observations of the Expert Appraisal Committee (EAC) constituted by the competent authority in its third meeting held on September 1-2, 2006, and provisions under EIA Notification 2006.

2. The project proponent is proposing development of commercial complex 'Sahar Plaza' at CTS No. 179, 181, Village- Mulgaon and CTS No. 238B, 222, 230 to 233, 238 A, 243A, village Kurla II at Andheri (E), Mumbai. The project involves development of commercial complex. The total plot area is 35,346.70 sq. m. Total built up area is 48,850.00 sq. m. for the project under consideration. Total water requirement will be 244.5 cu. m./day and total wastewater generated will be 50 cu. m./day. A Sewage treatment plant having capacity of 50 cu.m. /day will be provided to treat sewage generated from the hotel complex.

3. The EIA report submitted along with the application predicts that the impact of the project on the air quality will be negligible. There will be slightly adverse impact on air quality and soil quality during construction phase. There will be no impact on water quality of the receiving water body during construction as well as operation phase. There will be positive impact on land use pattern due to landscaping and greenbelt development. Plantation of trees and development of recreational area, surrounding area will have positive impact on overall land use.

4. The EAC after due consideration of the relevant documents submitted by the project proponent, responses to the public concerns expressed during the public hearing and additional clarifications furnished in response to its observations have recommended the grant of environmental clearance for the project mentioned above subject to compliance with the EMP and other stipulated conditions. Accordingly, the Ministry hereby accords necessary environmental clearance for the project subject to the strict compliance with the specific and general conditions mentioned below:

PART A- SPECIFIC CONDITIONS

I. Construction Phase

i. All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.

ii. Soil and ground water samples will be tested to ascertain that there is no threat to groundwater quality by leaching of heavy metals and other toxic contaminants.

iii. A First Aid Room will be provided at the project site both during construction and operation of the project.

iv. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.

v. Disposal of muck including excavated material during construction phase should not create any adverse effects on the neighboring communities and be disposed off taking the necessary precautions for general safety and health aspects of people.

vi. Diesel power generating sets used during construction phase should be of "enclosed type" to prevent noise and should conform to rules made under Environment (Protection) Act 1986, prescribed for air and noise emission standards.

vii. Ambient noise levels should conform to residential standards both during day and night when measured at boundary wall of the premises. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase.

viii. Vehicles hired for bringing construction material at site should be in good condition and should have valid "pollution under check"(PUC) certificate and to conform to applicable air and noise emission standards.

ix Construction spoils including bituminous material and other hazardous materials must not be allowed to contaminate watercourses and the dump sites for such material must be secured so that they should not leach into the ground water.

x Any hazardous waste generated during construction phase should be disposed of as per applicable Rules & norms with necessary approvals of the Maharashtra State Pollution Control Board

xi Regular supervision of the above and other measures for monitoring should be in place all through the construction phase so as to avoid disturbance to the surroundings.

II. Operation Phase

The environmental clearance recommended to the project is subject to the specific conditions as follows:

i. Diesel power generating sets proposed as source of back up power for lifts and common area illumination should be of "enclosed type" and conform to rules made under Environment (Protection) Act 1986, prescribed for air and noise emission standards as per CPCB guidelines. Exhausts should be discharged by stack, raised to 4 meters above the rooftop.

ii. During nighttime the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.

iii. Noise barriers should be provided at appropriate locations so as to ensure that the noise levels do not exceed the prescribed standards.

iv. Weep holes in the compound walls shall be provided to ensure natural drainage of rainwater in the catchment area.

v. The sewage treatment plants should be certified by an independent expert for efficiency as well as adequacy and should submit a report in this regard to the Ministry before the project is commissioned for operation. The wastewater should be treated to tertiary level and after treatment reused for flushing of toilets and gardening. Discharge of treated sewage, if any, shall conform to the norms & standards prescribed by Maharashtra State Pollution Control Board.

vi. Oil & Grease trap shall be provided to remove oil and grease from the surface run off and suspended matter shall be removed in a settling tank before its utilization for rainwater harvesting.

vii. The solid waste generated should be properly collected & segregated. Wet garbage should be composted and dry/inert solid waste should be disposed of for land filling.

viii. Any hazardous waste including biomedical waste should be disposed of as per applicable Rules & norms with necessary approvals of the Maharashtra State Pollution Control Board.

ix. The green belt design along the periphery of the plot shall achieve attenuation factor conforming to the day and night noise standards prescribed for residential land use. The open spaces inside the plot should be suitably landscaped and covered with vegetation of indigenous variety.

x. Incremental pollution loads on the ambient air quality, noise and water quality should be periodically monitored after commissioning of the project.

xi. The ground water levels and its quality should be monitored regularly.

xii. A Report on the energy conservation measures should be prepared incorporating details about building materials & technology, R & U Factors etc and submitted to the Ministry in three months time.

xiii. The values of R & U for the building envelope should meet the requirements of the hot & humid climatic location. Details of the building envelope should be worked out and furnished in three months time.

PART – B. GENERAL CONDITIONS

i) The environmental safeguards contained in the EIA Report should be implemented in letter and spirit.

ii) Provision should be made for the supply of kerosene or cooking gas and pressure cooker to the laborers during construction phase.

iii) All the laborers to be engaged for construction works should be screened for health and adequately treated before the issue of work permits.

iv) 6 monthly monitoring reports should be submitted to the Ministry and its Regional Office.

5. Officials from the Regional Office of MOEF, Bhopal who would be monitoring the implementation of environmental safeguards should be given full cooperation, facilities and documents / data by the project proponents during their inspection. A complete set of all the documents submitted to MoEF should be forwarded to the CCF, Regional office of MOEF, Bhopal.

6. In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Ministry.

7. The Ministry reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.

8. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department (if required), CRZ Regulations etc. shall be obtained by project proponents from the competent authorities.

9. A copy of the environmental clearance letter would be marked to the local NGO(s), if any, from whom suggestion/representation were received at the time of public hearing.

10. The project proponent should advertise in at least two local Newspapers widely circulated in the region, one of which shall be in the vernacular language informing that the project has been accorded environmental clearance and copies of clearance letters are available with the Maharashtra State Pollution Control Board and may also be seen on the website of the Ministry of Environment and Forests at <http://www.envfor.nic.in>. The advertisement should be made within 7 days from the day of issue of the clearance letter and a copy of the same should be forwarded to the Regional office of this Ministry at Bhopal.

11. These stipulations would be enforced among others under the provisions of the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.

12. The project authority will enter in to MOU with all buyers of the property, flats/shops etc. to ensure operation and maintenance of the assets handed over to the society formed by the residents/owners of the buildings.


(K.C. RATHORE)
Additional Director (IA)
rathore27@yahoo.com
Tele: 24368526

Copy to: -

1. The Secretary, Department of Environment, Government of Maharashtra, New Administrative Building, 15th Floor, Opp. Mantralaya, Mumbai.
2. The Member Secretary, Maharashtra State Pollution Control Board, Kalptaru Point, 3rd Floor, Near Sion Circle Opp. Cine Planet Cinema, Sion(E), Mumbai.
3. The CCF, Regional Office, Ministry of Environment & Forests, Bhopal.
4. IA - Division, MOEF, New Delhi - 110001.
5. Guard file.

(K. C. RATHORE)
Additional Director (IA)

Item No. 67

Subject: Amendment in EC for proposed project "Sahar Plaza" proposed development of commercial complex at plot no. 179A to H (new CTS no.) of village Mulgaon and CTS nos. 243/A, 243/A/1, 230/A, 230/B, 230/C & 230/D (new CTS no) and 238/B of village Kondivita of vM.V. Road, Andheri (E), Mumbai by M/s. Tulsiani- Sumer Associates Builders & Developers.

Authority noted that environment clearance has been issued to M/s. Tulsiani- Sumer Associates Builders & Developers for proposed project "Sahar Plaza" proposed development of commercial complex at plot no. 179A to H (new CTS no.) of village Mulgaon and CTS nos. 243/A, 243/A/1, 230/A, 230/B, 230/C & 230/D (new CTS no) and 238/B of village Kondivita of vM.V. Road, Andheri (E), Mumbai. Now, PP vide letter dated 30th May, 2015 has approached to SEIAA for amendment in EC. The Project proponent has sought amendment as below-

Comparative Statement of Sahar Plaza by M/s Tulsiani Summer Associates				
Sr. No	Description	As per EC received	Proposed Anemdment	Remarks
1.	Total plot area	49464.3 sq.m	49464.30 sq. m	PR card is furnished in hard copy.
2.	Deductions	14117.6 sq.m	12489.25 sq. m	As per MCGM approval.
3.	Net Plot Area	35,346.70 sq.m	36975.05 sq.m	Amenity open space area calculation was change from 12.5% of net plot area to total deduction of 20% including garden & other reservation.
4	Maximum permissible BUA	48850.00 sq.m	71733.94 sq.m	48,850 sq.m does not include first 2 buildings(Bldg n0.1(Midas):8867.59 sq.m&Bldg.no.2(Bonanza):6849.48sq.m.
5	Total BUA area	48850.00 sq.m	71733.94 sq.m	


Chairman


Member Secretary

Minutes of the 87th meeting of the SEIAA held on 10th to 12th August, 2015

				FSI area is increased because of revised plot area.
6	Non FSI area	48015 sq.m (not considered in EC)	48846.88sq.m	Non FSI area was not considered in earlier Environment Clearance.
7	Total construction built up area(FSI + Non FSI Area)	48 850 sq.m(mentioned in EC) Total :(FSI+ Non FSI):96865 sq.m	120580.82 sq.m	48,850 sq.m does not include first 2 buildings and non FSI area.
8	Total cost of project	Rs.202.27 crores	Rs.360 crores	---
9	Green area	5302sq.m on ground (not mentioned in old EC) 15% of net plot 4150.42 sq.m on other green area Total:9452.42 sq.m	5548.9 sq.m on ground(15% of net plot) 7557.3sq.m on other green area Total =13106.2sq.m	--
10	Nos. of trees to be planted	142 no.s as per MCGM (Not mentioned in Environment Clearance)	Existing :142 no.s; Proposed:147nos as per MCGM norms Total no.s:289	---
11	No. of parking	1180 no.s	636 no.s (As per Concession document by MCGM dtd 12June 2014.)	--
12	No. of population Commercial	4250 no.s	7173 nos	---
13	Water req	244.5 cum/day	405cum/day	--
14	Wastewater	50 cum/day	295cum/day	---
15	Capacity of STP	50 cum/day (60 KLD is installed on site and is in	Proposed STP 240 cum/day Total STP	


Chairman


Member Secretary

Minutes of the 87th meeting of the SEIAA held on 10th to 12th August, 2015

		full operation)	capacity:300 cum/day	
16	STP Sludge	0.03TPD	0.147TPD	
17	Rain water harvesting	Rain water harvesting pits of 3 meter dia and 3 meter deep. No. of harvesting pits proposed is 24.	22 Rain water harvesting chambers, each of 25.92 cum/day are constructed on site. Total 570 cum/day for percolation. No additional chambers/trenches are proposed. It is proposed to have rain water collection tanks of 120m ³ capacity (total) and harvested water is used is equal to 2 days terrace rainfall for pro. Bldg.	
18	Solid waste Generation	1.1 TPD	1.54 TPD	
19	Energy	Reliance Energy	Reliance Energy	
20	DG Set	380 kva*1 and 180kva *1 KVA provided for essential services	Existing Bldg: Windfall:380 kva*1 Meadows:200kva*1 Bonanza & Midas 125 kVA = 1 no Club house-50 kVA = 1 no Proposed Bldg.:Mint:380 kva*1	
21	Clearance side and front	6m	6m	
22	Right of way (width of the road from the nearest fire station to the	60m	60 m	


Chairman


Member Secretary

Minutes of the 87th meeting of the SEIAA held on 10th to 12th August, 2015

	proposed building			
23	Turning radius for easy access for fire tender movement from all around the building excluding the width for the plantation	12m	12m	
24	Width of all internal roads	12m	12m	


The Authority noted the the D.O. letter no. SEIAA-2014/CR.133/TC-3 dated 29th November, 2014 by Addl. Chief Secretary, Environment Department, GoM to Secretary, MoEF&CC regarding amendments in EC issued to the building projects.

In the 87th meeting, Authority further noted that due to change in parking proposed, PP applied for amendment in Earlier EC issued by SEIAA.

After discussing the proposed changes in detail and considering OM dated 19.06.2013 issued by MoEF wherein it is clarified that SEIAA/SEAC need not focus on the other issues which are normally looked after by the concerned local bodies, SEIAA decided to accord approval to the amendment sought in the EC as the consequential impact on account of the proposed changes is not likely to be adverse on the environmental parameters.



Chairman



Member Secretary

Government of Maharashtra

SEAC-2013/CR-185/TC-1
Environment department
Room No. 217, 2nd floor,
Mentrlaya Annex,
Mumbai-400 032.
Dated: 10th December, 2014

To,
M/s Tulsiani Sumer Associates
At village Mulgaon and Kondivata,
M.V. Road, Andheri(E),
Mumbai-400 059

Subject: Environment clearance for proposed project "Sahar Plaza" located at plot no 179A to H (new CTS no) of village Mulgaon & CTS no 243/A, 243A/1, 230/A, 230/B, 230/C & 230/D (new CTS no) & 238/B of village Kondivata of M V road , Andheri (E), Mumbai by M/s Tulsiani - Sumer associates.

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-II, Maharashtra in its 21st meeting and recommend the project for prior environmental clearance to SELAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 69th & 74th meetings.

2. It is noted that the proposal is for grant of Environmental Clearance for proposed project "Sahar Plaza" located at plot no 179A to H (new CTS no) of village Mulgaon & CTS no 243/A, 243A/1, 230/A, 230/B, 230/C & 230/D (new CTS no) & 238/B of village Kondivata of M V road , Andheri (E), Mumbai. SEAC-II considered the project under screening category 8(a) B2 as per EIA Notification 2006

Brief Information of the project submitted by Project PropONENT is as-

Name of the project:	"Sahar Plaza" - Proposed development of commercial complex at plot no. 179A to 179H, village- Mulgaon and CTS no.s 243/A, 243/A1, 230/A, 230/B, 230/C & 230/D of village Kondivata, M.V. Road, Andheri(E), Mumbai-400 059.
Project PropONENT	M/s Tulsiani Sumer Associate
Consultant	Building Environment (India) Pvt. Ltd.
Type of the project	Proposed commercial development "Sahar Plaza" is expansion project. The commercial office complex has obtained Environment clearance on October 19, 2006.

Location of Project	Proposed commercial complex "Sahar Plaza" at plot no. 179A to 179H, village- Mulgaon and CTS nos 243/A, 243/A1, 230A, 230/B, 230/C & 230/D of village Kondivara, M.V. Road Andheri(E), Mumbai-400 059.
Whether in Corporation / Municipal / Other area:	The proposed project falls in limits of Municipal Corporation of Greater Mumbai (MCGM)
Applicability of the DCR	Development control regulation for Mumbai- 1991
Note on the initiated work	Project proponent had constructed two buildings (Midas, Bonanza) on the plot prior to EIA notification was amended on 7th July 2004. Midas - Occupation Certificate was obtained on 23 rd September, 1995 Bonanza - Occupation Certificate was obtained on 1 st October, 1996 Project proponent applied for Environment Clearance for further construction as per EIA notification 1994 as amended on July 2004 and this was granted on 19th October 2006 for a Plot area 35,346.70 sq.m and Total built up area of 48850 sq.m. With this clearance 2 more buildings (Meadows and Windfall) with a total built up area of 36028.42 sq.m. were constructed and obtained Consent to Establishment on 22 nd March, 2006 and Consent to Operate on 1st October, 2012
Total plot area	49464.30sq.m
Deductions	12489.25 sq.m
Net plot area	36975.05 sq.m
Permissible FSI (including TDR etc.)	Maximum Permissible FSI -71733.94 sq.m TDR generated- 34895.35 sq.m
Proposed Built up area (FSI & Non- FSI):	Construction BUA: 1,20,580.82 sq.m FSI: 71733.94 sq.m Non FSI: 48846.88sq.m
Ground Coverage Percentage (%)	15789.31 sq.m 43%
Estimated cost of the project:	Rs 360 Crores
No. of Buildings and its configuration	5 buildings + 1 club house Midas: B+G+7 Bonanza: G+7 Meadows: 2B+G+10 Windfall: 2B+G+12 Mint: 2B +G+8 ½ (proposed Bldg.) Mint and Windfall are having common basement Club house: G+1.
No. of Expected residents/users	Commercial no.: 7173 nos
Height of building	42.98 m
Right of way	60 mtrs
Turning radius	12 mtrs.
Existing Structures	4nos of buildings exists on site. Midas and Bonanza- Constructed prior to EIA notification

	<p>was amended on 7th July, 2004. Meadows and Windfall: Constructed after obtaining EC dtd October 19, 2006 and Consent to Establishment dtd 22 nd March, 2006.</p>
Total water requirement	<p>Dry season: Fresh water demand=111 KLD & Source :MCGM Recycled water supply: For flushing : 222 KLD For landscaping : 66 KLD AC make up-21KLD Total water demand =420 KLD Wet season: Fresh water demand=111 KLD & Source :MCGM Recycled water supply: For flushing : 222 KLD AC make up-21KLD Total water demand =354 KLD</p>
Rain water Harvesting	<p>Rain Water Harvesting (RWH) The incremental rain water runoff as a result of the construction will be captured in 22# Rain water harvesting chambers each of 25.92 m³/day are constructed on site. Total capacity 570 m³/day for percolation. No additional chambers or trenches are proposed. It is proposed to have rain water collection tanks of 120m³ capacity (total) and harvested water is used is equal to 2 days terrace rainfall for pro. Bldg. Level of ground water table: Size and no of RWH tank(s) and Quantity: Existing: Meadows bldg.-30cum/day Windfall bldg.-70cum/day Proposed: Mini bldg. 120 cum/day • Size, no of recharge pits and Quantity. 22 Rain water harvesting chambers, each of 25.92 cum/day are constructed on site. Total 570 cum/day for percolation. No additional chambers/trenches are proposed • Budgetary allocation (Capital cost and O&M cost) Capital cost:6.6 lacs Maintenance cost: 1.5 lacs/yr</p>
Storm water drainage	<p>Natural water drainage pattern: The proposed project will have storm water drainage network as per MCGM remarks.</p>
Sewage and Wastewater	<p>I. Sewage Generation: 295 cum/day wastewater will be generated. The treated water coming from STP (265 cum/day) will be used for secondary purposes like, gardening, AC make up and flushing in non monsoon season. II. STP Technology - Wastewater produced will be treated on site in a Sewage Treatment Plant of capacity -Existing 60 KLD working on Extended Aeration technology and</p>

	<p>Proposed 240 KLD working on 'Moving Bed Bioreactor' (MBBR) technology.</p> <p>III. Capacity of STP - Sewage Treatment Plant of capacity (Existing 60 KLD working on 'Extended Aeration technology and Proposed 240 KLD working on 'Moving Bed Bioreactor' (MBBR) technology.</p> <p>V.DG sets (during emergency): D.G. Set will be used as an alternate supply of electricity only in case of emergency. Type of fuel: High Speed Diesel (HSD) will be used as fuel in DG sets 380 kVA = 2 nos, 200 kVA = 1 nos, 125 kVA = 1 nos and 50 kVA = 1 nos</p> <p>V. Budgetary allocation (capital cost and O&M cost) Capital Cost: 86 Lakhs O&M cost: 18.9 Lakhs/year</p>
Solid Waste Management	<p>Pre Construction and Construction phase Waste:- Waste generated during pre construction and construction phase is 6 MT/day Operation Phase Waste generation in the operation Phase: Dry waste MT/day:-690 kg/day Wet waste MT/day:-850 kg/day</p> <p>E Waste: E waste will be generated after 5 years latency period. The expected e waste: 10.7 T/year. Individual office will be responsible for storage & disposal</p> <p>Hazardous waste: Hazardous waste that would generated in residential project would be spent due to use of DG set .DG set will be used for meeting emergency loads. Quantity of Spent Oil - The quantity of spent oil from DG sets would be 540 lit/annum.</p> <p>Bio medical waste (kg/month):Not applicable SIP sludge (Dry sludge) kg/day: 0.1 TPD Area requirement Total area provided for the storage and treatment of the solid waste : 149 sq.m Budgetary allocation (capital cost and O&M cost) Capital Cost : 18.5 Lakhs O&M cost:3 Lakhs/year</p>
Green Belt Development	<p>RG area under green belt: • Green on the ground (sq. m.) :5548.9sq.m • Other green area (sq. m.):7557.3sq.m Plantation Number and list of trees species to be planted in the ground RG: 277 trees on RG area of 5548.9 sq.m will be planted. Number, size, age and species of trees to be cut, trees to be transplanted: 142 trees exist on site and 6 no. of trees will be cut which will be preserved on site. NOC for the Tree cutting / transplantation/</p>

compensatory plantation, if any: 12 nos

Common Name	No. to be planted	Important features
Mehrak	12	Large tree, good for roadside plantation
Falis	14	Medium sized deciduous tree. Beautiful orange flowers. Butterfly host plant
Kadamb	15	Shady, large deciduous tree, fast-growing graceful tree, ball shaped flowers.
Neem	18	Semi-evergreen tree with medicinal value
Sita ashok	16	Shady tree with red-yellow flowers.
Apta	12	Small tree with small white flowers, Butterfly host plant
Fish tail palm	15	Tall evergreen tree
Son chafa	16	Medium sized evergreen tree, fragrant yellow flowers, Butterfly host plant
Bhava	15	Medium sized deciduous tree. Beautiful yellow flowers, Butterfly host plant
Perjatax	14	Small deciduous fast growing tree, beautiful flowers.
Total	147	

Budgetary allocation (Capital cost and O&M cost)

For tree plantation:

Capital Cost : 75 Lakhs

O&M cost: .18 Lakhs/year

Energy

Total connected load : 6360 KW

Estimated Max Demand @ 70% Diversity: 4452kw

Source: Reliance

D.G Set: Type of Fuel used and Capacity

High Speed Diesel (HSD) will be used as fuel in DG sets

380 kVA = 2 nos, 200 kVA = 1 nos,

125 kVA = 1 nos and 50 kVA = 1 nos

Environmental Management Plan Budgetary Allocation	Operation phase (with break-up)		
	Sr. no.	Description	Maintenance and operation cost (lakh per year)
	1	Maintenance of STP	18.9
	2	Maintenance of WTP building	2
	3	Maintenance of RWH	1.5
	4	Maintenance of Landscaped area	18
	5	Maintenance of OWC	3
	6	Energy conservation	Nil
	Total	43.4	
Traffic Management	<p>Nos. of the junction to the main road and design of confluence The site is accessible from Andheri-Kurla road in south side and Marol cross road from east side.</p> <p>Parking details No. & area of basement: 32816.43 sq.m / 6 nos. No. & area of podium: 1 podium & 9312.35m of each podium Total parking area: 33742.8 Sq m Area per car: 2-W: 5 sq.m 4-W: 13sq.m Width of all internal roads Width of all internal roads will be 12 m.</p>		

3. The proposal has been considered by SEIAA in its 69th & 74th meetings & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:

General Conditions for Pre-construction phase:-

- (i) This environmental clearance is issued subject to restricting total FSI /1,613 sq m & parking to 215 as per approved plans by MCGM vide letter dated 17.06.2011 & 12.06.2014 as approved
- (ii) This environmental clearance is issued subject to land use verification. Local authority / planning authority should ensure this with respect to Rules, Regulations, Notifications, Government Resolutions, Circulars, etc. issued if any. Judgments/orders issued by Hon'ble High Court, Hon'ble NCT, Hon'ble Supreme Court regarding DCR provisions, environmental issues applicable in this matter

should be verified. PP should submit exactly the same plans appraised by concern SEAC and SEIAA. If any discrepancy found in the plans submitted or details provided in the above para may be reported to environment department. This environmental clearance issued with respect to the environmental consideration and it does not mean that State Level Impact Assessment Authority (SEIAA) approved the proposed land use.

- (iii) This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
- (iv) PP has to abide by the conditions stipulated by SEAC & SEIAA.
- (v) The height, Construction built up area of proposed construction shall be in accordance with the existing FSLFAR norms of the urban local body & it should ensure the same along with survey number before approving layout plan & before according commencement certificate to proposed work. Plan approving authority should also ensure the zoning permissibility for the proposed project as per the approved development plan of the area.
- (vi) "Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- (vii) All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.

General Conditions for Construction Phase-

- (i) Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche and First Aid Room etc.
- (ii) Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- (iii) The solid waste generated should be properly collected and segregated. dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.
- (iv) Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
- (v) Arrangement shall be made that waste water and storm water do not get mixed.
- (vi) All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- (vii) Additional soil for leveling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.


- (viii) Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
- (ix) Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- (x) Construction spoils, including bituminous material and other hazardous materials must not be allowed to contaminate watercourses and the dumpsites for such material must be secured so that they should not leach into the ground water.
- (xi) Any hazardous waste generated during construction phase should be disposed off as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- (xii) The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environment (Protection) Rules prescribed for air and noise emission standards.
- (xiii) The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from concern authority shall be taken.
- (xiv) Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
- (xv) Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- (xvi) Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September 1999 and amended as on 27th August, 2003. (The above condition is applicable only if the project site is located within the 100Km of Thermal Power Stations)
- (xvii) Ready mixed concrete must be used in building construction.
- (xviii) The approval of competent authority shall be obtained for structural safety of the buildings due to any possible earthquake, adequacy of fire fighting equipments etc. as per National Building Code including measures from lightning.
- (xix) Storm water control and its re-use as per CGWB and BIS standards for various applications.
- (xx) Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
- (xxi) The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- (xxii) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Discharge of this unused treated effluent, if any should be discharge in the sewer line. Treated effluent emanating from STP shall be recycled/reused to the maximum extent possible. Discharge of this unused treated effluent, if any should be discharge in the sewer line. Treatment of 100% gray water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP.

- (xxiii) Permission to draw ground water and construction of basement if any should be obtained from the competent Authority prior to construction/operation project.
- (xxiv) Separation of gray and black water should be done by the use of dual plumbing for separation of gray and black water.
- (xxv) Fixtures for showers, toilet flushing and drinking should be of low flow and use of aerators or pressure reducing devices or sensor based control.
- (xxvi) Use of glass may be reduced up to 40% to reduce the electricity consumption and load on air conditioning. If necessary, use high quality double glass with reflective coating in windows.
- (xxvii) Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement.
- (xxviii) Energy conservation measures like installation of CFLs /TFLs for the lighting areas outside the building should be integral part of the project design and should be in place before project commissioning. Use CFLs and TFLs should be properly collected and disposed off sent for recycling as per the prevailing guidelines of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible like installing solar street lights, common solar heaters system. Project proponent should install, after checking feasibility, solar plus hybrid non conventional energy source as source of energy.
- (xxix) Diesel power generating sets proposed as source of back up power for elevator and common area illumination during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel. The location of the DG sets should be decided with in consultation with Maharashtra Pollution Control Board.
- (xxx) Noise should be controlled to ensure that it does not exceed the prescribed standards. During nighttime the noise levels measured at the boundary of building shall be restricted to the permissible levels to comply with the prescribed regulations.
- (xxxi) Traffic congestion near the entry and exit points from the roads adjoining proposed project site must be avoided. Parking should be fully internalized and public space should be utilized.
- (xxxii) Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code, which is proposed to be mandatory for all air-conditioned spaces while it is aspirational for non-air-conditioned spaces by use of appropriate thermal insulation material to fulfill requirement.
- (xxxiii) The building should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation.
- (xxxiv) Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to surrounding.
- (xxxv) Under the provisions of Environment (Protection) Act, 1986, legal action should be initiated against the project proponent if it was found that construction project has been started without obtaining environmental clearance.
- (xxxvi) Six monthly monitoring reports should be submitted to the Regional office of Bhopal with copy to this department and MPCB.

General Conditions for Post- construction/operation phase-

- (i) Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement in Para 2. Prior certification from appropriate authority shall be obtained.
- (ii) Wet garbage should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. Local authority should ensure this.
- (iii) Local body should ensure that no occupation certification is issued prior to operation of STP/MSW site etc. with due permission of MPCB.
- (iv) A complete set of all the documents submitted to Department should be forwarded to the Local authority and MPCB.
- (v) In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Department.
- (vi) A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- (vii) Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department.
- (viii) The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at <http://ec.maharashtra.gov.in>
- (ix) Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
- (x) A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- (xi) The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO₂, NO_x (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
- (xii) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- (xiii) The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.

4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
5. In case of submission of false document and non compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environmental Clearance without any intimation and institute appropriate legal action under Environmental Protection Act, 1986.
6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.
7. Validity of Environment Clearance: The environmental clearance accorded shall be valid for a period of 5 years.
8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.
9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
10. Any appeal against this environmental clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D- Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
11. This Environmental Clearance is issued for proposed project "Sumer Plaza" located at plot no 179A to H (new CTS no) of village Mulgaon & CTS no 243/A, 243A/1, 230/A, 230/B, 230/C & 230/D (new CTS no) & 238/B of village Kondivita of M V road, Aadhari (E), Mumbai by M/s Tulsiani - Sumer associates


 (Madha Badgik)
 Additional Chief Secretary,
 Environment department &
 MS, SEIAA

Copy to:

1. Shri R. C. Joshi, IAS (Retd.), Chairman, SEIAA, Flat No. 26, Belvedere, Bhulabhai desai road, Breach cady, Mumbai- 400026.
2. Shri. Ravi Bhushan Budhiraja, Chairman, SEAC-II, 5-South, Dilwara Apartment, Cooperage, M.K.Road, Mumbai 400021
3. Additional Secretary, MOEF, MoEF & CC, Indira Paryavaran Bhavan, Jorhagh Road, Aliganj, New Delhi-110003.

4. Member Secretary, Maharashtra Pollution Control Board, with request to display a copy of the clearance.
5. The CCF, Regional Office, Ministry of Environmental and Forest (Regional Office, Western Region, Kendriya Paryavaran Bhavan, Link Road No- 3, E-5, Ravi-Shankar Nagar, Bhopal- 462 016). (MP).
6. Regional Office, MPCB, Mumbai.
7. Collector, Mumbai
8. Commissioner, Municipal Corporation Greater Mumbai
9. IA- Division, Monitoring Cell, MoEF & CC, Indira Paryavaran Bhavan, Jorbagh Road, Aliganj, New Delhi-110003.
10. Select file (TC-3)

(EC uploaded on 16/12/14)

Form 523
MMP-248-2008-1,000 Forms

This C.C. is issued subject to the provision of U.C. Land Ceiling and Regulation Act 1976

C-3
MUNICIPAL CORPORATION OF GREATER MUMBAI
FORM 'A'

MAHARASHTRA REGIONAL AND TOWN PLANNING ACT, 1966

No. CE/ 912 BSLWS/2008 of 27 MAR 2012

COMMENCEMENT CERTIFICATE

To,
M/s Tulsiyani Builders
2 Textiles Pvt. Ltd.

EX. Engineer Bldg. Proposal (WS)
Hand & Works
Municipal Office, P. K. Patkar Marg,
Bandra (West), Mumbai - 400 050

Sir,

With reference to your application No. 6248 dated 16/09/07 for Development Permission and grant of Commencement Certificate under Section 41 & 49 of the Maharashtra Regional and Town Planning Act 1966, to carry out development and building permission under Section 44 of the Mumbai Municipal Corporation Act 1888 to erect a building

For the development work of Club House Swimming Pool CT: No. 1794104/230/1100
at premises at Street M.V. Rd. village Mandrujig plot No. 258-2118-6243/11
situated at Andheri (E) in K/East Ward.

The Commencement Certificate/Building Permit is granted on the following conditions:-

1. The land vacated in consequence of the endorsement of the setback line/road widening line shall form part of the public street
2. That no new building or part thereof shall be occupied or allowed to be occupied or used or permitted to be used by any person until occupancy permission has been granted.
3. The Commencement Certificate/Development permission shall remain valid for one year commencing from the date of its issue.
4. This permission does not entitle you to develop land which does not vest in you.
5. This Commencement Certificate is renewable every year but such extended period shall be in no case exceed three years provided further that such lapse shall not bar any subsequent application for fresh permission under section 44 of the Maharashtra Regional & Town Planning Act, 1966.
6. This Certificate is liable to be revoked by the Municipal Commissioner for Greater Mumbai if:-
 - (a) The Development work in respect of which permission is granted under this certificate is not carried out or the use thereof is not in accordance with the sanctioned plans.
 - (b) Any of the conditions subject to which the same is granted or any of the restrictions imposed by the Municipal Commissioner for Greater Mumbai is contravened or not complied with.
 - (c) The Municipal Commissioner of Greater Mumbai is satisfied that the same is obtained by the applicant through fraud or misrepresentation and the applicant and every person deriving title through or under him in such an event shall be deemed to have carried out the development work in contravention of Section 42 of 45 of the Maharashtra Regional and Town Planning Act, 1966.

7. The conditions of this certificate shall be binding not only on the applicant but on his heirs, executors, assignees, administrators and successors and every person deriving title through or under him.

The Municipal Commissioner has appointed Shri. P. N. Bhatnagar

Executive Engineer to exercise his powers and functions of the Planning

Authority under Section 45 of the said Act.

This CC is valid upto 26 MAR 2013

This Commencement certificate is for carrying out Plinth only

For and on behalf of Local Authority
The Municipal Corporation of Greater Mumbai

Executive Eng. [Signature]
(Western Subs.) West, West & West 'K/ West' Wards

FOR
MUNICIPAL CORPORATION OF GREATER MUMBAI

To,
The Assistant Engineer
Building Proposal (WS)
Hindu Hriday Samrat,
Shri. Balasaheb Thackarey Market,
Poonam Nagar, Majas, Off. J.V.
Link Road, Jogeshwari (E),
Mumbai- 400 093.

Date : 09th March, 2021.

Dear Sir,

1. File No. : CE/8644/WS/AK
Detail of Proposal Proposed Commercial Building no. 3non Sub-Plot 'A' of Property Bearing C.T.S. No. 179A/1, 179A/2, 179-B,C,E,F,G of Village Malgaon C.T.S. No. 230-A/1A, 1B, 1C, 238B, 243-A& 243-A/1 village Kondivita at M.V. Road, Andheri (East) Mumbai. .
2. Date of I.O.D. : 13.06.2007
3. Date of C.C. : 19.06.2007
4. Date of expiry : 18.06.2018
5. Progress : wing A-A1 are constructed for 1st basement + 2nd basement + Ground + 1st to 5th upper floor.
6. Re-validation fees details :
 - I. Re-validation fees Rs. 17,120/-
 - II. Penalty for late payment if any Rs. 2,91,040/-
 - III. Total amount paid Rs. 3,08,160/-
7. Proposal is now being re-validation valid up to :- 18.06.2021
8. Name of Owner : M/s. Tulsiani Builders & Textiles Pvt. Ltd. & Others C.A. to Owner.

The above details are verified by me and are correct.

Thanking you,

For AAKAR ARCHITECTS & CONSULTANTS

Digitally signed by
Pawar Ameet
Ganpatrao
Date: 2021.03.09
15:32:15 +05'30'

ARCHITECT
Ameet G. Pawar
(Lic. No. CA/2004/34543)

To,

Date. 09th March, 2021.

The Executive Engineer

Building Proposal Department,
K/East Ward, New Majas Market
Plot bearing CTS.No.171/2, 175/A3
Village Majas, Poonam Nagar at J.V.Link Road,
Jogeshwari (East), Mumbai

Sub : Proposed Commercial Building no. 3non Sub-Plot 'A' of Property
Bearing C.T.S. No. 179A/1, 179A/2, 179- B,C,E,F,G of Village Malgaon
C.T.S. No. 230-A/1A, 1B, 1C 238B, 243-A& 243-A/1 village Kondivita at
M.V. Road, Andheri (East) Mumbai

Ref : CE/8644/WS/AK

CC Re-validation Fees Calculation :-

I.O.D. : 13.06.2007

C.C. : 19.06.2007

CC Valid upto : 18.06.2018

18.06.2018	}	Rs. 17,120/- + Rs. 17,120/-	= Rs.34,240/-
18.07.2018			
18.08.2018			

18.09.2018 to 18.06.2019 = 8,560/- x 9 Month = Rs. 77,040/-

Total Amount = **Rs. 1,11,280/----(I)**

18.06.2019 to 10.06.2020 = **Rs. 1,11,280/----(II)**

18.06.2020	}	Rs. 17,120/- + Rs. 17,120/-	= Rs.34,240/-
18.07.2020			
18.08.2020			

18.09.2020 to 18.03.2021 = 8,560/- x 6 Month = Rs. 51,360/-

Total Amount = **Rs. 85,600/----(I)**

Total Amount = I + II + III
= Rs. 3,08,160/-

For AAKAR ARCHITECTS & CONSULTANTS

Pawar Ameet
Ganpatrao

Digitally signed by Pawar
Ameet Ganpatrao
Date: 2021.03.09
15:33:13 +05'30'

ARCHITECT
Ameet G. Pawar
(Lic. No. CA/2004/3454)

Date: 13th May, 2022.

To,
The Executive Engineer
Building Proposal (WS)
Hindu Hriday Samrat,
Shri. Balasaheb Thackarey Market,
Poonam Nagar, Majas, Off. J.V.
Link Road, Jogeshwari (E),
Mumbai- 400 093.

Dear Sir,

1. File No. : CE/8644/WS/AK
2. Detail of Proposal : Proposed Commercial Building no. 3non Sub-Plot 'A' of Property Bearing C.T.S. No. 179A/1, 179A/2, 179-B,C,E,F,G of Village Malgaon C.T.S. No. 230-A/1A, 1B, 1C 238B, 243-A& 243-A/1 village Kondivita at M.V. Road, Andheri (East) Mumbai.
3. Date of I.O.D. : 13.06.2007.
4. Date of C.C. : 19.06.2007.
5. Date of Expiry : 18.06.2022.
6. Progress : wing A-A1 are constructed for 1st basement + 2nd basement + Ground + 1st to 5th upper floor.
7. Re-validation Fees Details :
 - I. Re-validation Fees. Rs.20,720/-
 - II. Penalty for late payment if any Nil
 - III. Total Amount Paid Rs.20,720/-
8. Proposed is now being re-validation valid up to :- 18.06.2023
9. Name of Owner : M/s. Tulsiani Builders & Textiles Pvt. Ltd. & Others C.A. to Owner.

The above details are verified by me and are correct.
Thanking you,

For AAKAR ARCHITECTS & CONSULTANTS

**Pawar Ameet
Ganpatrao**

Digitally signed by Pawar Ameet Ganpatrao
DN: cn=Personal,
2.5.4.20=6088ee79d532b7ead6e82c65df2b67267ff
a5aeb7c49ba6b8d8e89a6b990d1e1c8,
postalCode=400104, st=Maharashtra,
serialNumber=991218e92c5407a23076c47f934353
e7a263fcb3509ecee262f86c75bb7ed1, cn=Pawar
Ameet Ganpatrao
Date: 2022.05.13 12:48:36 +05'30'

Architect
Ameet Pawar
(Lic. No. CA/2004/34543)

MUNICIPAL CORPORATION OF GREATER MUMBAI
MUMBAI FIRE BRIGADE

Office of
The Chief Fire Officer
Mumbai Fire Brigade
Suburban Head Quarters
1st Fire Station,
A/3 Shriam Dal Marg,
Mumbai - 400 059

No. ~~FB/HR/WS/198~~ 1501
Date 6/12/13

Amended NOC stipulating fire fighting & fire protection requirements for Proposed high rise commercial building No. 3 on Sub Plot A, Plot bearing C.T.S. No. 179-A to 179-H of Village Mulgaon C.T.S. No. 230-A to 230-D, 239-D, 243-A and 243-A/1 of Village Kandiwa at M.V. Road, Andheri (East)

Ref. Letter dated 14.11.2013 from A.E.B.P. (W.S.) K/E Ward under No. CE/8644/WS/AK
M.F.B. No. HR/R-IV/501 dated 02.12.2013.

E.E.B.P. (W.S.)

In this case, please refer to this office NOCs. issued under No. FB/S/497/1705 dated 20.12.07 for the construction of a low rise commercial building comprising of two independent wings i.e. wing A and wing A1 and two interconnected wings i.e. B wing and B1 wing having ground floor on stilts having ground floor on stilts and five upper floors with two-level basement with a height of 18.45 mtrs.

Subsequently this office has issued amended NOC under No. FB/WS/508/1099 dated 15.1.09 for the construction of a high rise commercial building comprising of A - A1 wings having ground floor on stilts and one upper floor with a height of 6.25 mtrs., while B - B1 wings having ground floor on stilts and nine upper floors (part 9th floor) with two level basement with a height of 30.65 mtrs.

Further, this office has issued amended NOC under No. FB/HR/WS/198 dated 05.06.2010 for the construction of a high rise commercial building comprising of wings A - A1 as well as B - B1 having ground floor partly on stilts and 12 upper floors with two level basement with a height of 40.40 mtrs.

The work of wing B - B1 comprising of ground floor partly on stilts and 12 upper floors with two level basement was completed and Occupation Permission was granted under No. FB/HR/WS/172 dated 14.06.2011. Also E.E.B.P. (W.S.) has granted Occupation Permission under No. CE/8644/WS/AK dated 17.10.2011.

C.C. upto top of basement of wings A - A1 has been granted by E.E.B.P. (W.S.) H & K under No. CE/8644/WS/AK dated 19.06.2007. The work is carried out accordingly.

Now Licensed Surveyor has once again submitted amended plans for approval for wing A - A1 only. Wing A - A1 will now comprise of ground floor partly on stilts and 9 upper floors with two-level basement with a height of 36.65 mtrs.


DEPUTY CHIEF FIRE OFFICER

The floor-wise user of wing A - A1 is as under.

Floor	User
Lower & Upper Basements	Car parking with two No. of 6.00 mtrs wide each two way Ramps, Fan Rooms, STP plant, BMS room(UB) & Pump Rooms
Ground floor	Food Court, Driver room, Security room, Society Office & suits for car parking
1 st floor	13 No. of Offices & Common Podium for single layer car parking with a 6.00 mtrs wide two way Ramp.
2 nd to 6 th , 8 th & 9 th floor	14 No. of Offices
7 th floor	12 No. of Offices & Refuge Area.

Both the level basements (common for wings A - A1 as well as B - B1) have been provided with five No. of staircases having flight width of 1.50 mtrs. each. Two No. of two way Ramps of 6.00 mtrs. width each are proposed for both the level Basements as approved earlier. Natural ventilation to the basement will be provided through the ventilation cutouts and trenches. However, the Licensed Surveyor has been directed to provide mechanical ventilation/smoke extraction system facilitating 15 air changes per hour in normal course and capable of converting to 30 air changes per hour in case of emergency.

Wing A - A1 has been provided with two inter-connected enclosed type staircases having flight width of 1.50 mtrs. each which are connected by common passage having width of 2.44 mtrs. The staircases are externally located and adequately ventilated. The lift lobby/common passage at each floor level is directly ventilated to outside air, as shown in the plan.

Total ^{Two} No. of lifts are proposed out of which Two No. of lifts (one near each staircase) will be converted into Fire Lifts.

The building abuts on 12.00 mtrs wide Internal road on North side which is connected to 13.40 mtrs. wide D.P. road on West side as well as M. V. Road on South side. The open spaces around the building are as under.

- North side - 6.00 mtrs to 10.97 mtrs. at podium levels + 12.00 mtrs wide Internal road
- South side - 8.06 mtrs. to 22.55 mtrs. including 12.00 mtrs. wide access road
- East side - 9.17 mtrs. to 9.80 mtrs. at ground level
- West side - 6.10 mtrs. to 15.33 mtrs. at ground level and partly ramp for podium

Refuge area

Refuge area Floor	Refuge area at a height from Ground level	Refuge area Required	Refuge area proposed
A1 7 th floor level	25.70 mtrs.	245.70 sq. mtrs.	252.42 sq. mtrs.

In addition, terrace floor level will be treated as refuge area. Excess refuge area will be counted in FSI. The architect has agreed to paved the R.G. up to 12mtrs on South side to facilitate the rescue operation.

In view of the above, as far as this department is concerned, there would be no objection for the construction of proposed high rise commercial building comprising of Wing A - A1 having ground floor partly on stilts and 9 upper floors with two level basement with a height of 36.65 mtrs. annexed to existing Wing B - B1 having ground floor partly on stilts and 12 upper floors with two level basement with a height of 40.40 mtrs, as per the details shown on the enclosed amended plans, signed in token of approval, subject to satisfactory compliance of the following requirements.

1. All the requirements stipulated earlier vide this office NOC issued under No. FB/HR/WS/198 dated 05.05.2010 shall be complied along with following requirement.
2. FOOD COURTS:
Necessary license under Section 394 of BMC Act shall be obtained for the Food Courts.
3. GLASS FAÇADE
 - 1) An Opening to the glass façade of min. width 1.5 m and height 1.5 m shall be provided at every floor at a level of 1.2 m from the flooring facing compulsory open space as well as on road side. Minimum one such opening shall be provided at the interval of every 15 m.
Mechanism of Opening: - The openable glass panel shall be either left or right hinged to facilitate approach of the rescue cage / ladder. Similarly, this portion shall have manual opening mechanism from inside as well as outside. Such openable panels shall be marked conspicuously so as to easily identify the openable panel from outside.
 - 2) Distance between the external wall/building line (glass / brick) and glass façade shall not be more than 300 mm.
 - 3) The smoke seals / barriers between building wall and façade shall be provided at every floor level in the form of non-combustible material / vermiculate cement.
 - 4) Glass façade blocking the area of staircase, lift lobby and corridor shall be kept openable. Pressurized system of the staircase / lobby shall be synchronized with opening mechanism.
 - 5) The glazing used for the façade shall be of toughened (tempered) safety glass as per I.S. 2553, Part I or laminated safety glass as per I.S. 2553 - Part I, satisfying stability criteria.
 - 6) Automatic wall drenchers shall be provided at every floor level from inside of the façade.
 - 7) Openable vent of 600 mm height to be installed below ceiling level or false ceiling level (if provided). - The openable vent of minimum 2.5% of the floor area shall be provided. It shall be of min 600 mm depth below ceiling / false ceiling or full length on the periphery of the façade whichever is less. - Openable mechanical devices for the said vent shall be located at 1.2 m height from the flooring level. The Openable vent can be pop-out type or

bottom hinged provided with fusible link opening mechanism and shall also be integrated with automatic Smoke Detection system.

OR

Alternate vertical glass panels of the facade shall be operable type with the mechanism mentioned above in order to ventilate the smoke

B) Refuge areas covered with the glass facade shall have all the panels openable (either left or right hinged) both from inside as well as outside.

The party has earlier paid capitation fee of Rs. 2,40,000/- vide receipt No. 675701 dated 19.12.2007 on the gross built-up area of 48000 sq.mtrs. (as low rise building) as certified by the Licensed Surveyor vide his letter dated 20.11.2007.

Subsequently, the Licensed Surveyor vide his letter dated 12.11.2008 has certified the gross built-up area as 48000 sq.mtrs. (as high rise building) and the party has paid additional capitation fee of Rs. 2,40,000/- vide receipt No. 361541 dated 06.01.2009 (SAP docket No. 100021/405).

Subsequently, the Licensed Surveyor vide his letter dated 19.05.2010 has certified the gross built-up area as 94200 sq.mtrs. and the party has paid additional capitation fee of Rs. 4,52,000/- vide receipt No. 1536257 dated 04.06.2010 (SAP docket No. 1000609997) on the additional built-up area of 46200 sq.mtrs.

Now, the Licensed Surveyor vide his letter dated 23.11.2013 has certified the gross built-up area as 78000 sq.mtrs. and the party has paid additional scrutiny fee of Rs. 12,42,000/- vide receipt No. 3410618 dated 03.12.2013 (SAP docket No. 1001606822)

[Signature]

Dy. Chief Fire Officer (W.S.)
Mumbai Fire Brigade.

Copy to: Mr. B.S. Barot, Licensed Surveyor, Mumbai.

[Signature]
06/11/13

Dy. Chief Fire Officer (W.S.)
Mumbai Fire Brigade.

CERTIFIED TRUE COPY

[Signature]

M/s. B. S. BAROT
B. S. BAROT, LICENSE SURVEYOR
Plot No. 14-A, Yogi Kripa, 1st Floor,
Jawahar Nagar, S. V. Road,
Goregaon (W), Mumbai-400 082.



MUNICIPAL CORPORATION OF GREATER MUMBAI

Office of the
Chief Engineer (Development Plan)
Municipal Head Office
4th Floor, Extn. Building
Mahapalika Marg, Fort
Mumbai - 400 001

To
SUMER BUILDERS
201, Commerce House,
140N.M.Road
Fort, Mumbai 400001

No: CHE/¹⁸³~~201~~/DPWS/K/E

Date: 28 MAY 2014

Sub: Sanctioned Revised Development Plan Remarks for the land bearing C.T.S.No 179A, 179B, 179C, 179D, 179E, 179F, 179G, 179GH, of village Mulgaon 230A/1, 230B, 230C, 230D, 234, 243A & 243A/1 of village Kondivata

Ref: Your Application u/no. 0001921 and payment of certifying charges made under Receipt no. 1001753498 dated 16/05/14

Sir/Madam,

Sanctioned Revised Development Plan Remarks for the land shown bounded blue on the accompanying plan are as under:-

Description of the Land	:	C.T.S.No 179A, 179B, 179C, 179D, 179E, 179F, 179G, 179GH, of village Mulgaon 230A/1, 230B, 230C, 230D, 234, 243A & 243A/1 of village Kondivata
Sanctioned Revised Development Plan referred to Ward	:	K/E
Reservations affecting the land [as shown on plan]	:	GARDEN and LAW COURT & COURT HOUSING (both parts of larger reservations)
Reservations Abutting the land [as shown on plan]	:	GARDEN
Designations affecting the land [as shown on plan]	:	NIL
Designations Abutting the land [as shown on plan]	:	NIL
D.P. Roads affecting the land [as shown on plan]	:	DP ROAD (13.40 M)
Existing Roads [as shown on plan]	:	PRESENT

The widening, if any, of the existing road shall be as per the regular line prescribed by and subject to the actual demarcation on site by the Executive Engineer (Traffic & Co-ordination) / A.E. Survey (WS) H&K Wards.

Zone
[as shown on plan] : SPECIAL INDUSTRIAL ZONE (I-3)

Remarks from other Departments/Offices:

Demarcation: The Alignment of the proposed road & the boundaries of the reservations are subject to the actual demarcation on site by this office staff alongwith the representative of A.E. Survey.

As per the directives issued by State Govt. in U.D. Dept. under section 154 of M.R.T.P. Act u/no. TPB-4305/2342/CR-302/05/UD-11 dtd.17.01.2006, No objection from M.M.R.D.A. shall be obtained separately in view of M.R.T.S. before any development on the land.

The land under reference is affected by Nalla, and hence, specific remarks from the Ex.Eng.(S.W.D.) of M.C.G.M shall be obtained separately before any development on the land.

RELOCATION: Director's approval u/n.Dir/ES&P/5746/1,Dated 8/03/2004.

Consequent upon the representation made in the past by the Owner/ Developer of the land under reference and in consonance with the existing site conditions and by direction the reservation of Garden (G) has been relocated from its position shown in washed green colour to that shown dotted green lines on the plan, and the reservation of Law Court & Court Housing has been relocated from its position shown in washed red colour to that shown dotted red lines on the plan.

Note:

The land under reference comprises of C.T.S.Nos. 179A, 179B, 179C, 179D, 179E, 179F, 179G, 179GH, of village Mulgaon 230A/1, 230B, 230C, 230D, 234, 243A & 243A/1 of village Kondivata and hence, specific remarks for the Layout/ sub-division / amalgamation shall be obtained from the E.E.B.P.(WS) H&K Wards and development thereof will be as per the terms and conditions of the layout.

Remarks are offered only from the zoning point of view without reference to ownership and without carrying out actual site inspection and without verification of the status of the structures if any on the land under reference. Status of the existing road, if any, shall be confirmed from the concerned Ward Office.

The boundaries shown in the accompanying plan are as per the available records with this office. However the boundaries shown in the records of City Survey Office shall supercede those shown in the D. P. Remarks Plan.

Yours Faithfully

Wagh 28/5/14
Assistant Engineer,
Development Plan

(K/E Ward)

CERTIFIED TRUE COPY

B.S. Barot

M/s. B. S. BAROT
B. S. BAROT, LICENCE SURVEYOR
Plot No. 14-A, Yogi Krupa, 1st Floor,
Jawahar Nagar, S. V. Road,
Goregaon (W); Mumbai-400 062.


Acc~1 plan




BLOCK PLAN

Scale 1:500

Land Bearing C.T.S.N.(G) 179A, 179C, 179B, 179E, 179F, 179G, 179GH, Of village Mulgaon 230A/1, 230B, 230D, 234, 230C, 243A, 243A/1 and 230C of Kondivade Village in K/E Ward



MUNICIPAL CORPORATION OF GREATER MUMBAI (Development Plan Department)



LOCATION PLAN

Scale 1:4000

NOTE:

D.P. Remarks have been offered only from the zoning point of view without any reference to the existing and status of the structures on the land under reference etc. This plan is to be read with letter under No.CHE/183/DPWS/K/E Dated: 28 MAY 2014

Assistant Engineer (DP) K/E Ward

[Signature]

Office of the Chief Engineer (Development Plan),
4th Floor, Amree Building,
Municipal Head Office,
Mahabaleshwar Nrg., Fort, Mumbai - 400 001.

CERTIFIED TRUE COPY
Sd/- BAROT
B. SANKARJI, LICENCE SUPERVISOR
Ptd No. 144, Yogi Karna, 14 Floor,
Jambhekar, 07/ Mumbai-400 082.



No. WF-1/NOCC/CI/NDM/14/NOCC/550	019	Date: 25/2/2015
MS TULSIANI BUILDERS AND TEXTILES PVT LTD		
TULSIANI SILVER ASSOCIATES, 1103/04, TULSIANI CHAMBERS, 212 KARJAN POINT, MUMBAI 400 021		

NO Objection Certificate for Height Clearance

This NOC is issued by Airports Authority of India (AAI) in pursuance of responsibility conferred by and as per the provisions of Govt. of India (Ministry of Civil Aviation) order SO84 (E) dated 14th Jan. 2010 for Safe and Regular Aircraft Operations.

1. References:

NOCID	SNCRA/WEST/B/091514/63567
Applicant Letter	WLG dated 04.12.2014
AAI Reference	NDM/14/NOCC/550

2. NOC Details for Height Clearance:

Applicant Name	MS TULSIANI BUILDERS AND TEXTILES PVT LTD
Type of Structure	Building
Site Address	CTS no. 179-A TO 179-H AND CTS NO. 230-A TO 230-D, 232D, 243A & 243A/1 OF VILLAGE MULGGAON AND KONDIVITA AT M.V.ROAD, ANDHERI (EAST), MUMBAI
Site Coordinates	19 6 43.11N -72 52 5.51E 19 6 52.86N -72 52 5.58E 19 6 42.89N -72 52 7.27E 19 6 44.40N -72 52 11.50E 19 6 44.28N -72 52 13.24E 19 6 51.85N -72 52 9.71E
Site Elevation AMSL in Mtrs	16.03 Mtrs (One six decimal zero three)
Permissible height above Ground Level in Mtrs	39.55 Mtrs (Three nine decimal five five)
Permissible Top Elevation AMSL in Mtrs	55.58 Mtrs (Five five decimal five eight)

3. This NOC is subject to the terms and conditions as given below:

- The site-elevation and site coordinates provided by the applicant are taken for calculation of the permissible top elevation for the proposed structure. If, however, at any stage it is established that the actual data is different from the one, provided by the applicant, this NOC will be invalid.
- The issue of the 'NOC' is further subject to the provisions of Section 9-A of the Indian Aircraft Act, 1934 and those of any notifications issued there under from time to time including the Aircraft (Demolition of Obstruction caused by buildings and trees etc.) Rules, 1994.
- No radio/TV Antenna, lighting arresters, staircase, Munties, Overhead water tank and attachments of fixtures of any kind shall project above the Permissible Top Elevation: 55.58 Mtrs, indicated in para 2.
- The use of oil fired or electric fired furnace is mandatory, within 8 KM of the Aerodrome Reference Point.
- The certificate is valid for a period of 5 years from the date of its issue. If the

building/structure/Chimney is not constructed & completed within the period, the applicant will be required to obtain a fresh 'NOC' from the Designated Officer of Airports Authority of India. The date of completion of Building/Structure/Chimney should be intimated to this office of AAI. Request for revalidation of NOC will not be entertained after the expiry of its validity period.

f. No light or a combination of lights which by reason of its intensity, configuration or colour may cause confusion with the aeronautical ground lights of the Airport shall be installed at the site at any time, during or after the construction of the building.

g. The applicant will not complain/claim compensation against aircraft noise, vibrations, damages etc. caused by aircraft operations at or in the vicinity of the airport.

h. Day markings & night lighting with secondary power supply shall be provided as per the guidelines specified in chapter 8 and appendix 8 of Civil Aviation Requirement Series 'B' Part I Section 4, available on DGCA India website: www.dgca.nic.in

i. The applicant is responsible to obtain all other statutory clearances from the concerned authorities including the approval of building plans as this NOC for height is for the purpose of "to ensure the safe and regular aircraft operations" and shall not be used as document for any other purpose: such as whatsoever, including ownership of land etc.

j. This NOC has been issued w.r.t. the Civil Airports as notified in SO 84(E). Applicant needs to seek separate NOC from Defence, if the site lies within jurisdiction of Defence Airport.

This certificate is issued for "HEIGHT CLEARANCE ONLY" with the approval of Competent Authority for Permissible Top Elevation 55.58 Mtrs.

25/04/2015
 (Ibrahim Chittoria)
 DGM (ATM/NOC), WR
 For GM (Aero), WR
 Airports Authority Of India

Copy to:

1. The Executive Director (ATM), AAI, Rajiv Gandhi Bhavan, Sardarjung Airport, New Delhi-110003

2. GM (NOC)/Airport Director (Bundle).

3. Guard File

4. The President, Mumbai International Airport Pvt. Ltd., CSI Airport, 1st Floor, Terminal - 1B, Santacruz (E), Mumbai - 400099

5. Asstt. Engineer (Survey) (WS) H&K Ward, Municipal Office Bldg, 1st floor, R.K. Patkar Road, Bandra (West), Mumbai - 400 050

6. Dy. General Manager (Vigilance), WR

CERTIFIED TRUE COPY

B.S. Barot
M/s. B. S. BAROT
B. S. BAROT, LICENSE SURVEYOR
 Plot No. 14-A, Yashwantrao Chavan 1st Floor,
 Jawahar Nagar, S. V. Road
 Goregaon (W); Mumbai-400 062

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010437/4020781
/4037124/4035273
Fax : 24044632/4024068 /4023516
Email : mbhq@mpcb.gov.in
Visit At <http://mpcb.gov.in>



Kalpataru Point, 3rd & 4th floor, Sion- Matunga
Scheme Road No. 8. Opp. Cine Planet Cinema,
Near Sion Circle, Sion (E),
Mumbai - 400 022

Infrastructure /Orange/LSI

Consent order No: Formal 1.0/RO/RO-IIQ/MU-7088-16 /CE-Revalidation/CC. ⁰²⁵⁹ Date-03/02/2017

To,

M/s. Tulsiani Sumer Associates,
Plot No. 179A to 179H of Village-Mulgaon &
CTS No.243/A,243/A/1,230A,230B,230C & 230/D & 238/D,
Village-Kondivita, M.V.Road, Andheri (E), Mumbai

Subject: Revalidation of Consent to Establish for Building/Construction project.
ORANGE category.

Ref : 1. Consent to Establish granted by Board vide no.BO/RO (P&P)338
dtd.22/03/2006.
2. Minutes of CC meeting held on 16/06/2016.

Your application no: CE1602000769 Dated: 29/12/2015

For: Revalidation of Consent to Establish for Building/Construction project.

under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under
Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and
Authorization under Rule 5 of the Hazardous and Other Wastes (M & T M) Rules
2016 is considered and the consent is hereby granted subject to the following terms
and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The consent is granted for a period up to commissioning of the project or co-terminus with validity of Environment Clearance i.e. 10/12/2021.
2. The capital investment of the project is Rs. 292.2 Crs. (As per Undertaking submitted by the project proponent).

The Consent to Establish Extension is valid for construction of Commercial Building Project under named as M/s. Tulsiani Sumer Associates, Plot No. 179A to 179H of Village-Mulgaon &, CTS No.243/A, 243/A/1, 230A, 230B, 230C & 230/D & 238/D, Village-Kondivita, M. V. Road, Andheri (E), Mumbai of on total plot area of 49,464.30 sq. mtrs and total construction built up area 80,580.82 sq.mtrs including utilities and services as per construction commencement certificate issued by local body.(Board has granted consent to operate part for total built up area 40,000 sq.m and remaining built up area for establish is 80,580.82 sq.m).

3. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	NIL	NA	NA
2.	Domestic effluent	295.0	As per Schedule -I	60% shall be reused & recycled and remaining shall be discharged in municipal sewer

M/s. Tulsiani Sumer Associates. SRO Mumbai 11/110/L/661/99865



[Handwritten signature]

4. Conditions under Air (P&CP) Act, 1981 for air emissions:

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
1.	DG set (360 KVA)	1	As per Schedule -II

5. Conditions under Solid Waste Management Rules, 2016:

Sr. no.	Type Of Wastes	Quantity	Treatment	Disposal
1	Biodegradable	850.0 kg/day	OWC	Used as Manure
2	Non-Biodegradable	690.0 kg/day	--	Segregate and Hand over to Local Body for recycling
2	STP Sludge	10.0 kg/day	--	Used as Manure

6. Conditions under Hazardous and Other Wastes (M & TM) Rules, 2016 for treatment and disposal of hazardous waste:

Sr. No.	Type Of Waste	Category	Quantity	UOM	Treatment	Disposal
Nil						

- The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
- Project Proponent shall submit an affidavit in Board's prescribed format within 15 days regarding the compliance of conditions of EC/CRZ clearance and C to E.
- The applicant shall comply with the conditions stipulated in Environment Clearance granted by GOM, vide no: SEAC-2013/CR-135/TC-1 dtd.10/12/2014.
- This consent is issued on the basis of IOD dtd. 20/11/2015 and Commencement Certificate dtd. 16/01/2016 issued by MCGM.
- Project Proponent shall not carry out any expansion or modification which violate the orders passed by the Hon'ble High Court of Judicature at Bombay dated February 26 and 29, 2016 in the case of Civil Application No. 221 OF 2013 in Public Interest Litigation No. 217 of 2009 and Environment Clearance.
- This consent is issued under signature of HOD, as HOD is authorized to sign the consent vide office order issued by Environment Department, GuM vide no. सकिर्ण २०१७/१३६ /आस्थापना Dated 23/01/2017.

For and on behalf of the
Maharashtra Pollution Control Board



(N.V. Gurav)
Regional Officer (HQ)

Received Consent fee of -

Sr. No.	Amount (Rs.)	DD. No.	Date	Drawn On
1.	4,24,581 /-	456511	16/12/2015	HDFC Bank

Copy to:

- Regional Officer - Mumbai and Sub-Regional Officer, Mumbai-II MPCB, - They are directed to ensure the compliance of the consent conditions.
- Chief Accounts Officer, MPCB, Mumbai.
- CC/CAC desk- for record & website updation purpose

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

- 1) A) As per your consent application, you have proposed to provide the sewage treatment system with the design capacity of 300 CMD (60 CMD +240 CMD).
- B) The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

1	Suspended Solids	Not to exceed	60 mg/l.
2	BOD 3 Days 27 degree C	Not to exceed	10 mg/l.
3	COD	Not to exceed	100 mg/l.

- C) The treated domestic effluent shall be 60% recycled and reused for flushing, fire fighting and cooling of Air conditioners etc. The remaining shall be discharged into Municipal sewer/ utilized on land for gardening after conforming to above standards. The firm shall affix the separate meter for ensurance of 60% recycling of treated sewage and keep the records of the same. In no case effluent shall find its way to any water body directly /indirectly at any time.
- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of water, works for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
- 3) The firm shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) In case, the water consumption of the project is not covered under the water consumption of local body, in that situation, the project proponent shall submit the CESS Returns in the prescribed format given under the provision of Water (Prevention & Control of Pollution) Class Act, 1977 and Rules made there under for various category of water consumption.

In case the water consumption is duly assessed under the quantity of water consumption of local body, the project proponent shall submit certificate to that effect from the concern local body with the request not to assess CESS on their water consumption, being already assessed on the water consumption of local body.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Domestic purpose	420.0

- 5) The firm shall provide Specific Water Pollution control system as per the conditions of EPAct, 1986 and rule made there under from time to time/ Environmental Clearance.



[Handwritten signature]

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have erected following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & Job
01.	DG set (380 KVA)	Acoustic Enclosure	5.0*	HSD	56.90 Lit/Hr

*Above roof of the building in which it is installed.

D.G. Set shall be operate only in case of power failure.

2. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm ³
--------------------	---------------	------------------------

3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
5. Ambient noise levels should conform to prescribed standards both during day and night. The ambient air and noise quality should be closely monitored during construction phase.



[Handwritten Signature]

Schedule-III
Details of Bank Guarantees

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	Consent to Establish	Rs. 10 lakh	15 Days	Towards compliance of consent conditions	Upto Commissioning of the project	Five years



[Handwritten signature]

Maharashtra Pollution Control Board

Schedule-IV

General Conditions:

The following general conditions shall apply as per the type of the industry.

- 1) The applicant shall provide facility for collection of samples of sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) The firm shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and environmental protection Act 1986 and Solid Waste Management Rules, 2016 and E-Waste (Management) Rules, 2016.
- 3) Drainage system shall be provided for collection of sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No sewage shall be admitted in the pipes/sewers downstream of the terminal manholes. No sewage shall find its way other than in designed and provided collection system.
- 4) Vehicles hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
- 5) Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) The industry shall take adequate measures for control of noise levels from its own sources within the premises in respect of noise to less than 55 dB(A) during day time and 45 dB(A) during the night time. Day time is reckoned between 6 a.m. to 10 p.m and night time is reckoned between 10 p.m to 6 a.m.
 - d) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - e) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - f) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - g) D.G. Set shall be operated only in case of power failure.
 - h) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - i) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.
- 6) Solid Waste - The applicant shall provide onsite municipal solid waste processing system & shall comply with Solid Waste Management Rules, 2016 & E-Waste (M) Rules, 2016.
- 7) Affidavit undertaking in respect of no change in the status of consent conditions and compliance of the consent conditions the draft can be downloaded from the official web site of the MPCB.
- 8) The treated sewage shall be disinfected using suitable disinfection method.
- 9) The firm shall submit to this office, the 30th day of September every year, the environment statement report for the financial year ending 31st march in the prescribed Form-V as per the provision of rule 14 of the Environmental (Protection) Second Amended rule 1992.
- 10) The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before commissioning of the project.





Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

Application for Consent/ Authorisation

Sir,
I/We hereby apply for*

- Consent to Establish/Operate/Renewal of consent under section 25 and 26 of the Water (Prevention & Control of Pollution) Act, 1974 as amended.
- Consent to Establish/Operate/Renewal of consent under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981, as amended.
- Authorization/renewal of authorization under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 in connection with my/our/existing/proposed/altered/ additional manufacturing/processing activity from the premises as per the details given below.

Consent Information

UAN No:
MPCB-CONSENT-0000131458

Application submitted on:
05-02-2022

Industry Information

Consent To:
Establish (Expansion)

IIN No.:

Submit to:
SRO - Mumbai II

Type of institution:
Other Planning Authority

Industry Type:
O21 Building and construction project more than 20,000 sq. m built up area

Category:
Orange

Scale:
L.S.I

EC Reqd.
Yes

EC Obtained
No

EC Ref. No.
TOR RECD SIAMH/MIS/67622/2021 DATE 14.12.2021

Whether construction-buildup area is more than 20,000 sq.mtr.(Existing Expansion Unit)

Yes

General Information

- Name, designation, office address with Telephone/Fax numbers, e-mail of the Applicant Occupier/Industry/Institution / Local Body.

Name
Mr. Shripad Mukund Kuvelker

Address
1103/4, Tulsiani Chambers, 212, Nariman Point, Mumbai

Designation
Partner

Taluka
Mumbai

Area
Nariman Point

District
Mumbai city

Telephone
9821127230

Fax
22855856

Email
mail@tulsiani.com

Pan Number
AAAFT5527B

2. (a) Name and location of the industrial unit/premises for which the application is made (Give revenue Survey Number/Plot number name of Taluka and District, also telephone and fax number)

Industry name

M/s. TULSIANI SUMER ASSOCIATES SAHAR PLAZA

Location of Unit

Andheri Kurla Road Of Village Kondivata, M.V.Road, Andheri (E),
Mumbai – 400 059.

Survey number/Plot Number

179A TO 179F & 179H, Vilage Mulgaon, And CTS Nos.
230A,230B,230C,&238B

Taluka

Kurla

District

Mumbai city

(b) Details of the planning permission obtained from the local body/Town and Country Planning authority/Metropolitan Development authority/ designated Authority.

Planning permission

Municipal Corporation Greater Mumbai (M.C.G.M.)

Planning Authority

Municipal Corporation Greater Mumbai (M.C.G.M.)

Name of the local body under whose jurisdiction the unit is located and Name of the licence issuing authority

Name of Local Body

Municipal Corporation Greater Mumbai (M.C.G.M.)

Name of the licence issuing authority

Municipal Corporation Greater Mumbai (M.C.G.M.)

3. Names,addresses with Telephone and Fax Number of Managing Director / Managing Partner and officer responsible for matters connected with pollution control and/or Hazardous waste disposal.

Name of Managing Director

Mr. Shripad Mukund Kuvelker

Telephone number

9821127230

Fax number

Officer responsible for day to day business

Mr. JAYESH SHAH

4. (a.) Are you registered Industrial unit ?

No

Registration number

BA-58623

Date of registration

Jan 1, 1970

5. Gross capital investment of the unit without depreciation till the date of application (Cost of building, land, plant and machinery). (To be supported by an affidavit/undertaking on Rs.20/- stamp paper, annual report or certificate from a Chartered Accountant for proposed unit(s), give estimated figure)

Gross capital (in Lakh)

19077.00

*** Verified**

Undertaking

*** Terms**

1

*** Consent Fee**

381540.00

6. If the site is located near sea-shore/river bank/other water bodies/Highway, Indicate the crow fly distance and the name of the water body, if any.

Distance From

SH/NH

Distance(Km)

0.00

*** Name**

--NA--

River

0.00

--NA--

Human Habitation

0.00

--NA--

Religious Place

0.00

--NA--

Historical Place

0.00

--NA--

Creek/Sea

0.00

--NA--

6b. Enter Latitude and Longitude details of site

Latitude

00

Longitude

00

7. Does the location satisfy the Requirements Under relevant Central/State Govt. Notification such as Coastal Regulation Zone. Notification on Ecologically Fragile Area, Industrial Location policy, etc. If so, give details.

Location	Approved Industry Area	Sensitive Area	If Yes, Name Of Area	Industry Location with Reference to CRZ
NA	No	No	NA	

8. If the site is situated in notified industrial estate,

		Details
(a) Whether effluent collection, treatment and disposal system has been provided by the authority.	No	NA
(b) Will the applicant utilize the system, if provided.	No	NA
(c) If not provided, details of proposed arrangement.	NA	

9.

(a) Total plot area (in square meter)	(b) Built up area and (in square meter)	(c) Area available for the use of treated sewage/ trade effluent for gardening/irrigation. (in square meter)
49464.30	105188.39 Applied for c2e as per tor (Part c2o obtained 79000) TOTAL BUA 184188.39	6641.93

10. Month and year of commissioning of the Unit.

2026-02-01

11. Number of workers and office staff

Workers	staff	Hrs. of shift	Weekly off
200	25	8	SUNDAY

12.

(a) Do you have a residential colony Within the premises in respect of Which the present application is Made ?	No		NA	
(b) If yes, please state population staying				
Number of person staying	Water consumption	Sewage generation	Whether is STP provided?	
	0	0	No	
(c) Indicate its location and distance with reference to plant site.				
Number of person staying	Water consumption			
NA	0			

13. List of products and by-products Manufactured in tonnes/month, Kl/month or numbers/month with their types i.e.Dyes, drugs etc. (Give figures corresponding to maximum installed production capacity)

Products Name and Quantity

Product Name	UOM	Product Name	Existing	Consented	Proposed Revision	Total	Remarks
OTHERS	--NA--	NA	0	0	0	0	Applied for renewal of C2E as per TOR

Products Name and Quantity

Product Name	UOM	Quantity	Remarks
NA	--NA--	0	Applied for renewal of C2E as per TOR

14. List of raw materials and process chemicals with annual consumption corresponding to above stated production figures, in tonnes/month or kl/month or numbers/month.

Name of Raw Material	UOM	Quantity	Hazardous Waste	Hazardous Chemicals	Remarks
NA	--NA--	0	No	No	Applied for renewal of C2E as per TOR

15. Description of process of manufacture for each of the products showing input, output, quality and quantity of solid, liquid and gaseous wastes, if any from each unit process.

Applied for renewal of C2E as per TOR

Part B : Waste Water aspects

16. Water consumption for different uses (m3/day)

Purpose	Consumption	Effluent Generation	Treatment	Remarks	Disposal	Remarks
Domestic Pourpose	410	359	STP	RECYCLE	Recycle	Applied for renewal of C2E as per TOR
Water gets Polluted & Pollutants are Biodegradable	0	0	--NA--	NA	--NA--	NA
Water gets Polluted, Pollutants are not Biodegradable & Toxic	0	0	--NA--	NA	--NA--	NA
Industrial Cooling, spraying in mine pits or boiler feed	0	0	--NA--	NA	--NA--	NA
Others	0					

17. Source of water supply, Name of authority granting permission if applicable and quantity permitted.

Source of water supply	Name of authority granting permission	Qauntity permitted
MCGM	MCGM	410

18. Quantity of waste water (effluent) generated (m3/day)

Domastic	Boiler Blowdown	Industrial	Cooling water blowdown
359	0	0	0
Process	DM Plants/Softening	Washing	Tail race discharge from
0	0	0	0

* 19. Water budget calculations accounting for difference between water consumption and effluent generated.

ENCLOSED (TWO STPS 450 CMD
FMBR AND 60 CMD EXTENDED
AERATION SYSTEM)

20. Present treatment of sewage/canteen effluent (Give sizes/capacities of treatment units).

Capacity of STP (m3/day)

510

Treatment unit	Size (mxm)	Retention time (hr)
FMBR	400	7
EXTENDED AERATION SYSTEM	30	7

21. Present treatment of trade effluent (Give sizes/capacities of treatment units) (A schematic diagram of the treatment scheme with inlet/outlet characteristics of each unit operation/process is to be provided. Include details of residue Management system (ETP sludges)

Capacity of ETP (m3/day)

0

Treatment unit	Size (mxm)	Retention time (hr)
0	0	0

22.

(i) Are sewage and trade effluents mixed together? No
If yes, state at which stage-Whether before, intermittently or after treatment. NA

23. Capacity of treated effluent sump, Guard Pond if any.

Capacity of treated effluent sump (m3)	NA	
Effluent sump/Guard pond details	No	NA
If yes, state at which stage-Whether before, intermittently or after treatment.	No	NA

24. Mode of disposal of treated effluent With respective quantity, m3/day

(i) into stream/river (name of river)	NA	(ii) into creek/estuary (name of Creek/estuary)	NA
(iii) into sea	NA	(iv) into drain/sewer (owner of sewer)	NA
(v) On land for irrigation on owned land/ase land. Specify cropped area.	40	(vi) Connected to CETP	NA
(vii) Quantity of treated effluent reused/ recycled, m3/day Provide a location map of disposal arrangement indicating the outler(s) for sampling. Treated effluent reused / recycled (m3/day)	269		

25. (a) Quality of untreated/treated effluents (Specify pH and concentration of SS, BOD,COD and specific pollutants relevant to the industry. TDS to be reported for disposal on land or into stream/river.

Untreated Effluent

pH	6.5 -9.0	
SS (mg/l)	400	
BOD (mg/l)	450 -600	
COD (mg/l)	600 - 800	
TDS (mg/l)	NA	
Specific pollutant if any	Name	Value

Treated Effluent

pH	8.0 - 8.5
SS (mg/l)	50(Less than 50)
BOD (mg/l)	10 (Less than 10)
COD (mg/l)	30(Less than 30)
TDS (mg/l)	NA

Specific pollutant if any	Name	Value
1	NA	NA

(b) Enclose a copy of the latest report of analysis from the laboratory approved by State Board/ Committee/Central Board/Central Government in the Ministry of Environment expected characteristics of the untreated/treated effluent

NA

26. Fuel consumption

Fuel Type	UOM	Fuel Consumption TPD/LKD	Calorific value
Diesel	Kg/Hr	230	45600
Ash content	Sulphur content	Quantity	Other (specify)
1.0	0.5	1	NA

27. (a) Details of stack (process & fuel stacks: D. G.)

(a) Stack number(s)	(b) Stack attached to	(c) Capacity	(d) Fuel Type
1	DG SET	NA	DIESEL/HSD
(e) Fuel quantity (Kg/hr.)	(f) Material of construction	(g) Shape (round/rectangular)	(h) Height, m (above ground level)
15	MS	ROUND	APPROPRIATE
(i) Diameter/Size, in meters	(j) Gas quantity, Nm³/hr.	(k) Gas temperature °C	(l) Exit gas velocity, m/sec.
60MM	0	0	0
(m) Control equipment preceding the stack	(n) Nature of pollutants likely to present in stack gases such as Cl₂, Nox, Sox TPM etc.	(o) Emissions control system provided	(p) In case of D.G. Set power generation capacity in KVA
ACOUSTIC	TPM SOX	NA	50 KVA X 1NO.

(a) Stack number(s)	(b) Stack attached to	(c) Capacity	(d) Fuel Type
2	DG SET	NA	DIESEL/ HSD
(e) Fuel quantity (Kg/hr.)	(f) Material of construction	(g) Shape (round/rectangular)	(h) Height, m (above ground level)
90	MS	ROUND	APPROPRIATE
(i) Diameter/Size, in meters	(j) Gas quantity, Nm³/hr.	(k) Gas temperature °C	(l) Exit gas velocity, m/sec.
200MM	0	0	0
(m) Control equipment preceding the stack	(n) Nature of pollutants likely to present in stack gases such as Cl₂, Nox, Sox TPM etc.	(o) Emissions control system provided	(p) In case of D.G. Set power generation capacity in KVA
ACOUSTIC	TPM SOX	NA	380 KVA X 1NO.

(a) Stack number(s)	(b) Stack attached to	(c) Capacity	(d) Fuel Type
3	DG SET	NA	HSD /DIESEL

(e) Fuel quantity (Kg/hr.)	(f) Material of construction	(g) Shape (round/rectangular)	(h) Height, m (above ground level)
	MS	ROUND	APPROPRIATE
(i) Diameter/Size, in meters	(j) Gas quantity, Nm3/hr.	(k) Gas temperature °C	(l) Exit gas velocity, m/sec.
120	0	0	0
(m) Control equipment preceding the stack	(n) Nature of pollutants likely to present in stack gases such as Cl₂, Nox, Sox TPM etc.	(o) Emissions control system provided	(p) In case of D.G. Set power generation capacity in KVA
ACOUSTIC	TPM SOX	NA	500KVA X 1NO.

27. (B) Whether any release of odoriferous compounds such as Mercaptans, Phorate etc. Are coming out from any storages or process house.

NA

28. Do you have adequate facility for collection of samples of emissions in the form of port holes, platform, ladder etc. As per Central Board Publication "Emission regulations Part-III" (December, 1985)

Poart hole	No	Details	NA
Platform	No	Details	NA
Ladder	No	Details	NA

29. Quality of treated flue gas emissions and process emissions. Quantity of treated flue gas emissions and process emissions.

Sr. No	Stack attached to	Parameter	Concentration mg/Nm³	flow (Nm³/hr)
1	NA	NA	0	0

(Specify concentration of criteria pollutants and industry/process-specific pollutants stack-wise. Enclose a copy of the latest report of analysis from the laboratory approved by State Board/Central Board/ Central Government in the Ministry of Environment & Forests. For proposed unit furnish expected characteristics of the emissions..

NA

Part - D: Hazardous Waste aspect

30. Information about Hazardous Waste Management as defined in Hazardous Waste (Management & Handling) Rules, 1989 as amended in Jan.,2000. Type/Category of Waste as per

Waste (Annually) Schedule I

Cat No	Type	Qty	UOM
5.1	5.1 Used or spent oil	100	Ltr/A
Max	Method of collection	Method of reception	Method of storage
	MANUAL	SEPERATELY STORED	IN DRUM
Method of transport	Method of treatment	Method of disposal	
BY VEHICLE	REPROCESSOR	REPROCESSOR	

Waste (Annually) Schedule II

31. Details about use of hazardous waste

Name of hazardous waste/Spent chemical	Quantity used/month	Party from whom purchased	Party to whom sold
NA	0	NA	NA

32.

a. Details about technical capability and equipments available with the applicant to handle the Hazardous Waste

NA

b. Characteristics of hazardous waste(s) Specify concentration of relevant pollutants. Enclose a copy of the latest report of analysis from the laboratory approved by State Board/Central Board/Central Govt. in the ministry of Environment & Forests. For proposed units furnish expected characteristics

NA

33.

Copy of format of manifest/record Keeping practiced by the applicant.

NA

34.

Details of self-monitoring (source and environment system)

NA

35.

Are you using any imported hazardous waste. If yes, give details.

NA

36.

Copy of actual user Registration/certificate obtained from State Pollution Control Board/Ministry of Environment & Forests, Government of India, for use of hazardous waste.

NA

37.

Present treatment of hazardous waste, if any (give type and capacity of treatment units)

NA

38. Quantity of hazardous waste disposal

(i) Within factory

0

(ii) Outside the factory (specify location and enclose copies of agreement.)

0

(iii) Through sale (enclosed documentary proof and copies of agreement.)

0

(iv) Outside state/Union Territory, if yes particulars of (1 & 3) above.

0

(v) Other (Specify)

0

Part - E: Additional information

39.

a. Do you have any proposals to upgrade the present system for treatment and disposal of effluent/emissions and/or hazardous waste.

NA

b. If yes, give the details with time- schedule for the implementation and approximate expenditure to be incurred on it.

NA

40.

Capital and recurring (O & M) expenditure on various aspect of environment protection such as effluent, emission, hazardous waste, solid waste, tree- plantation, monitoring, data acquisition etc. (give figures separately for items implemented/to be implemented).

NA

41.

To which of the pollution control equipment, separate meters for recording consumption of electric energy are installed ?

NA

42.

Which of the pollution control items are connected to D.G. Set (captive power source) to ensure their running in the event of normal power failure

NA

43. Nature, quantity and method of disposal of non- hazardous solid waste generated separately from the process of manufacture and waste treatment. (Give details of area/capacity available in applicant's land)

Type	Quantity	UOM	Treatment	Disposal	Other Details
DRY GARBAGE	1384	Kg/Day	SEGREGATION	SALE /CORPORATION	NA
WET GARBAGE	253	Kg/Day	OWC	MANURE	NA
STP SLUDGE	40	Kg/Day	CENTRIFUGE / FILTER PRESS	MANURE	NA

44. Hazardous Chemicals - Give details of Chemicals and quantities handled and Stored.

(i) Is the unit a Major Accident Hazard unit as per Mfg.Storage Import Hazardous Chemicals Rules ?

NA

(ii) Is the unit an isolated storage as defined under the MSIHC Rules ?

NA

(iii) Indicate status of compliance of Rules 5,7,10,11,12,13 and 18 of the MSIHC Rules.

NA

(iv) Has approval of site been obtained from the concerned authority?

NA

(v) Has the unit prepared an off-site Emergency Plan? Is it updated ?

NA

(vi) Has information on imports of Chemicals been provided to the concerned authority?

NA

(vii) Does the unit possess a policy under the PLI Act?

NA

45. Brief details of tree plantation/green belt development within applicant's premises (in hectares)

Open Space Availability	Plantation Done On	Number of Trees Planted
6641.93 Square meter	100 Square meter(1.5 %)	45

46.

Information of schemes for waste Minimization, resource recovery and recycling - implemented and to be implemented, separately.

NA

47.

(a) The applicant shall indicate whether Industry comes under Public Hearing, if so, the relevant documents such as EIA, EMP, Risk Analysis etc. shall be submitted, if so, the relevant documents enclosed shall be indicated accordingly.

NA

(b) Any other additional information that the applicants desires to give

NA

(c) Whether Environmental Statement submitted ? If submitted, give date of submission.

yes

48.

I/We further declare that the information furnished above is correct to the best of my/our knowledge.

49.

I/We hereby submit that in case of any change from what is stated in this application in respect of raw materials, products, process of manufacture and treatment and/or disposal of effluent, emission, hazardous wastes etc. In quality and quantity; a fresh application for Consent/Authorization shall be made and until the grant of fresh Consent/Authorization no change shall be made.

50.

I/We undertake to furnish any other information within one month of its being called by the Board

Yours faithfully

Signature : NA

Name : MR JAYESH SHAH

Designation : SR MANAGER

Additional Information

Air Pollution

Sr No.	Air Pollution Source	Pollutants	APCS Provided	Remark
1	NA	NA	NA	NA

Separate EM Provided	No	Other Emission Sources	NA
Measures Proposed	NA	Foul Smell Coming Out	No
Air Sampling Facility Details	NA		

D.G. Set Details

Description	Capacity(KVA)	Remarks
DG SET X 1	50	DG SHALL BE USED IN CASE OF POWER FAILURE ONLY
DG SET X1	380	DG SHALL BE USED IN CASE OF POWER FAILURE ONLY
DG SET X 1	500	DG SHALL BE USED IN CASE OF POWER FAILURE ONLY

Hazardous Waste Generation

Hazardous Waste	Quantity	UOM	Treatment	Disposal	Other Details
5.1 Used or spent oil	100	Ltr/A	REPROCESSOR	REPROCESSOR	NA

CHWTSDF Details

Member of CHWTSDF	CHWTSDF Name	Remarks
--------------------------	---------------------	----------------

Cess Details

Cess Applicable	Cess Paid	If Yes, UpTo
No	No	Jan 1 1900 12:00:00:000AM

Legal Actions

Legal Action Taken	Legal Record Of Company	Legal Action Details	Remarks
No			

MAHARASHTRA POLLUTION CONTROL BOARD

Minutes of 12th Consent Committee Meeting of 2022-2023 held on 01.08.2022 at 12:30 pm at MPCB, HQ, Sion Mumbai.

The following members of the Consent Committee were present:

1. Shri Ashok A. Shingare, IAS, Member Secretary,
Maharashtra Pollution Control Board, Mumbai -- Chairman
2. Shri. R. G. Pethe, Retired WPAE, MPCB -- Member
3. Shri Y. B. Sontakke, Joint Director (WPC),
Maharashtra Pollution Control Board, Mumbai --Member
4. Shri V. M. Motghare, Joint Director (APC)
Maharashtra Pollution Control Board, Mumbai --Member

Chairman of the committee welcome the members of the committee and allowed proceeding of the meeting to start. The minutes of the 9th Consent Committee meeting of 2022-23 held on 30.06.2022 circulated vide email were confirmed.

The meeting thereafter deliberated on the agenda items placed before the committee and following decisions were taken.

Sr. No.	Application Unique Number	Industry Name & Address	Decision on grant of consent	Consent granted upto	Section	Remarks/ Discussion
Agenda A: Consent to Establish						
1	MPCB- CONSENT- 0000086802	Rajwardhan Biomedical Waste Pvt. Ltd. A/P- Watluj	Not approved Consent to Establish	--	PSO	Committee noted that PP has applied for consent to establish of common biomedical waste facility at Tal. Daund, Dist. Pune. This case was discussed in 2nd CC meeting dtd 23/05/2022 . Based on Clarification received from CPCB dtd 06.05.2022 w.r.t. proposed CTF of M/s Divekar Environmental Solution, MIDC Kurkumbh, Taluka Daund, Dist. Pune said application for C to E was also considered. CC decided to grant six months' time to M/s Rajwardhan Biomedical Waste to conduct gap assessment as per CPCB guidelines and submit details of a project called vide SCN dtd 10.05.2021. Till then proposal is kept in abeyance. Letter to submit compliance of SCN was issued on 16.06.2022.

						<p>PP has uploaded the list of hospitals on 10/06/2022 but it is not authenticated by Civil Surgeon , DHO ZP- Pune.</p> <p>PP has not submitted the compliance of SCN dtd 10.05.2021.w.r.t.</p> <ol style="list-style-type: none"> Assessment of gap in collection, treatment of BMW for the proposed area. Technoeconomic feasibility report of the proposed facility. Impact on viability of the existing facility in the proposed area. Industrial NA permission of land for setting of BMW CTF. <p>Proposed facilities a) M/s Divekar Environmental Solution, MIDC Kurkumbh and b) M/s Rajwardhan Bio Medical Waste Pvt. Ltd are located in Tal. Daund, Dist. Pune. M/s Divekar Environmental Solution Pune has submitted the gap assessment report authenticated by Civil Surgeon and DHO ZP-Pune and same is under consideration before CC for C to E.</p> <p>After due deliberation, it was decided to issue final refusal as PP has not submitted compliance of SCN dtd 10/05/2021 and letter issued on 14/06/2022. Proposed facility M/s Divekar Environmental Solution, MIDC Kurkumbh Tal. Daund has submitted gap assessment report on 22/07/2022 and is under consideration for C to E before CC.</p>
2	MPCB- CONSENT- 0000123173	M/S SHREE ENVIRONMENT AL TAKALI KUMBHAKARA N, AARVI ROAD	Approved Consent to Establish	--	PSO	<p>Committee noted that PP has applied for consent to establish of common biomedical waste facility at Kubhkarn Takli Tal & Dist Parbhani. PP has Proposed all talukas of Hingloi and Parbhani District.</p> <p>The case was discussed in 23rd CC meeting held on 21.03.2022 and It was decided to grant consent to establish to BMW CTF by imposing following conditions.</p> <ol style="list-style-type: none"> PP shall obtain Environmental Clearance for proposed establishment. PP shall not take any effective steps prior to obtaining EC from Competent authority. PP shall submit BG of Rs.5.0 Lakh towards compliance of consent conditions.

						<p>c) The consent shall be issued after submission of Industrial NA certificate from competent authority, detail of plant and machinery and details of Pollution control systems.</p> <p>This office has sent mail to PP for submission of above information on 19.04.2022 & 23.05.2022. PP has not submitted any reply till date.</p> <p>After due deliberation it is decided to extend personal hearing before Member Secretary, MPCB.</p>
3	MPCB- CONSENT- 0000130464	M/s. Supreme Palatial Developers LLP S. No. 19/1,19/1A/13,21/ 1, 21/2, 21/3, 21/4, 21/5, S.No. 19/21/, 19/21/, 19/1A/13, 21/3, 21/5 Baner	Approved Consent to Establish	Commissioning of the project or 13.09.2024 whichever is earlier	WPC	<p>Committee noted that Project Proponent has applied for Consent to Establish for expansion in Residential construction project having total plot area 23500 Sq. Mtrs. & Proposed total Construction BUA 110701.0 Sq. Mtrr.</p> <p>The case was discussed in 5th CC meeting 5th CC meeting dtd 24.05.2022 and SCN for refusal of consent was issued on 21.06.2022 as PP has not submitted architect certificate for completed construction BUA and sanction plan/IOD/CC.</p> <p>Committee noted the reply submitted by PP along with certificate dtd 13.05.2022 for completed construction BUA of 31646.25 SqM and sanction plan dtd 14.04.2021 for proposed total Construction BUA 110701.0 Sq. Mtrs.</p> <p>PP has also uploaded the EC for expansion obtained vide No SIA/MH/ MIS/261467/2022 dtd 09.06.2022 for Residential construction project having total plot area 23500 Sq. Mtrs. & Proposed total Construction BUA 110701.0 Sq. Mtrs</p> <p>After due deliberation it was decided to grant consent to establish valid till 13.09.2024 for expansion in Residential construction project having total plot area 23500 Sq. Mtrs. & Proposed total Construction BUA 110701.0 Sq. Mtrs as per EC dtd 09.06.2022 by imposing following conditions.</p> <p>(i) PP shall comply with the conditions stipulated in consent conditions and EC conditions and submit BG of Rs. 10 Lakhs towards compliance of the same.</p> <p>(ii) PP shall install online monitoring system to the O/L of STP for monitoring pH, Flow, BOD, TSS.</p> <p>(iii) The treated domestic effluent shall be 60 % recycled for secondary purpose such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall</p>

						<p>be utilized on land for gardening and connected to the sewerage system provided by local body.</p> <p>(iv) Project Proponent shall provide Organic waste digester with composting facility or Bio-gas digester with composting facility.</p> <p>(v) Project Proponent shall make provision of charging port for Electric vehicles in at least 40% total available parking area</p> <p>(vi) PP shall comply with the provision of Construction & Demolition Waste management Rules 2016.</p> <p>(vii) Project Proponent shall take adequate measures to control noise and dust emissions during construction phase</p> <p>(viii) Project Proponent shall submit an affidavit in Board's prescribed format within 15 days regarding the compliance of conditions C to E.</p> <p>The consent shall be issued with overriding effect on earlier C to E dtd 13.09.2019.</p>
4	MPCB- CONSENT- 0000129233	M/s. Panchshil Realty & Developers Pvt. Ltd. (69 Kharadi) S. No. 69 /4 & 69 /5 Kharadi Haveli	Approved Consent to Establish	Commissioning of the project or five years whichever is earlier	WPC	<p>It was decided to grant Consent to Establish for IT & ITEs Activity construction project having total plot area 16362.0 Sq.Mtrs. & proposed total Construction BUA 85734.4 Sq.Mtrs by imposing following conditions.</p> <p>(i) PP shall obtain Environmental Clearance for the proposed activity. PP shall not take any effective steps towards the construction without obtaining prior EC.</p> <p>(ii) PP shall comply with the conditions stipulated in consent conditions and submit BG of Rs. 10 Lakhs towards compliance of the same.</p> <p>(iii) PP shall install online monitoring system to the O/L of STP for monitoring pH, Flow, BOD, TSS.</p> <p>(iv) The treated domestic effluent shall be 60 % recycled for secondary purpose such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body.</p>

						<p>(v) Project Proponent shall provide Organic waste digester with composting facility or Bio-gas digester with composting facility.</p> <p>(vi) Project Proponent shall make provision of charging port for Electric vehicles in at least 40% total available parking area</p> <p>(vii) PP shall comply with the provision of Construction & Demolition Waste management Rules 2016.</p> <p>(viii) Project Proponent shall take adequate measures to control noise and dust emissions during construction phase</p> <p>(ix) Project Proponent shall submit an affidavit in Board's prescribed format within 15 days regarding the compliance of conditions C to E.</p> <p>The consent shall be issued after submission of sanction plan/CC</p>
5	MPCB- CONSENT- 0000131458	M/s. TULSIANI SUMER ASSOCIATES SAHAR PLAZA 179A TO 179F & 179H, Vilage Mulgaon, And CTS Nos. 230A,230B,230C, &238B Andheri Kurla Road Of Village Kondivata, M.V.Road, Andheri (E), Mumbai “ 400 059. Kurla	Approved Consent to Establish	Commissioning of the project or upto- 10.12.2026 whichever is earlier	WPC	<p>Committee noted that Project Proponent has applied for Revalidation of Consent to Establish with expansion for Commercial Building Construction Project for plot area 49464.30 Sq.mtrs and proposed Construction BUA 184188.39 Sq.mtrs.</p> <p>The case was discussed in 3rd CC meeting, and SCN for refusal of consent was issued on 08.06.2022. Committee noted the reply submitted by PP along with architect certificate detailing about IOD & CC obtained in 13.06.2007 & 19.06.2007 respectively.</p> <p>After due deliberation, it was decided to grant Consent to Establish with expansion for Commercial Building Construction Project for plot area 49464.30 Sq.mtrs and proposed Construction BUA 184188.39 Sq.mtrs with following conditions.</p> <p>(i) PP shall comply with the conditions stipulated in consent conditions & obtain EC and submit BG of Rs. 10 Lakhs towards compliance of the same.</p> <p>(ii) PP shall install online monitoring system to the O/L of STP for monitoring pH, Flow, BOD, TSS.</p> <p>(iii) The treated domestic effluent shall be 60 % recycled for secondary purpose such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be</p>

						<p>utilized on land for gardening and connected to the sewerage system provided by local body.</p> <p>(iv) Project Proponent shall provide Organic waste digester with composting facility or Bio-gas digester with composting facility.</p> <p>(v) Project Proponent shall make provision of charging port for Electric vehicles in at least 40% total available parking area</p> <p>(vi) PP shall comply with the provision of Construction & Demolition Waste management Rules 2016.</p> <p>(vii) PP shall obtain/re-validation Environmental Clearance for proposed construction activity. PP shall not take any effective steps towards the construction without obtaining EC</p> <p>(viii) Project Proponent shall take adequate measures to control noise and dust emissions during construction phase.</p> <p>(ix) PP shall submit an affidavit in Board's prescribed format within 15 days regarding the compliance of C to E & EC conditions.</p> <p>The Consent shall be issued after obtaining Penal fees for not obtaining Consent from 10.12.2021 onwards.</p>
6	MPCB- CONSENT- 0000130609	VTP Mohite Associates 58/2/1A/2A/2B (Plot B), 58/2/1A/2A/2B(A amenity plot),58/2/1A/2A/2B(Road widening) Undri Haveli	Not approved Consent to Establish	--	WPC	<p>Committee noted that Project Proponent has applied for revalidation of Consent to Establish for Residential & commercial construction project having total plot area 35300 Sq. Mtrs. & Proposed total Construction BUA 77154.49 Sq. Mtrs as per EC dtd 03.09.2021. After due deliberation, it was decided to issue Show cause Notice for refusal of consent due to following non compliances.</p> <p>(i) The project has five no. of resi. Bldgs. as Bldg. B2 has configuration B+P+UP+11 floors. Bldg. B1, A1, A2 & A3 has configuration 2P+11 floors. All buildings are under possession, society is formed. Possession given to tenants from Aug. 2020 without obtaining consent to operate.</p> <p>(ii) The proposed OWC is under capacity.</p> <p>(iii) PP has not submitted sanction plan/CC.</p> <p>(iv) PP has not submitted compliance of conditional directions issued by the Board on 30.03.2022</p>
7	MPCB- CONSENT- 0000101535	RMZ Eocworld Infrastructure Private Limited &	Not approved Consent to Establish	--	WPC	<p>Committee noted that Project Proponent has applied for Consent to Establish for construction project having total plot area 12456.32 Sq.Mtrs. & total Construction BUA 34828.04 Sq.Mtrs</p>

		Raviraj Abhinandan Developers Survey No. 3, H. No. 7+8+12, Plot A Baner Haveli				PP has obtained Plinth completion certificate on 16.12.2004. further PP has submitted Architect Certificate for completed construction BUA- 34828.04 SqM . After due deliberation, it was decided to issue Show cause Notice for refusal of consent due to following non compliances (i) PP has not obtained Environmental Clearance for the proposed activity and completed construction BUA of 34828.04 Sq.Mtrs. (ii) PP has not obtained Consent to Establish for the proposed activity and completed construction BUA of 34828.04 Sq.Mtrs.
8	MPCB- CONSENT- 0000128213	M/s. Rohan Residency Pvt Ltd (Applied for CTE) Maan Maan - 123/2/A (P) 123/2/B(P)123/2/ C(P) 125(P) 126/3 (P) 126/4 (P) 126/5 Mulshi	Approved Consent to Establish	Commissioning of the project or five years whichever is earlier	WPC	It was decided to grant Consent to Establish for Residential construction project having total plot area is 41799.57 Sq. Mtrs. & Proposed Construction BUA 83284.15 Sq. Mtrs by imposing following conditions (i) PP shall obtain Environmental Clearance for the proposed activity. PP shall not take any effective steps towards the construction without obtaining prior EC. (ii) PP shall comply with the conditions stipulated in consent conditions and submit BG of Rs. 10 Lakhs towards compliance of the same. (iii) PP shall install online monitoring system to the O/L of STP for monitoring pH, Flow, BOD, TSS. (iv) The treated domestic effluent shall be 60 % recycled for secondary purpose such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body. (v) Project Proponent shall provide Organic waste digester with composting facility or Bio-gas digester with composting facility. (vi) Project Proponent shall make provision of charging port for Electric vehicles in at least 40% total available parking area (vii) PP shall comply with the provision of Construction & Demolition Waste management Rules 2016. (viii) Project Proponent shall take adequate measures to control noise and dust emissions during construction phase

						(ix) Project Proponent shall submit an affidavit in Board's prescribed format within 15 days regarding the compliance of conditions C to E.
9	MPCB- CONSENT- 0000133927	V Realty S. No. 23 Part (Refer Location of Unit for details Survey Nos.) S. No 23/3/1/3, 23/3/1/6, 23/3/1/7, 23/3/4, 23/3/3, 23/3/1(P), 23/3/1/8, 23/3/1/2, 23/3/1/1, 23/3/5/1, 23/5/1/22, 23/4A/1/9, 23/4A/1/7, 23/3/5/3, 23/3/5B, 23/3/1/5, 23/3/1/4, 23/5/1/30, 23/4A/1/8, 23/4A/19, 23/3/2, 23/5/10, 23/3/1, 23/3/6, 23/5/11, 23/5/12, 23/5/1/13, 23/5/1/33, Balewadi, Pune. Haveli	Approved Consent to Establish	Commissioning of the project or five years whichever is earlier	WPC	<p>Committee noted that Project Proponent has applied for Consent to Establish for Expansion in IT Commercial project having total plot area is 11300.00 Sq. Mtrs. & total Construction BUA 140093.25 Sq. Mtrs, as per revised EC dt. 10.01.2022.</p> <p>PP has obtained Consent to Establish dtd. 16.09.2019 valid up to COU for Construction project having total plot area 11300.00 Sq.Mtrs, & Construction BUA 79.896.69 Sq.Mtrs, with CIRs. 130.00 Cr. PP has obtained EC dtd. 13.03.2019 for construction project on total plot area 11300.00 Sq.Mtrs, & total Construction BUA 78896.69 Sq.Mtrs.</p> <p>After due deliberation, it was decided to grant Consent to Establish for Expansion in IT Commercial project having total plot area is 11300.00 Sq. Mtrs. & total Construction BUA 140093.25 Sq. Mtrs, as per EC dt. 10.01.2022 by imposing following conditions.</p> <p>(i) PP shall comply with the conditions stipulated in consent conditions and EC conditions and submit BG of Rs. 10 Lakhs towards compliance of the same.</p> <p>(ii) PP shall install online monitoring system to the O/L of STP for monitoring pH, Flow, BOD, TSS.</p> <p>(iii) The treated domestic effluent shall be 60 % recycled for secondary purpose such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body.</p> <p>(iv) Project Proponent shall provide Organic waste digester with composting facility or Bio-gas digester with composting facility.</p> <p>(v) Project Proponent shall make provision of charging port for Electric vehicles in at least 40% total available parking area</p> <p>(vi) PP shall comply with the provision of Construction & Demolition Waste management Rules 2016.</p> <p>(vii) Project Proponent shall take adequate measures to control noise and dust emissions during construction phase</p>

						<p>(viii) Project Proponent shall submit an affidavit in Board's prescribed format within 15 days regarding the compliance of conditions C to E & EC.</p> <p>The consent shall be issued with overriding effect on earlier C to E dtd 16.09.2019.</p>
10	MPCB- CONSENT- 0000134782	M/s Shree Venkatesh Buildcon Pvt Ltd., C.T.S No.137,138 (Part), 170 , 171 ,172 C.T.S No.137,138 (Part), 170 , 171 ,172 Erandwane Gulawani Maharaj Road, Pune.411004 Pune City	Approved Consent to Establish	Commissioning of the project or five years whichever is earlier	WPC	<p>It was decided to grant Consent to Establish for Residential & Commercial construction project (with 19 bedded HCE) having total plot area 17231.43 Sq. Mtrs. & Proposed total Construction BUA 148345.46 Sq. Mtrs, as per specific condition of EC dt. 12.03.2022 by imposing following conditions.</p> <p>(i) PP shall comply with the conditions stipulated in consent conditions and EC conditions and submit BG of Rs. 10 Lakhs towards compliance of the same.</p> <p>(ii) PP shall install online monitoring system to the O/L of STP for monitoring pH, Flow, BOD, TSS.</p> <p>(iii) The treated domestic effluent shall be 60 % recycled for secondary purpose such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body.</p> <p>(iv) Project Proponent shall provide Organic waste digester with composting facility or Bio-gas digester with composting facility.</p> <p>(v) Project Proponent shall make provision of charging port for Electric vehicles in at least 40% total available parking area</p> <p>(vi) PP shall comply with the provision of Construction & Demolition Waste management Rules 2016.</p> <p>(vii) Project Proponent shall take adequate measures to control noise and dust emissions during construction phase</p> <p>(viii) Project Proponent shall submit an affidavit in Board's prescribed format within 15 days regarding the compliance of conditions C to E & EC.</p> <p>(ix) PP shall obtain CCA for 19 bedded HCE and shall provide adequate capacity Effluent Treatment Plant.</p>

11	MPCB- CONSENT- 0000134985	M/S. Drushti Realtors Private Limited , CTS No. 192/1(Pt) at Village Ghatkoper , Pant Nagar Ghatkop CTS No. 192/1(Pt) Ghatkoper (E) Kurla	Approved Consent to Establish	Commissioning of the project or five years whichever is earlier	WPC	<p>Committee noted that PP has applied for Consent to Establish for proposed redevelopment construction project having plot area 2803.72 Sq.mtrs and proposed Construction BUA 34133.03 Sq.mtrs as per specific condition of E.C.dtd-15.04.2022.</p> <p>The case was discussed in 7th CC meeting and Show Cause Notice for refusal of consent was issued on 19.07.2022. Committee noted the reply submitted by PP.</p> <p>After due deliberation, It was decided to grant Consent to Establish for proposed redevelopment construction project having plot area 2803.72 Sq.mtrs and proposed Construction BUA 34133.03 Sq.mtrs as per specific condition of E.C.dtd-15.04.2022 with following conditions.</p> <ul style="list-style-type: none"> (i) PP shall comply with the conditions stipulated in consent conditions and EC conditions and submit BG of Rs. 10 Lakhs towards compliance of the same. (ii) PP shall install online monitoring system to the O/L of STP for monitoring pH, Flow, BOD, TSS. (iii) The treated domestic effluent shall be 60 % recycled for secondary purpose such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body. (iv) Project Proponent shall provide Organic waste digester with composting facility or Bio-gas digester with composting facility. (v) Project Proponent shall make provision of charging port for Electric vehicles in at least 40% total available parking area (vi) PP shall comply with the provision of Construction & Demolition Waste management Rules 2016. (vii) Project Proponent shall take adequate measures to control noise and dust emissions during construction phase (viii) Project Proponent shall submit an affidavit in Board's prescribed format within 15 days regarding the compliance of conditions C to E & EC. <p>The Consent shall be issued after obtaining penal fees for not obtaining consent from 06.10.2021 onwards.</p>
----	---------------------------------	---	-------------------------------------	---	-----	--

12	MPCB- CONSENT- 0000135070	M/s. Shiv Shakti Developers 249/2,6,7,250/3,4, 252/7,10,11&44/2 ,6,7,46/3..... Proposed project Janki Legacy at old survey nos. 249/2,6,7,250/3,4, 252/7, 10,11, and New survey Nos. 44/2, 6,7, 46/3,4, 43/7, 10, 11 at Village Navghar, Taluka & District. Thane- 401105 Thane	Approved Consent to Establish	Commissioning of the project or Five years whichever is earlier	WPC	<p>Committee noted that Project Proponent has applied for Consent to Establish for Construction of Residential and commercial projects having total plot area 10612.75 sq. mtrs, and Total construction Built up area 29291.09 sq.mtrs. as per EC dt. 26.02.2022.</p> <p>PP has obtained Environmental clearance on 26.02.2022 for construction project on total plot area 10612.75 Sq. Mtrs, and Total Construction Built up area 29291.09 Sq. Mtrs</p> <p>It was decided to grant Consent to Establish for Construction of Residential and commercial projects having total plot area 10612.75 sq. mtrs, and Total construction Built up area 29291.09 sq.mtrs. as per EC dt. 26.02.2022, by imposing following conditions. :-</p> <ul style="list-style-type: none"> (i) PP shall comply with the conditions stipulated in Environment Clearance & consent conditions and submit BG of Rs. 10 Lakhs towards compliance of the same. (ii) PP shall install online monitoring system to the O/L of STP for monitoring pH, Flow, BOD, TSS. (iii) The treated domestic effluent shall be 60 % recycled for secondary purpose such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and reaming shall be utilized on land for gardening and connected to the sewerage system provided by local body. (iv) Project Proponent shall provide Organic waste digester with composting facility or Bio-gas digester with composting facility. (v) Project Proponent shall make provision of charging port for Electric vehicles in at least 40% total available parking area. (vi) PP shall comply with the provision of Construction & Demolition Waste management Rules 2016. (vii) Project Proponent shall take adequate measures to control noise and dust emissions during construction phase. (viii) Project Proponent shall submit an affidavit in Board's prescribed format within 15 days regarding the compliance of conditions.
----	---------------------------------	---	-------------------------------------	---	-----	--

13	MPCB- CONSENT- 0000134291	CGST & Central Excise Plot no. 16, Sector -7 Khargar, Navi Mumbai Khargar	Approved consent to Establish	Commissioning of the project or five years whichever is earlier	WPC	<p>Committee noted that as per minutes of 5th CC Meeting dtd 24/05/2022 SCN issued on 15/06/2022. PP has submitted the reply of SCN on 29/06/2022 with all necessary information and relevant documents. PP has submitted the details of OWC, approved plan. After due deliberation, it was decided to grant the consent to establish for construction project of Departmental Quarters of C.G.S.T.& Central Excise, Raigad Commissionerate having total plot area 20000.32 Sq.M and Total Built up area is 29858.86 Sq.M by imposing following conditions:-</p> <ul style="list-style-type: none"> (i) PP shall comply with the conditions stipulated in consent conditions & EC and submit BG of Rs. 10 Lakhs towards compliance of the same. (ii) PP shall install online monitoring system to the O/L of STP for monitoring pH, Flow, BOD, TSS. (iii) The treated domestic effluent shall be 60 % recycled for secondary purpose such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and reaming shall be utilized on land for gardening and connected to the sewerage system provided by local body. (iv) Project Proponent shall provide Organic waste digester with composting facility or Bio-gas digester with composting facility. (v) Project Proponent shall make provision of charging port for Electric vehicles in at least 40% total available parking area (vi) PP shall comply with the provision of Construction & Demolition Waste management Rules 2016. (vii) Project Proponent shall take adequate measures to control noise and dust emissions during construction phase (viii) PP shall submit an affidavit in Board's prescribed format within 15 days regarding the compliance of C to E & EC conditions. (ix) PP shall submit the penal fees of Rs 1191637.24/- (5 times of one term consent fee X no. of years of violation) as PP has not obtained consent to establish from the M. P. C. Board, thus violated the Consent Conditions. <p>The consent shall be issued after submission of penal fees .</p>
14	MPCB- CONSENT- 0000134291	CGST & Central Excise Plot no. 16, Sector -7	Establish	--	WPC	<p>It was noted that the Agenda was placed as duplicate due to technical error.</p>

		Khargar, Navi Mumbai Khargar				
15	MPCB- CONSENT- 0000136057	M/s. Bhoomi Shashwat Estate Pvt. Ltd Sub- plotNo.E , plot bearing F.P.No. 18-19/31&33(pt), 18-19/34- A,B,C(pt) &18- 19/35-A,B,C(pt), Sale Building '1E' on Sub plot No. 'E' under the S.R. Scheme on plot bearing F.P.No. 18-19/31&33(pt), 18-19/34- A,B,C(pt) &18- 19/35-A,B,C(pt), T.P.S.-VI, Village Vile Parle, Santacruz(W), Mumbai Santacruz	Not approved Consent to Establish	--	WPC	Committee noted that PP has applied for Consent to Establish for proposed construction of Residential Building having plot area 795.97 Sq.mtrs and proposed Construction BUA 5090.1 Sq.mtrs. After due deliberation, it was decided to issue Show Cause Notice for refusal of consent for following non compliances (i) PP had not obtained separate E.C. (ii) PP had started construction work without obtaining Consent to Establish.
16	MPCB- CONSENT- 0000135556	M/s.Malas Food Products Private Limited (Formerly know as M/s. Mala's Fruits Products) A/p, Bhose, Panchgani Tal: Mahableshwar, Dist: Satara.	Approved consent to Establish	Commissioning of the project or five years whichever is earlier	WPC	It was decided to issue C to E (Expansion) and change in name from M/s Malas food products” to M/s. Malas food products Pvt. Ltd.” with increase in production as Fruit Crushes, Fruit Syrups, Fruit Cordials activity -1000 T/M by imposing following conditions (i) For expansion, industry shall provide ZLD by using MEE (ii) Industry shall submit the BG of Rs 5 Lakhs towards compliance of consent conditions. (iii) Industry shall obtain the HLMC NOC for expansion before consent to operate.

17	MPCB- CONSENT- 0000135875	Residential &commercial Development 10/2 Dhanori Haveli	Approved Consent to Establish	Commissioning of the project or five years whichever is earlier	WPC	<p>Committee noted that Project Proponent has applied for Consent to Establish for Expansion in Construction of Residential & Commercial Project having total plot area of 31400.00 Sq. Mtrs and total Construction BUA 147358.08 Sq. Mtrs. As per EC dtd. 31.03.2022</p> <p>PP has obtained Consent to Establish dtd. 02.07.2021 which valid up to COU or 5 years for Construction project having total plot area of 31400.00 Sq.mtrs and total Construction BUA 117426.73 Sq.mtrs, with CI Rs. 263.4315 Cr. PP has obtained Environment Clearance dtd. 06.07.2021 for construction project on total plot area 31400.00 Sq.mtrs & Construction BUA 117426.73 Sq.mtrs with CI of Rs 263.4315 Cr.</p> <p>PP has obtained Environmental Clearance dtd 31.03.2022 for construction project on plot area of 31400.00 Sq.mtrs and total Construction BUA 147358.08 Sq.mtrs. with CI of Rs 356.46 Cr.</p> <p>After due deliberation, It was decided to grant Consent to Establish for Expansion in Construction of Residential & Commercial Project having total plot area of 31400.00 Sq. Mtrs and total Construction BUA 147358.08 Sq. Mtrs. As per EC dtd. 31.03.2022 by imposing following conditions.</p> <ul style="list-style-type: none"> (i) PP shall comply with the conditions stipulated in consent conditions and EC conditions and submit BG of Rs. 25 Lakhs towards compliance of the same. (ii) PP shall install online monitoring system to the O/L of STP for monitoring pH, Flow, BOD, TSS. (iii) The treated domestic effluent shall be 60 % recycled for secondary purpose such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body. (iv) Project Proponent shall provide Organic waste digester with composting facility or Bio-gas digester with composting facility. (v) Project Proponent shall make provision of charging port for Electric vehicles in at least 40% total available parking area (vi) PP shall comply with the provision of Construction & Demolition Waste management Rules 2016.
----	---------------------------------	---	-------------------------------------	---	-----	--

						<p>(vii) Project Proponent shall take adequate measures to control noise and dust emissions during construction phase</p> <p>(viii) Project Proponent shall submit an affidavit in Board's prescribed format within 15 days regarding the compliance of conditions C to E & EC.</p> <p>The consent shall be issued after submission of fees on CI of Rs 356.46 Cr as per EC and with overriding effect on earlier consent to establish dtd 02.07.2021.</p>
18	MPCB- CONSENT- 0000135593	CTE for Residential and commercial project by M/s Sukhwani Infracon LLP S. No. 279/1(P), 279/2(P), village Maan, Taluka Mulshi, District Pune Maan Mulshi	Approved Consent to Establish	Commissioning of the project or five years whichever is earlier	WPC	<p>It was decided to grant Consent to Establish for Construction project having total plot area is 28327 Sq. Mtrs. & total Construction BUA 138391.95 Sq. Mtrs by imposing following conditions</p> <p>(i) PP shall obtain Environmental Clearance for the proposed activity. PP shall not take any effective steps towards the construction without obtaining prior EC.</p> <p>(ii) PP shall comply with the conditions stipulated in consent conditions and submit BG of Rs. 10 Lakhs towards compliance of the same.</p> <p>(iii) PP shall install online monitoring system to the O/L of STP for monitoring pH, Flow, BOD, TSS.</p> <p>(iv) The treated domestic effluent shall be 60 % recycled for secondary purpose such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body.</p> <p>(v) Project Proponent shall provide Organic waste digester with composting facility or Bio-gas digester with composting facility.</p> <p>(vi) Project Proponent shall make provision of charging port for Electric vehicles in at least 40% total available parking area</p> <p>(vii) PP shall comply with the provision of Construction & Demolition Waste management Rules 2016.</p> <p>(viii) Project Proponent shall take adequate measures to control noise and dust emissions during construction phase</p> <p>(ix) Project Proponent shall submit an affidavit in Board's prescribed format within 15 days regarding the compliance of conditions C to E.</p>

19	MPCB- CONSENT- 0000137367	M/s. Urban Life ventures S.No 74/1+2+3/2 (P) 1/3 (P) 1/2/1(P) 1/2/2 (P) 1/2/3 (P) 1/5/1 (P) 1/6 (P) 4/1B (P) 2/24 Nande Mulshi	Approved Consent to Establish	Commissioning of the project or five years whichever is earlier	WPC	<p>It was decided to grant Consent to Establish for Residential construction project having total plot area 48623 Sq. Mtrs. & Proposed total Construction BUA 1,18,901.75 Sq. Mtrs by imposing following conditions.</p> <ul style="list-style-type: none"> (i) PP shall obtain Environmental Clearance for the proposed activity. PP shall not take any effective steps towards the construction without obtaining prior EC. (ii) PP shall comply with the conditions stipulated in consent conditions and submit BG of Rs. 10 Lakhs towards compliance of the same. (iii) PP shall install online monitoring system to the O/L of STP for monitoring pH, Flow, BOD, TSS. (iv) The treated domestic effluent shall be 60 % recycled for secondary purpose such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body. (v) Project Proponent shall provide Organic waste digester with composting facility or Bio-gas digester with composting facility. (vi) Project Proponent shall make provision of charging port for Electric vehicles in at least 40% total available parking area (vii) PP shall comply with the provision of Construction & Demolition Waste management Rules 2016. (viii) Project Proponent shall take adequate measures to control noise and dust emissions during construction phase. (ix) Project Proponent shall submit an affidavit in Board's prescribed format within 15 days regarding the compliance of conditions C to E.
20	MPCB- CONSENT- 0000137942	SEZ Biotech Services Pvt. Ltd. 105 To 110 MSEZ 5 Manjari BK Haveli	Approved Consent to Establish	Commissioning of the project or five years whichever is earlier	WPC	<p>Committee noted that Project Proponent has applied for Consent to Establish for construction of Industrial shed having total plot area 51525 Sq. Mtrs. & proposed total Construction BUA 5265.66 Sq. Mtrs.</p> <p>PP has obtained consent to operate vide No Format1.0/CAC-Cell/UAN No 0000052842/O/12th CAC-1903001493 dtd 15.03.2019 valid till 28.02.2024 for Biotech park SEZ project having</p>

					<p>total plot area of 1,61,201 SqM and total construction BUA of 1,40,000 SqM as per EC dtd 03.09.2014 with CI of Rs 170.01 Cr.</p> <p>PP has also obtained Consent to Establish dtd. 12.11.2020 which valid up to 5 years for industrial shed construction project having total plot area 51625.00 Sq.Mtrs & total Construction BUA 96920.41 Sq.Mtrs, with CI Rs. 295.01 Cr. PP has also applied for Consent to Establish vide UAN No 125872 for Expansion in construction of Administration Building project for Industrial shed having total plot area 212826.00 Sq. Mtrs. & proposed total Construction BUA 9007.533 Sq. Mtrs with CI of Rs 25 Cr.</p> <p>After due deliberation, it was decided to grant Consent to Establish for construction of Industrial shed having total plot area 51525 Sq. Mtrs. & proposed total Construction BUA 5265.66 Sq. Mtrs by imposing following conditions.</p> <ol style="list-style-type: none"> (i) PP shall comply with the conditions stipulated in consent conditions and submit BG of Rs. 10 Lakhs towards compliance of the same. (ii) PP shall install online monitoring system to the O/L of STP for monitoring pH, Flow, BOD, TSS. (iii) The treated domestic effluent shall be 60 % recycled for secondary purpose such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body. (iv) Project Proponent shall provide Organic waste digester with composting facility or Bio-gas digester with composting facility. (v) Project Proponent shall make provision of charging port for Electric vehicles in at least 40% total available parking area (vi) PP shall comply with the provision of Construction & Demolition Waste management Rules 2016. (vii) Project Proponent shall take adequate measures to control noise and dust emissions during construction phase. (viii) Project Proponent shall submit an affidavit in Board's prescribed format within 15 days regarding the compliance of conditions C to E.
--	--	--	--	--	--

21	MPCB- CONSENT- 0000138207	Midas Touch B- 36 B-36, Thane Thane	Approved Consent to Establish	Commissioning of the unit or Five years whichever is earlier	WPC	<p>Project Proponent has applied for Consent to Establish for Proposed commercial IT Park project having total plot area is 4823.00 Sq.mtrs and total Construction BUA 34170.00 Sq.mtrs.</p> <p>It was decided to grant Consent to Establish for Proposed commercial IT Park project having total plot area is 4823.00 Sq.mtrs and total Construction BUA 34170.00 Sq.mtrs, by imposing following terms and conditions :</p> <ul style="list-style-type: none"> (i) PP shall obtain Environmental Clearance for proposed construction activity. PP shall not take any effective steps towards the construction without obtaining EC. (ii) PP shall comply with the conditions stipulated in consent conditions and submit BG of Rs. 10 Lakhs towards compliance of the same. (iii) PP shall install online monitoring system to the O/L of STP for monitoring pH, Flow, BOD, TSS. (iv) The treated domestic effluent shall be 60 % recycled for secondary purpose such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and reaming shall be utilized on land for gardening and connected to the sewerage system provided by local body. (v) Project Proponent shall provide Organic waste digester with composting facility or Bio-gas digester with composting facility. (vi) Project Proponent shall make provision of charging port for Electric vehicles in at least 40% total available parking area (vii) PP shall comply with the provision of Construction & Demolition Waste management Rules 2016. (viii) Project Proponent shall take adequate measures to control noise and dust emissions during construction phase (ix) project Proponent shall submit an affidavit in Board's prescribed format within 15 days regarding the compliance of C to E conditions.
22	MPCB- CONSENT- 0000138297	M/s V.D. Infratech Pvt. Ltd.	Approved Consent to Establish	Commissioning of the project or five years	WPC	<p>It was decided to grant Consent to Establish for Residential construction project under SRA scheme having total plot area</p>

		C.T.S No.3/A/1(PT.)		whichever is earlier		<p>5728.00 Sq.mtrs and proposed Construction BUA 57739.36 Sq.mtrs, as per EC dtd. 31.03.2022 by imposing following conditions.</p> <ul style="list-style-type: none"> (i) PP shall comply with the conditions stipulated in consent conditions and submit BG of Rs. 10 Lakhs towards compliance of the same. (ii) PP shall install online monitoring system to the O/L of STP for monitoring pH, Flow, BOD, TSS. (iii) The treated domestic effluent shall be 60 % recycled for secondary purpose such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and reaming shall be utilized on land for gardening and connected to the sewerage system provided by local body. (iv) Project Proponent shall provide Organic waste digester with composting facility or Bio-gas digester with composting facility. (v) Project Proponent shall make provision of charging port for Electric vehicles in at least 40% total available parking area. (vi) PP shall comply with the provision of Construction & Demolition Waste management Rules 2016. (vii) Project Proponent shall take adequate measures to control noise and dust emissions during construction phase (viii) Project Proponent shall submit an affidavit in Board's prescribed format within 15 days regarding the compliance of C to E conditions. <p>The Consent shall be issued after obtaining penal fees for not obtaining consent from 08.09.2020 onwards.</p>
23	MPCB- CONSENT- 0000138953	M/S. Thalia & Gami Enterprises Plot no: 17 + 18, sector-02 Plot no 17 + 18, Sector 02, Ghansoli, Navi Mumbai, Maharashtra Thane	Approved consent to Establish	Commissioning of the project or five years whichever is earlier	WPC	<p>It was decided to grant Consent to Establish for Residential and Commercial and Hospital construction Project having total plot area 4860 Sq.M. and Total construction BUA 49400 Sq.M. imposing following conditions:</p> <ul style="list-style-type: none"> (i) PP shall obtain Environmental Clearance for proposed construction activity. PP shall not take any effective steps towards the construction without obtaining EC. (ii) PP shall comply with the conditions stipulated in consent conditions and submit BG of Rs. 10 Lakhs towards compliance of the same.

						<ul style="list-style-type: none"> (iii) PP shall install online monitoring system to the O/L of STP for monitoring pH, Flow, BOD, TSS. (iv) The treated domestic effluent shall be 60 % recycled for secondary purpose such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and reaming shall be utilized on land for gardening and connected to the sewerage system provided by local body. (v) Project Proponent shall provide Organic waste digester with composting facility or Bio-gas digester with composting facility. (vi) Project Proponent shall make provision of charging port for Electric vehicles in at least 40% total available parking area (vii) PP shall comply with the provision of Construction & Demolition Waste management Rules 2016. (viii) Project Proponent shall take adequate measures to control noise and dust emissions during construction phase. (ix) PP shall submit an affidavit in Board's prescribed format within 15 days regarding the compliance of C to E conditions.
24	MPCB- CONSENT- 0000139075	Proposed Residential Project at S. no. 84/1A, 84/2A, 84/3A, 85/1, 85/4A, Tithwade Pune by M/s. Opel Prope S. no. 84/1A, 84/2A, 84/3A, 85/1, 85/4A S. no. 84/1A, 84/2A, 84/3A, 85/1, 85/4A mulshi	Approved Consent to Establish	Commissioning of the project or five years whichever is earlier	WPC	<p>It was decided to grant consent to establish for residential construction project having total plot area 20640 Sq. Mtrs and proposed total Construction BUA 146930.36 SqM as per of EC dtd 13.10.2021 by imposing following conditions.</p> <ul style="list-style-type: none"> (i) PP shall comply with the conditions stipulated in consent conditions and EC and shall submit BG of Rs. 10 Lakhs towards compliance of the same. (ii) PP shall install online monitoring system to the O/L of STP for monitoring pH, Flow, BOD, TSS. (iii) The treated domestic effluent shall be 60 % recycled for secondary purpose such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body. (iv) Project Proponent shall provide Organic waste digester with composting facility or Bio-gas digester with composting facility. (v) Project Proponent shall make provision of charging port for Electric vehicles in at least 40% total available parking area

						<ul style="list-style-type: none"> (vi) PP shall comply with the provision of Construction & Demolition Waste management Rules 2016. (vii) Project Proponent shall take adequate measures to control noise and dust emissions during construction phase. (viii) Project Proponent shall submit an affidavit in Board's prescribed format within 15 days regarding the compliance of conditions C to E & EC.
25	MPCB- CONSENT- 0000136099	RESIDENTIAL & COMMERCIAL PROJECT 24 (part), 26(part) UNDRI HAVELI	Approved Consent to Establish	Commissioning of the project or five years whichever is earlier	WPC	<p>Committee noted that Project Proponent has applied for consent to establish for expansion in residential & commercial construction project having total plot area 15950 Sq. Mtrs and proposed total Construction BUA 61797.14 SqM as per EC dtd 27.03.2022</p> <p>PP has obtained consent to establish dtd 16.09.2019 valid till COU or 5 Yrs for residential & commercial construction project having total plot area 15950 Sq. Mtrs and proposed total Construction BUA 56379.78 SqM with CI of Rs 74.07 Cr. PP has obtained EC dtd 07.11.2019 for construction project on total plot area of 15950 Sq. Mtrs and proposed total construction BUA of 56377.72 SqM as per specific condition with CI of Rs 74.40 Cr.</p> <p>PP has obtained revised EC dtd 27.03.2022 for expansion in residential and commercial construction project on total plot area of Sq. Mtrs and proposed total construction BUA of 61797.14 SqM with CI of Rs 119.90 Cr.</p> <p>After due deliberation, it was decided to grant consent to establish for expansion in residential & commercial construction project having total plot area 15950 Sq. Mtrs and proposed total Construction BUA 61797.14 SqM as per EC dtd 27.03.2022 by imposing following conditions.</p> <ul style="list-style-type: none"> (i) PP shall comply with the conditions stipulated in consent conditions and EC and shall submit BG of Rs. 10 Lakhs towards compliance of the same. (ii) PP shall install online monitoring system to the O/L of STP for monitoring pH, Flow, BOD, TSS. (iii) The treated domestic effluent shall be 60 % recycled for secondary purpose such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body.

						<ul style="list-style-type: none"> (iv) Project Proponent shall provide Organic waste digester with composting facility or Bio-gas digester with composting facility. (v) Project Proponent shall make provision of charging port for Electric vehicles in at least 40% total available parking area (vi) PP shall comply with the provision of Construction & Demolition Waste management Rules 2016. (vii) Project Proponent shall take adequate measures to control noise and dust emissions during construction phase. (viii) Project Proponent shall submit an affidavit in Board's prescribed format within 15 days regarding the compliance of conditions C to E & EC. <p>The consent shall be issued with overriding effect on earlier C to E dtd 16.09.2019.</p>
26	MPCB- CONSENT- 0000140100	M/s Rishabraj Estate Developers Pvt. Ltd. C.T.S. NO. 1448/1A Proposed reconstruction of existing building- 07 & 08 known as Borivali Amrapali C.H.S. Ltd. situated on C.T.S. NO. 1448/1A at MHADA colony, Eksar road, Borivali (west), Mumbai - 400103 Borivali	Not approved Consent to Establish	--	WPC	<p>Committee noted that Project Proponent has applied for Consent to Establish for proposed construction of Residential Building, (Proposed reconstruction of existing building- 07&08 Known as Amrapali CHS ltd), Project having plot area 2459.31 Sq.mtrs and proposed BUA 27164.98 Sq.mtrs.</p> <p>After due deliberation, it was decided to issue Show Cause Notice for refusal of consent for following non compliances.</p> <ul style="list-style-type: none"> (i) PP had not submitted waste management. (ii) Not submitted drainage NOC, Water NOC. (iii) Started construction work without obtaining consent to establish.
27	MPCB- CONSENT- 0000138289	Satyam Ventures Private Limited Plot No. 70 Sector 15, CBD Belapur, Navi Mumbai Thane	Not Approved consent to Establish	--	WPC	<p>Committee noted that PP has applied for C to E for IT cum Commercial building construction Project having total plot area 4047.27 Sq.M. and Total construction BUA 43214.26 Sq.M.</p> <p>It was decided to issue Show Casue Notice for refusal of consent for following non compliances</p> <ul style="list-style-type: none"> (i) PP has not submitted the Architects area statement.

						(ii) PP has not submitted the copy of CC/LOI and approved plan. (iii) PP has not submitted the details of STP and OWC.
28	MPCB- CONSENT- 0000140272	M/s Arcade Developers Pvt. Ltd. On plot bearing CTS no. 466 and 465, 465- 1 to 6	Approved Consent to Establish	Commissioning of the project or five years whichever is earlier	WPC	It was decided to grant Consent to Establish for proposed construction of Residential Building Project on total plot area 5932.90 Sq.mtrs and BUA 34910.49 Sq.mtrs. by imposing following conditions. (i) PP shall obtain Environmental Clearance for proposed construction activity. PP shall not take any effective steps towards the construction without obtaining EC. (ii) PP shall comply with the conditions stipulated in consent conditions and submit BG of Rs. 10 Lakhs towards compliance of the same. (iii) PP shall install online monitoring system to the O/L of STP for monitoring pH, Flow, BOD, TSS. (iv) The treated domestic effluent shall be 60 % recycled for secondary purpose such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and reaming shall be utilized on land for gardening and connected to the sewerage system provided by local body. (v) Project Proponent shall provide Organic waste digester with composting facility or Bio-gas digester with composting facility. (vi) Project Proponent shall make provision of charging port for Electric vehicles in at least 40% total available parking area. (vii) PP shall comply with the provision of Construction & Demolition Waste management Rules 2016. (viii) Project Proponent shall take adequate measures to control noise and dust emissions during construction phase (ix) Project Proponent shall submit an affidavit in Board's prescribed format within 15 days regarding the compliance of C to E conditions.
29	MPCB- CONSENT- 0000142040	M/s. Integrated Affordable Home Private Limited C.T.S. No. 57A and 57C, S. No. 2, Hissa No. 1 âœœIntegrated	Approved Consent to Establish	Commissioning of the project or five years whichever is earlier	WPC	It was decided to grant Consent to Establish for proposed Residential Construction of Building Project having plot area 7599.0 Sq.mtrs and proposed BUA 46428.25 Sq.mtrs. by imposing following conditions. (i) PP shall obtain Environmental Clearance for proposed construction activity. PP shall not take any effective steps towards the construction without obtaining EC.

		Ramiconâ€• Plot bearing C.T.S. No. 57A and 57C, S. No. 2, Hissa No. 1 of Village Goregaon and situated at off Ram Mandir Road, Oshiwara District Centre, Goregaon West, Mumbai 400062 Borivali				<ul style="list-style-type: none"> (ii) PP shall comply with the conditions stipulated in consent conditions and submit BG of Rs. 10 Lakhs towards compliance of the same. (iii) PP shall install online monitoring system to the O/L of STP for monitoring pH, Flow, BOD, TSS. (iv) The treated domestic effluent shall be 60 % recycled for secondary purpose such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and reaming shall be utilized on land for gardening and connected to the sewerage system provided by local body. (v) Project Proponent shall provide Organic waste digester with composting facility or Bio-gas digester with composting facility. (vi) Project Proponent shall make provision of charging port for Electric vehicles in at least 40% total available parking area. (vii) PP shall comply with the provision of Construction & Demolition Waste management Rules 2016. (viii) Project Proponent shall take adequate measures to control noise and dust emissions during construction phase (ix) Project Proponent shall submit an affidavit in Board's prescribed format within 15 days regarding the compliance of C to E conditions.
30	MPCB- CONSENT_ AMMEND MENT- 0000004830	Glaxosmithkline Pharmaceuticals Ltd A-10, MIDC AMBAD,	Amendment in Consent	--	AST	It was noted that the case was discussed in earlier CC meeting.
31	MPCB- MSW_AUT H- 0000000706	Solid waste mangement Opposite Mangla talkis Shivajinagr Pune	Approved MSW Authorization	31-7-2027	RO HQ	<p>Committee noted that PMC has applied for MSW authorization for Crushing of organic waste (Compressed Biogas) for 300 MT/Day capacity at S. No. 48, Sus Road, Baner, Pune-411045.</p> <p>The application was discussed in the MSW authorization committee meeting held on 10-6-2022. The committee has recommended the case to Consent Committee for refusal of MSW authorization as Hon'ble NGT has directed to close the plant and shift the same to any other location in OA No. 34/2019.</p>

						<p>However, PMC has approached Hon'ble Supreme Court, Delhi and Hon'ble Supreme Court has ordered stay to the Order of Hon'ble NGT.</p> <p>After due deliberations, consent committee decided to grant the authorization for Crushing of organic waste (Compressed Biogas) for 300 MT/Day capacity at S. No. 48, Sus Road, Baner, Pune-411045 subject to outcome of Hon'ble Supreme Court Judgement in the Civil Appeal No. 258-259/2021.</p>
32	MPCB-MSW_AUT H-0000000714	Solid waste mangement Opposite Mangla talkis Shivajinagr Pune	Approved MSW Authorization	31-7-2027	RO HQ	<p>Committee noted that Pune Municipal Corporation has applied for authorization for Material Recovery Facility - 25 MT/day at Sr. No. 57, Handewadi, Tal- Haveli, Dist- Pune.</p> <p>The application was discussed in MSW authorization committee meeting held on 10/06/2022. The committee has recommended the case to Consent Committee for grant of MSW Authorization for Material Recovery Facility for 25 MT/Day capacity.</p> <p>After due deliberations, Consent Committee decided to grant the authorization for Material Recovery Facility for 25 MT/Day capacity Sr. No. 57, Handewadi, Tal- Haveli, Dist- Pune.</p>
33	MPCB-MSW_AUT H-0000000726	Solid waste mangement Opposite Mangla talkis Shivajinagr Pune	Approved MSW Authorization	31-12-2026	RO HQ	<p>Committee noted that Pune Municipal Corporation has applied for renewal of authorization for bio-methanation (10 MT/D) project at S. No. 67 & 68 Taljai Pathar, Dhankawadi, Pune -43. Previous authorization was valid up to 31.12.2021.</p> <p>The application was discussed in MSW authorization committee meeting held on 10/06/2022. The committee has recommended the case to Consent Committee for grant of MSW Authorization.</p> <p>After due deliberations, Consent Committee decided to grant the authorization for Bio Methanization plant of capacity 10 MT/Day at S. No. 67 & 68 Taljai Pathar, Dhankawadi, Pune-43.</p>
34	MPCB-MSW_AUT H-0000000727	Solid waste mangement Opposite Mangla talkis Shivajinagr Pune	Approved MSW Authorization	31-12-2026	RO HQ	<p>Committee noted that Pune Municipal Corporation has applied for renewal of authorization for Bio methanation (10 MT/Day) at Near Katraj dairy, Behind Katraj Ramp and Fire Station, Pune-46. Previous authorization was valid up to 31/12/2021.</p>

						<p>The application was discussed in MSW authorization committee meeting held on 10/06/2022. The committee has recommended the case to Consent Committee for grant of MSW Authorization.</p> <p>After due deliberations, Consent Committee decided to grant the authorization for Bio Methanization plant of capacity 10 MT/Day at Near Katraj dairy, Behind Katraj Ramp and Fire Station, Pune-46.</p>
35	MPCB-MSW_AUT H-0000000728	Solid waste mangement Opposite Mangla talkis Shivajinagr Pune	Approved MSW Authorization	31-12-2026	RO HQ	<p>Committee noted that Pune Municipal Corporation has applied for renewal of authorization for Bio methanation (5 MT/Day) at Near Katraj Dairy, Katraj Ramp, Pune-46. Previous authorization was valid up to 31/12/2021.</p> <p>The application was discussed in MSW authorization committee meeting held on 10/06/2022. The committee has recommended the case to Consent Committee for grant of MSW Authorization.</p> <p>After due deliberations, Consent Committee decided to grant the authorization for Bio Methanization plant of capacity 5 MT/Day at Near Katraj Dairy, Katraj Ramp, Pune-46.</p>
36	MPCB-MSW_AUT H-0000000729	Solid waste mangement Opposite Mangla talkis Shivajinagr Pune	Approved MSW Authorization	31-12-2026	RO HQ	<p>Committee noted that Pune Municipal Corporation has applied for renewal of authorization for Bio methanation (5 MT/Day) at Near Katraj Railway Museum, Katraj-411046. Previous authorization was valid up to 31/12/2021.</p> <p>The application was discussed in MSW authorization committee meeting held on 10/06/2022. The committee has recommended the case to Consent Committee for grant of MSW Authorization.</p> <p>After due deliberations, Consent Committee decided to grant the authorization for Bio Methanization plant of capacity 5 MT/Day at Near Katraj Railway Museum, Katraj-411046.</p>
37	MPCB-MSW_AUT H-0000000730	Solid waste mangement Opposite Mangla talkis Shivajinagr Pune	Approved MSW Authorization	31-12-2026	RO HQ	<p>Committee noted that Pune Municipal Corporation has applied for renewal of authorization for Bio methanation – 5 T/day at Near Katraj dairy, Katraj ramp, Pune-46. Previous authorization was valid up to 31.12.2021.</p> <p>The application was discussed in MSW authorization committee meeting held on 10/06/2022. The committee has recommended the case to Consent Committee for grant of MSW Authorization.</p>

						After due deliberations, Consent Committee decided to grant the authorization for Bio Methanization plant of capacity 5 MT/Day at Near Katraj dairy, Katraj ramp, Pune-46.
38	MPCB-MSW_AUT H-0000000731	Solid waste mangement Opposite Mangla talkis Shivajinagr Pune	Approved MSW Authorization	31-12-2026	RO HQ	<p>Committee noted that Pune Municipal Corporation has applied for renewal of authorization for Bio methanation (5 MT/Day) at S. N. 50/5, Near SBI, Wadgaon Sheri, Pune. Previous authorization was valid up to 31/12/2021.</p> <p>The application was discussed in MSW authorization committee meeting held on 10/06/2022. The committee has recommended the case to Consent Committee for grant of MSW Authorization.</p> <p>After due deliberations, Consent Committee decided to grant the authorization for Bio Methanization plant of capacity 5 MT/Day at S. N. 50/5, Near SBI, Wadgaon Sheri, Pune.</p>
39	MPCB-MSW_AUT H-0000000732	Solid waste mangement Opposite Mangla talkis Shivajinagr Pune	Approved MSW Authorization	31-12-2026	RO HQ	<p>Committee noted that Pune Municipal Corporation has applied for renewal of authorization for Bio methanation (5 MT/Day) at S. N. 191, Maharashtra Housing Board, Yerwada. Previous authorization was valid up to 31/12/2021.</p> <p>The application was discussed in MSW authorization committee meeting held on 10/06/2022. The committee has recommended the case to Consent Committee for grant of MSW Authorization.</p> <p>After due deliberations, Consent Committee decided to grant the authorization for Bio Methanization plant of capacity 5 MT/Day at S. N. 191, Maharashtra Housing Board, Yerwada.</p>
40	MPCB-MSW_AUT H-0000000733	Solid waste mangement Opposite Mangla talkis Shivajinagr Pune	Approved MSW Authorization	31-12-2026	RO HQ	<p>Committee noted that Pune Municipal Corporation has applied for renewal of authorization for Bio methanation (5 MT/Day) at S.N.22, Near Gokul Nagar, Dhanori -411015. Previous authorization was valid up to 31/12/2021.</p> <p>The application was discussed in MSW authorization committee meeting held on 10/06/2022. The committee has recommended the case to Consent Committee for grant of MSW Authorization.</p>

						After due deliberations, Consent Committee decided to grant the authorization for Bio Methanization plant of capacity 5 MT/Day at S.N.22, Near Gokul Nagar, Dhanori -411015.
41	MPCB-MSW_AUT H-0000000734	Solid waste mangement Opposite Mangla talkis Shivajinagr Pune	Approved MSW Authorization	31-12-2026	RO HQ	<p>Committee noted that Pune Municipal Corporation has applied for renewal of authorization for Bio methanation (5 MT/Day) at S. N. 95, Gate No. K-25/5, Phulenagar, Alandi Road, Pune. Previous authorization was valid up to 31/12/2021.</p> <p>The application was discussed in MSW authorization committee meeting held on 10/06/2022. The committee has recommended the case to Consent Committee for grant of MSW Authorization.</p> <p>After due deliberations, Consent Committee decided to grant the authorization for Bio Methanization plant of capacity 5 MT/Day at S. N. 95, Gate No. K-25/5, Phulenagar, Alandi Road, Pune.</p>
42	MPCB-MSW_AUT H-0000000735	Solid waste mangement Opposite Mangla talkis Shivajinagr Pune	Approved MSW Authorization	31-12-2026	RO HQ	<p>Committee noted that Pune Municipal Corporation has applied for renewal of authorization for solid waste processing facility as Controlled Combustion, Waste to Energy (750 MT/day) at S. N. 94, Final Plot No. 88, Ramtekdi Industrial Estate, Hadapsar, Pune.</p> <p>Board has granted Authorisation to set up and operate integrated waste processing plant (Bio Methanation plant) including electric power generation by using Biogas production from organic fraction digestion of MSW. However, plant is not yet commissioned. Only MRF facility for 300 MT/D is in operation as phase-1.</p> <p>The application was discussed in MSW authorization committee meeting held on 10/06/2022. The committee has recommended the case to Consent Committee for grant of MSW Authorization for only MRF facility (300 MT/Day).</p> <p>After due deliberations, Consent Committee decided to grant the authorization for MRF facility (300 MT/Day) at S. N. 94, Final Plot No. 88, Ramtekdi Industrial Estate, Hadapsar, Pune.</p>
43	MPCB-MSW_AUT H-0000000736	Solid waste mangement Opposite Mangla talkis Shivajinagr Pune	Not Approved MSW Authorization	----	RO HQ	<p>Committee noted that Pune Municipal Corporation has applied for renewal of authorization for Mechanical Composting (200 MT/Day) at S. No. 100, Hadapsar MSW Ramp, Hadapsar, Pune. Previous combined authorization was valid up to 31/12/2021.</p>

						<p>The application was discussed in MSW authorization committee meeting held on 10/06/2022. The Committee recommended Consent Committee to issue SCN for - leachate treatment system is not provided and buffer zone is not provided as per CPCB guidelines.</p> <p>After due deliberations, Consent Committee decided to issue SCN for above non-compliances.</p>
44	MPCB-MSW_AUT H-0000000738	Solid waste mangement Opposite Mangla talkis Shivajinagr Pune	Approved MSW Authorization	31-12-2026	RO HQ	<p>Committee noted that Pune Municipal Corporation has applied for renewal of authorization for Bio methanation (5 MT/day) at S. No. 19 A, Near K. K. Market, Satara Road, Pune. Previous authorization was valid up to 31.12.2021.</p> <p>The application was discussed in MSW authorization committee meeting held on 10/06/2022. The committee has recommended the case to Consent Committee for grant of MSW Authorization.</p> <p>After due deliberations, Consent Committee decided to grant the authorization for Bio Methanization plant of capacity 5 MT/Day at S. No. 19 A, Near K. K. Market, Satara Road, Pune.</p>
45	MPCB-MSW_AUT H-0000000739	Malegaon Municipal Corporation Malegaon Municipal Corporation, near Malegaon fort, Malegaon, Dist. Nasik	Not Approved MSW Authorization	-----	RO HQ	<p>Committee noted that Malegaon Municipal Corporation has applied for authorization- proposed to setup Magnetic partial pyrolysis facility for treatment of Mix waste (100 MT/Day).</p> <p>The application was discussed in MSW authorization committee meeting held on 10/06/2022. The Committee recommended Consent Committee to issue SCN for - MMC has not obtained district level site selection committee approval for the site. Also, it is not confirmed that whether DPR is sanctioned or not.</p> <p>After due deliberations, Consent Committee decided to issue SCN for above non-compliances.</p>
46	MPCB-MSW_AUT H-0000000747	Solid waste mangement Opposite Mangla talkis Shivajinagr Pune	Approved MSW Authorization	31-12-2026	RO HQ	<p>Committee noted that PMC has applied for renewal of MSW authorization for Sanitary Landfill for 400 MT/Day capacity at S. No. 191 to 195, Urali Fursungi Kachara Depot, Pune. Previous authorization was granted for total 48 sites, which was valid up to 31/12/2021.</p> <p>The application was discussed in MSW authorization committee meeting held on 10/06/2022. The committee has recommended the case to Consent Committee for grant of MSW Authorization for Sanitary Landfill for 400 MT/Day.</p>

						After due deliberations, Consent Committee decided to grant the authorization for Sanitary Landfill for 400 MT/Day at S. No. 191 to 195, Urali Fursungi Kachara Depot, Pune.
47	MPCB-MSW_AUT H-0000000749	Solid waste mangement Opposite Mangla talkis Shivajinagr Pune	Approved MSW Authorization	31-7-2027	RO HQ	<p>Committee noted that Pune Municipal Corporation has applied for MSW authorization for Material Recovery Facility (150 MT/Day) at Sr. No. 51/10, Ambegaon Budruk, Pune 411046.</p> <p>The application was discussed in MSW authorization committee meeting held on 10/06/2022. The committee has recommended the case to Consent Committee for grant of MSW Authorization for Material Recovery Facility (150 MT/Day).</p> <p>After due deliberations, Consent Committee decided to grant the authorization for Material Recovery Facility (150 MT/Day) at Sr. No. 51/10, Ambegaon Budruk, Pune 411046.</p>
48	MPCB-MSW_AUT H-0000000752	Hind Agro and Chemicals S/o Vishwanath Shinde, Sant Dnyaneshwar Nagar, Shelha Latur, Pin-413517,Latur	Approved MSW Authorization	31-7-2027	RO HQ	<p>Committee noted that PCMC has applied for authorization for Biomining of Legacy Waste (2000 MT/Day) at Gut No. 463, 464, Moshi, Tal. Haveli, Dist. Pune. PCMC has issued work order to M/s Hind Agro & Chemicals & Sai Ganesh Enterprises for the said work. Consent to establish was obtained on 28/12/2021. Applied for consent to operate.</p> <p>The application was discussed in MSW authorization committee meeting held on 10/06/2022. The committee has recommended the case to Consent Committee for grant of MSW Authorization for Biomining of Legacy Waste (2000 MT/Day) with condition that inert material shall be sent for sanitary landfilling.</p> <p>After due deliberations, Consent Committee decided to grant the authorization for Biomining of Legacy Waste (2000 MT/Day) at Gut No. 463, 464, Moshi, Tal. Haveli, Dist. Pune.</p>
Agenda B: Consent to Operate:						
1	MPCB-CONSENT-0000122207	M/s. Rohan Promoters & Developers "Rohan Madhuban" C,D & E Building Part	Approved Consent to Operate	31.07.2023	WPC	Committee noted that Project Proponent has applied for 1st Consent to operate (Part-II) for construction of residential project having total plot area of 47200.00 Sq.Mtrs and complete Construction BUA 39803.00 Sq.Mtrs out of total construction BUA 56585.55Sq. Mtrs, as per EC dtd. 22.09.2021.

		<p>II Bhavdhan Pune Plot No. 2, S. No. 48 (2/1-A/2), H. No. 2B, S. No. 48 (1- 13), H. No. 1/B, S. No. 48 (1-A), H. No. 1/A) (New S. No. 48 H. No. 1/A) Mulshi</p>			<p>Committee also noted that PP has obtained Amendment in Consent to Establish dtd. 29.01.2019 valid up to 31.03.2023 for construction project on total plot area of 47200.00 Sq.Mtrs and total Construction BUA 56585.55 Sq.Mtrs, PP has obtained Renewal of Consent to Operate (Part-I) dtd. 21.12.2020 valid up to 21.07.2022 for construction project on total plot area 47200.00 Sq.Mtrs, & Completed BUA 16782.14 Sq.Mtrs (Building A & B) out of total construction BUA 56585.55Sq. Mtrs,</p> <p>PP has obtained Environmental clearance dtd. 01.09.2018 for plot area of 47200.00 Sq.Mtrs and total Construction BUA 27665.00 Sq. Mtrs. PP has obtained correction in Environment Clearance dt 22.09.2021 for total plot area 47200.00 Sq.Mtrs & total Construction BUA 56585.55 Sq. Mtrs.</p> <p>Board has refused earlier consent to operate application on 18.05.2021 and issued closure Directions on 04.08.2021 as PP has constructed excess work than approved TBUA- 27665 sqm as per EC dated 01.09.2018 and exceeding JVS report of STP outlet. The case was discussed in 16th CC meeting dtd 30.12.2021 and SCN for refusal of consent was issued. Committee noted the reply submitted by PP wherein PP has submitted that PP had applied for correction in EC and accordingly said correction was approved vide corrigendum EC vide NO SIA/MH/MIS/224076/2021 on 11.08.2021 and EC vide NO SEIAA-2021/CR-87/SEIAA dtd 22.09.2021 was granted for total BUA of 56585.55 Sq. Mtr.</p> <p>The case was discussed in 21th CC meeting dtd 19.03.2022 and it was decided to defer the case and call report on compliance of Environmental Clearance conditions from PP. Accordingly, PP has submitted the report.</p> <p>After due deliberation, It was decided to grant 1st Consent to operate (Part-II) for construction of residential project having total plot area of 47200.00 Sq.Mtrs and complete Construction BUA 39803.00 Sq.Mtrs out of total construction BUA 56585.55Sq. Mtrs, as per EC dtd. 22.09.2021 by imposing following conditions.</p> <p>(i) PP shall comply with the conditions stipulated in consent conditions and EC and shall submit BG of Rs. 10 Lakhs towards compliance of the same.</p>
--	--	---	--	--	--

						<ul style="list-style-type: none"> (ii) PP shall install online monitoring system to the O/L of STP for monitoring pH, Flow, BOD, TSS. (iii) The treated domestic effluent shall be 60 % recycled for secondary purpose such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body. (iv) Project Proponent shall operate Organic waste digester with composting facility or Bio-gas digester with composting facility effectively. (v) Project Proponent shall make provision of charging port for Electric vehicles in at least 40% total available parking area (vi) Project Proponent shall submit an affidavit in Board's prescribed format within 15 days regarding the compliance of conditions C to O & EC.
2	MPCB- CONSENT- 0000073539	M/s New World Realty LLP Plot no. 1, S. No. 288 Plot No.1, (Old S.No 337 (P),S.No. 288, at Maan, Hinjewadi, Pune Mulshi	Not approved Consent to Operate	--	WPC	<p>Committee noted that Project Proponent has applied for Consent to operate for residential development construction project having total plot area of 32376.00 Sq.Mtrs & total Construction BUA 85546.00 Sq.Mtrs. However as per specific condition of EC dtd 22.03.2020, the total construction BUA is 37875.49 Sq.Mtrs.</p> <p>Committee also noted that PP has obtained Consent to Establish dtd. 12.0/.2015, valid up to COU or 5 years for construction project having total plot area of 32376.00 Sq.Mtrs and total Construction BUA 77325.74 Sq.Mtrs, Further PP had obtained revalidation of consent to establish on 17.04.2022 for construction project having total plot area of 32376 SqMtrs for proposed total construction BUA of 77325.74 SqMtrs as per EC granted dated 08.04.2015.</p> <p>The case was on in 2nd CC meeting dtd 23.05.2022 and SCN for refusal of consent was issued on 08.06.2022. Committee noted the reply submitted by PP on 15.07.2022 wherein PP has submitted that EC was granted for total BUA of 37875.49 SqM (as per plan approval CC/1055/19 dtd 08.08.2019) However, there is no such plan approval received for the project on 08.08.2019. The plan submitted for EC proposal was dtd 20.02.2019 for total BUA of 85545.0 SqM. PP further submitted that occupancy has given to the projects as per part occupancy received from PMRDA on 15.02.2019.</p>

						<p>After due deliberation, it was noted that PP has obtained EC dtd 22.03.2022 for total construction BUA 37875.49 Sq.Mtrs as per specific condition. PP has not obtained revised/corrected EC for total BUA of 85546.00 Sq.Mtrs and completed construction BAU of 85546.00 Sq.Mtrs as per architect certificate dtd 12.01.2022. Therefore, it was decided to refuse the case with Stop Work Direction. RO Pune is directed to issue Prosecution notice to the PP and initiate further legal action.</p>
3	MPCB- CONSENT- 0000127809	M/s. NXTRA DATA LTD Plot No. 13/10A, 28 MIDC, Rajiv Gandhi Infotech Park Phase-III (SEZ), Hinjewadi, Pune Mulshi	Approved Consent to Operate	30.04.2023	WPC	<p>Committee noted that Project Proponent has applied for Consent to operate for installation of 2250 KVA x 16 nos. of DG Sets) in existing Data centre construction project having total plot area of plot area of 18981.00 Sq.Mtrs and completed Construction BUA 16250.82 Sq.Mtrs out of total Construction BUA 29722.97 Sq.Mtrs.</p> <p>PP has obtained Amendment in Consent to Establish for installation of additional 16 Nos of DG Sets of 2250 KVA each dtd. 18.08.2021 valid up to 14.03.2023 having total plot area of 18981.00 Sq.Mtrs and total Construction BUA 29722.97 Sq.Mtrs,</p> <p>PP has obtained Renewal of consent to Operate (Part-I) dtd. 12.02.2022 valid up to 30.04.2023 for Data center building construction project having total plot area 18981.00 Sq.Mtrs & Construction BUA 16250.82 Sq.Mtrs out of total construction BUA of 29722.97 SqM as per EC dtd 11.10.2017</p> <p>The case was discussed in 1st CC meeting dtd 08.04.2022 and SCN for refusal of consent was issued on 17.06.2022 as PP has not paid consent fees on increased CI and not submitted EC compliance report.</p> <p>Committee noted the reply submitted by PP on 20.07.2022 along with EC compliance report.</p> <p>After due deliberation, it was decided to grant Consent to operate for installation of 2250 KVA x 16 nos. of DG Sets) in existing Data center construction project having total plot area of plot area of 18981.00 Sq.Mtrs and completed Construction BUA 16250.82 Sq.Mtrs out of total Construction BUA 29722.97 Sq.Mtrs by imposing following conditions.</p> <p>(i) PP shall submit consent fees on increased CI.</p>

						(ii) The consent shall be issued with overriding effect on earlier Renewal of consent to Operate (Part-I) dtd. 12.02.2022
4	MPCB- CONSENT- 0000129696	M/s. Rohan Builders & Developers Pvt Ltd (Applied for consent to operate B WING (B1,B3,B4) Block) At Gat. No 1458,1459,1460,1461,1462,1463,1464,1465 Wagholi Pune Haveli	Approved Consent to Operate	31.07.2023	WPC	<p>Committee noted that PP has applied for Consent Operate (part) for Residential construction projects (B Block-Building B1, B2, B3, B4) having total plot area 120800.00 Sq. Mtrs and Completed Construction BUA of 26392.11 SqM out of total construction BUA of 304379.37 Sq. Mtrs as per EC dt. 31.12.2015.</p> <p>Committee also noted that PP has obtained Consent to Establish dtd. 05.09.2013 for construction project having total plot area 120800.00 Sq.Mtrs, & total construction BUA 217804.91 Sq.Mtrs. with CI Rs. 286.91 Cr. PP has obtained Consent to Establish for Expansion dtd. 29.05.2017 valid up to COU or 5 years for Construction Project having total plot area 120800.00 Sq.Mtrs, & total construction BUA 86574.46 Sq.Mtrs, with CI Rs. 113.00 Cr. PP has obtained Consent to Operate (Part-III) with amalgamation of 1st Consent to Operate (Part-I & II) dtd. 10.06.2020, which valid up to 31.03.2022 for construction project having total plot area 120800.00 Sq.Mtrs, & Construction BUA 230745.96 Sq.Mtrs, out of total construction BUA 304379.37 Sq.Mtrs, with CI Rs. 429.7 PP had applied for renewal of consent vide UAN No 130159</p> <p>PP has obtained Environmental Clearance on 31.12.2015 for total Plot area 120800.00 Sq.mtr, & total construction BUA 304379.37 Sq.mtr. Further PP has applied for Environment Clearance vide no. SIA/MH/MIS/260870/2022 dtd. 10.03.2022.</p> <p>After due deliberation, it was decided to grant Consent Operate (part) for Residential construction projects (B Block-Building B1, B2, B3, B4) having total plot area 120800.00 Sq. Mtrs and Completed Construction BUA of 26392.11 SqM out of total construction BUA of 304379.37 Sq. Mtrs as per EC dt. 31.12.2015 by imposing following conditions.</p> <p>(i) PP shall comply with the conditions stipulated in consent conditions and EC and shall submit BG of Rs. 10 Lakhs towards compliance of the same.</p> <p>(ii) PP shall install online monitoring system to the O/L of STP for monitoring pH, Flow, BOD, TSS.</p> <p>(iii) The treated domestic effluent shall be 60 % recycled for secondary purpose such as toilet flushing, air conditioning,</p>

						<p>cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body.</p> <p>(iv) Project Proponent shall operate Organic waste digester with composting facility or Bio-gas digester with composting facility effectively.</p> <p>(v) Project Proponent shall make provision of charging port for Electric vehicles in at least 40% total available parking area</p> <p>(vi) Project Proponent shall submit an affidavit in Board's prescribed format within 15 days regarding the compliance of conditions C to O & EC.</p> <p>The consent shall be issued after verification of CI and adequate consent fees.</p>
5	MPCB- CONSENT- 0000132403	M/S. Vilas Javdekar Eco Shelters Pvt Ltd (POH) â€ˆCTO(Part)â€ˆ ™ for Residential and Commercial Project fo 286/4 /1/A, 286/4 /1/B, 286/4 /1/C, 286/4 /1/D, village Mann ,Tal Mulshi ,Dist. Pune , Maharashtra Maan Mulshi	Approved Consent to Operate	30.09.2024	WPC	<p>Committee noted that Project Proponent has applied for Renewal of Consent to operate(part-I) for residential building with amalgamation of Consent to operate (part-II) for Commercial building project having total plot area of 40820.0 Sq. Mtrs and completed Construction BUA 112924.27 Sq. Mtrs out of total construction BUA 145846.04 Sq. Mtrs as per EC dtd 31.03.2020.</p> <p>Committee also noted that PP has obtained consent to establish dtd. 22.03.2017 valid up to COU or 5 years, for construction project having total plot area 40820.00 Sq.Mtrs, & total construction BUA 130569.94 Sq.Mtrs, PP has obtained consent to establish (Expansion) dtd. 26.08.2020 valid up to COU or 5 years for construction project having total plot area 40820.00 Sq.Mtrs, & construction additional BUA 15276.10 Sq.Mtrs. PP has obtained auto renewal of consent to operate (Part-I) dtd. 28.12.2021 valid up to 30.09.2022 for construction project having total plot area 40820.00 Sq.Mtrs, & total construction BUA 96029.14 Sq.Mtrs, out of total construction BUA 130569.94 Sq.Mtrs. PP has obtained Amendment in Environment Clearance vide No. SIA/MH/ MIS/134513/2020 dtd.31.03.2020 for total plot area 40820.00 Sq.Mtrs, & total construction BUA 145846.04 Sq.Mtrs</p> <p>The case was discussed in 4th Consent Committee Meeting held on 24.05.2022 and Show Cause notice for refusal of consent was issued as PP has not submitted EC compliance report and JVS dtd 11.02.2022 was exceeding the standards.</p>

						<p>Committee noted the reply submitted by PP along with EC compliance Report.</p> <p>After due deliberations, it was decided to grant Renewal of Consent to operate(part-I) for residential building with amalgamation of Consent to operate (part-II) for Commercial building project having total plot area of 40820.0 Sq. Mtrs and completed Construction BUA 112924.27 Sq. Mtrs out of total construction BUA 145846.04 Sq. Mtrs as per EC dtd 31.03.2020 by imposing following conditions.</p> <p>(i) PP shall comply with the conditions stipulated in consent conditions and EC.</p> <p>(ii) From the existing bank guarantee of Rs 10.0 lakhs, Rs 2.5 Lakhs shall be forfeited as the JVS are exceeded the consented standards. PP shall submit top up BG of Rs 5.0 Lakhs to make total BG of Rs. 12.5 Lakhs towards compliance of consent conditions and O & M of PCS.</p> <p>(iii) PP shall install online monitoring system to the O/L of STP for monitoring pH, Flow, BOD, TSS.</p> <p>(iv) The treated domestic effluent shall be 60 % recycled for secondary purpose such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body.</p> <p>(v) Project Proponent shall operate Organic waste digester with composting facility or Bio-gas digester with composting facility effectively.</p> <p>(vi) Project Proponent shall make provision of charging port for Electric vehicles in at least 40% total available parking area</p> <p>(vii) Project Proponent shall submit an affidavit in Board's prescribed format within 15 days regarding the compliance of conditions C to O & EC</p>
6	MPCB- CONSENT- 0000134524	M/S. SUNTECK REALTY LTD., Plot bearing CTS No. 166/A, 166/B, 166/C, 166/D, Signia High Plot bearing	Approved Consent to Operate	31.01.2025	WPC	<p>Committee noted that PP had applied for renewal of consent to operate for residential building construction project having on Total Plot area- 16330.40 Sq.mtrs and BUA 31609.31 Sq.mtrs.</p> <p>The case was discussed in 7th CC meeting and decided to issue SCN and accordingly SCN issued on 19.07.2022. Committee noted the reply submitted by PP wherein PP has submitted that plot area mentioned in earlier consent was net plot area instead of total plot</p>

		CTS No. 166/A, 166/B, 166/C, 166/D, at village-Magathane, Borivali (East), Mumbai - 400066. Borivali				<p>area. Further, earlier consent was valid upto-31.12.2020 but due to covid and other related problems unable to apply for renewal of consent.</p> <p>After due deliberation, it was decided to issue renewal of consent for construction project having Total Plot area- 16330.40 Sq.mtrs and BUA 31609.31.Sq.mtrs. with following conditions.</p> <ul style="list-style-type: none"> (i) PP shall comply with the conditions stipulated in consent conditions and EC conditions shall submit/extend BG of Rs. 10 Lakhs towards compliance of the same. (ii) PP shall install online monitoring system to the O/L of STP for monitoring pH, Flow, BOD, TSS. (iii) The treated domestic effluent shall be 60 % recycled for secondary purpose such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and reaming shall be utilized on land for gardening and connected to the sewerage system provided by local body. (iv) Project Proponent shall operate Organic waste digester with composting facility or Bio-gas digester with composting facility effectively. (v) Project Proponent shall make provision of charging port for Electric vehicles in at least 40% total available parking area. (vi) Project Proponent shall submit an affidavit in Board's prescribed format within 15 days regarding the compliance of conditions of EC and C to E. <p>Consent to be issued after obtaining penal fees for not obtaining consent from 31.01.2020 onwards.</p>
--	--	--	--	--	--	--

Agenda C: Renewal of Consent:

1	MPCB- CONSENT- 0000116424	"Paranjape Abhiruchi Parisar " by Paranjape Schemes (Construction)	Approved Renewal of Consent (part)	30.06.2023	WPC	Committee noted that Project Proponent has applied for renewal of Consent Operate (part) for Residential & Commercial Construction projects having total plot area 101243 SqM and part completed BUA-61861.59 Sq.Mtrs out of total BUA 2,89,564.89 SqM as per EC dtd 27.02.2020.
---	---------------------------------	--	------------------------------------	------------	-----	--

		<p>Limited S.No. 24/1 (Part)+25 Dhayari Haveli</p>			<p>PP has obtained consent to operate (Part) dtd 29.07.2020 valid up to 30.06.2021 for construction project having total plot area 101243 Sq.mtr & Construction BUA area of 61861.59 SqM out of total construction BUA of 3,24,929 SqM. PP has obtained Environmental Clearance dtd. 27.02.2020 for total Plot area 1,01,243 Sq.M & total construction BUA 289564.89 SqM as per specific condition of EC. The case was discussed in 5th CC meeting dtd 24.05.2022 and SCN for refusal of consent was issued on 21.06.2022a s PP has not applied for renewal of consent after 30.06.2021, not obtained revalidation of C to E after 31.05.2021.</p> <p>Committee noted the reply submitted by PP along with and EC compliance report. PP had submitted that as per MPCB Circular dtd 31.05.2021 the validity of the consent & renewal application stood deemed extended till 31.10.2021. Subsequently, the application was considered by MPCB Pune. The consent has become deemed unconditional consent after four months as per provisions u/s. 25(7) of the Water (Prevention & Control of Pollution) Act 1974. Consent ought to have been granted or refused within four months as per provisions u/s. 21 of the Air (Prevention & Control of Pollution) Act 1981. However committee noted that PP had applied for renewal of consent on 24.01.2022.</p> <p>After due deliberations, it was decided to grant renewal of Consent Operate(part) for Residential & Commercial Construction project having total plot area 1,01,243 SqM and part completed BUA-61861.59 Sq.Mtrs out of total BUA 2,89,564.89 SqM as per EC dtd 27.02.2020 by imposing following conditions.</p> <ul style="list-style-type: none"> (i) PP shall comply with the conditions stipulated in consent conditions and EC. (ii) From the existing bank guarantee of Rs 10.0 lakhs, Rs 2.5 Lakhs shall be forfeited as the JVS are exceeded the consented standards. PP shall submit top up BG of Rs 5.0 Lakhs to make total BG of Rs. 12.5 Lakhs towards compliance of consent conditions and O & M of PCS. (iii) PP shall install online monitoring system to the O/L of STP for monitoring pH, Flow, BOD, TSS. (iv) The treated domestic effluent shall be 60 % recycled for secondary purpose such as toilet flushing, air conditioning,
--	--	--	--	--	--

						<p>cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body.</p> <p>(v) Project Proponent shall operate Organic waste digester with composting facility or Bio-gas digester with composting facility effectively.</p> <p>(vi) Project Proponent shall make provision of charging port for Electric vehicles in at least 40% total available parking area</p> <p>(vii) Project Proponent shall submit an affidavit in Board's prescribed format within 15 days regarding the compliance of conditions C to O & EC</p> <p>(viii) PP shall pay penal fees of amount (five times of one term consent fees X Nos of years of violation) as per Board circular dtd 12.07.2022 as PP has not applied for renewal of consent after 30.06.2021, thus violated the consent conditions.</p> <p>(ix) PP shall submit Board Resolution in prescribed format as PP as PP has not applied for renewal of consent after 30.06.2021, thus violated the consent conditions. PP shall submit Bank Guarantee of Rs 2.0 Lakhs towards the submission of Board Resolution within 15 days.</p> <p>(x) PP shall apply for revalidation of consent to establish dtd 01.02.2020.</p> <p>The consent shall be issued after verification report from SRO regarding compliance of Environmental Clearance conditions.</p>
2	MPCB- CONSENT- 0000130134	Deepak Fertilisers And Petrochemicals Corporation Limited 190 & 192 Pune Haveli	Not approved Renewal of Consent	--	WPC	<p>Committee noted that Project Proponent has applied for Renewal of Consent to Operate for commercial construction project having total plot area 59399.43 Sq.mt. & Completed Construction BUA of 94568.64 Sq.mtrs.</p> <p>PP has obtained Renewal of Consent to Operate dtd. 08.07.2020 valid up to 31.03.2022 for Construction Project having total plot area 41806.35 Sq.mtrs, & Construction Completed BUA 34170.00 Sq.mtrs, with CI Rs. 301.96 Cr.</p> <p>Committee also noted that there is OA No. 42/2020 filed before Hon'ble NGT against the project regarding EC violation and accordingly NGT constituted committee of SEEIA, MPCB, CPCB vide order dated Dec 10, 2020.</p>

						After due deliberations, It was decided to consider the case after submission of report by the Committee in OA No 42/2020.
3	MPCB- CONSENT- 0000130159	M/s. Rohan Builders & Developers Pvt Ltd (Applied for renewal of consent to operate -Block A C E F & Gat No- 1458,1459,1460,1 461,1462,1463,14 64,1465 Wagholi Haveli	Approved Renewal of Consent	31.03.2023	WPC	<p>Committee noted that Project Proponent has applied for Renewal of Consent to operate for residential construction project having total plot area of 1,20,800.00 Sq. Mtrs and completed Construction BUA 230745.96 Sq. Mtrs out of total construction BUA 304379.37 Sq. Mtrs, as per EC dtd. 31.12.2015.</p> <p>PP has obtained consent to establish dtd 05.09.2013 valid till COU or 5 Yrs for construction project having plot area of 120800 SqM and total construction BUA of 217804.91 SqM. PP has obtained Consent to Establish dtd. 29.05.2017 for Construction Project having total plot area 120800.00 Sq.mtrs, & total Construction BUA 86574.46 Sq.mtrs. PP has obtained 1st Consent to Operate (Part-III) with amalgamation of 1st Consent to Operate (Part-I & II) dtd. 10.06.2020 which valid up to 31.03.2022 for Construction Project having total Plot area 120800.00 Sq.mtrs, & completed Construction BUA 230745.96 Sq.mtrs out of total Construction BUA 304379.37 Sq.mtrs.</p> <p>The case was discussed in 5th CC meeting dtd 24.05.2022 and SCN for refusal of consent was issued on 21.06.0222 as PP has not obtained revalidation of C to E for total BUA of 304379.37 SqM; The JVS dtd 04.01.2022 was exceeded the standards BOD-42 mg/l; The CI is increased from 429.7 Cr to Rs 435.49 Cr and PP has not submitted EC compliance report</p> <p>Committee noted the reply submitted by PP on 29.06,2022 along with EC compliance report. PP has submitted that PP has applied for revalidation of C to E vide UAN No 130261, The CI is increased due to unprecedented increase in cost of input material.</p> <p>After due deliberation, it was decided to grant Renewal of Consent to operate for residential construction project having total plot area of</p>

						<p>1,20,800.00 Sq. Mtrs and completed Construction BUA 230745.96 Sq. Mtrs out of total construction BUA 304379.37 Sq. Mtrs, as per EC dtd. 31.12.2015 by imposing following conditions.</p> <ul style="list-style-type: none"> (i) PP shall comply with the conditions stipulated in consent conditions and EC. (ii) From the existing bank guarantee of Rs 10.0 lakhs, Rs 2.5 Lakhs shall be forfeited as the JVS are exceeded the consented standards. PP shall submit top up BG of Rs 5.0 Lakhs to make total BG of Rs. 12.5 Lakhs towards compliance of consent conditions and O & M of PCS. (iii) PP shall install online monitoring system to the O/L of STP for monitoring pH, Flow, BOD, TSS. (iv) The treated domestic effluent shall be 60 % recycled for secondary purpose such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body. (v) Project Proponent shall operate Organic waste digester with composting facility or Bio-gas digester with composting facility effectively. (vi) Project Proponent shall make provision of charging port for Electric vehicles in at least 40% total available parking area (vii) PP shall apply for revalidation of consent to establish dtd 29.05.2017. <p>The consent shall be issued after verification report from SRO regarding compliance of Environmental Clearance conditions.</p>
4	MPCB- CONSENT- 0000133002	INDOSPACE PARK CHAKAN 1A PRIVATE LIMITED (Formerly Known as, INDOSPACE ROHAN INDUSTRIAL PARK PRIVATE	Approved Renewal of Consent with amalgamatio n	31.03.2025	WPC	<p>Committee noted that Project Proponent has applied for renewal of Consent with amalgamation of Consent to Operate dated 30.01.2020 with change in name for industrial park having total plot area of 377902 Sq. Mtr and completed construction BUA of 1,37,875.79 SqMtr for Building B1,B2,B3,B4,B5,B1A, B6B, B7A, B7B, B7D, B8, B8B out of total construction BUA of 1,67,128 SqM.</p> <p>The case was discussed in 5th CC meeting dtd 24.05.2022 and SCN for refusal of consent was issued on 21.06.2022 as PP has not</p>

		Survey No. 428 Village. Mahlunge Ingle Khed				<p>submitted EC compliance report. PP has submitted reply to SCN on 25.06.2022. SRO has submitted EC verification report.</p> <p>After due deliberation, it was decided to grant renewal of Consent with amalgamation of Consent to Operate dated 30.01.2020 with change in name for industrial park having total plot area of 377902 Sq. Mtr and completed construction BUA of 1,37,875.79 SqMtr for Building B1,B2,B3,B4,B5,B1A, B6B, B7A, B7B, B7D, B8, B8B out of total construction BUA of 1,67,128 SqM as per EC dtd 19.11.2011 by imposing following conditions.</p> <p>(i) PP shall comply with the conditions stipulated in consent conditions and EC.</p> <p>(ii) From the existing bank guarantee of Rs 25.0 lakhs, Rs 2.5 Lakhs shall be forfeited as the JVS are exceeded the consented standards. PP shall submit top up BG of Rs 5.0 Lakhs to make total BG of Rs. 27.5 Lakhs towards compliance of consent conditions and O & M of PCS.</p> <p>(iii) PP shall install online monitoring system to the O/L of STP for monitoring pH, Flow, BOD, TSS.</p> <p>(iv) The treated domestic effluent shall be 60 % recycled for secondary purpose such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body.</p> <p>(v) Project Proponent shall operate Organic waste digester with composting facility or Bio-gas digester with composting facility effectively.</p> <p>(vi) Project Proponent shall make provision of charging port for Electric vehicles in at least 40% total available parking area.</p>
5	MPCB- CONSENT- 0000132979	GOEL GANGA INDIA PVT LTD SR NO 16P AND 17 P GANGA SPARSH, ELIKA, GLITZ, GANGA MILLENNIA,AND GLITZ TOWER	Approved Revalidation of Consent to Establish	Commissioning of the project or 31.01.2027 whichever is earlier	WPC	<p>Committee noted that Project Proponent has applied for revalidation of Consent to Establish with Expansion in Residential & Commercial Development Construction project having total plot area 66209.00 Sq.mt. & Proposed total construction BUA of 207573.25 Sq.mtr. PP has obtained Revalidation of Consent to Establish dtd. 23.10.2021 valid up to COU or 31.01.2022 for construction project having total plot area 52304.13 Sq.mtr & total Construction BUA 137050.35 Sq.mtr as per EC dtd 31.03.2020.</p>

		UNDRI PUNE HAVELI			<p>PP has obtained Consent to Operate (Part) dtd. 25.02.2021 valid up to 31.01.2022 for Construction Project having total plot area 57009.00 Sq.mtr, and completed BUA 66400.18 Sq.mtr out of total construction BUA 137050.35 Sq.mtrs,</p> <p>After due deliberation, it was decided to grant revalidation of Consent to Establish with Expansion in Residential & Commercial Development Construction project having total plot area 66209.00 Sq.mt. & Proposed total construction BUA of 207573.25 Sq,mtr by imposing following conditions.</p> <ul style="list-style-type: none"> (i) PP shall obtain Environmental Clearance for the proposed expansion in construction activity. PP shall not take any effective steps towards the construction without obtaining prior Environmental Clearance. (ii) PP shall comply with the conditions stipulated in consent conditions and submit BG of Rs. 10 Lakhs towards compliance of the same. (iii) PP shall install online monitoring system to the O/L of STP for monitoring pH, Flow, BOD, TSS. (iv) The treated domestic effluent shall be 60 % recycled for secondary purpose such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body. (v) Project Proponent shall provide Organic waste digester with composting facility or Bio-gas digester with composting facility. (vi) Project Proponent shall make provision of charging port for Electric vehicles in at least 40% total available parking area (vii) PP shall comply with the provision of Construction & Demolition Waste management Rules 2016. (viii) Project Proponent shall take adequate measures to control noise and dust emissions during construction phase (ix) Project Proponent shall submit an affidavit in Board's prescribed format within 15 days regarding the compliance of conditions C to E. <p>The consent shall be issued after submission of sanction plan/CC</p>
--	--	----------------------	--	--	--

6	MPCB- CONSENT- 0000129959	Pride Purple Landmark LLP- Park Landmark 665/A Bibwewadi Havli	Not approved Renewal of Consent	--	WPC	<p>Committee noted that Project Proponent has applied for Renewal of Consent to Operate for Housing construction project having total plot area 20154.48 Sq.mtr. & Completed construction BUA of 35380.55 Sq.mtrs as per specific condition of EC dtd. 27.11.2018.</p> <p>PP has obtained Consent to Establish dtd. 16.09.2019 which valid up to COU or 5 years for construction project having total plot area 20154.48 Sq.mtr & total Construction BUA 50168.00 Sq.mtr, PP has obtained Consent to Operate (Part-II) dtd. 11.08.2021 valid up to 31.01.2022 for Construction Project having total plot area 20154.48 Sq.mtrs, Construction Completed BUA 35380.55 Sq.mtrs, (Part-I BUA 19811.44 Sq.mtrs) Out of total Construction BUA 35380.55 Sq.mtrs, PP has obtained Environment Clearance for Expansion dtd. 27.11.2018 for total plot area 20154.48 Sq.mtrs & total Construction BUA 35380.55 Sq.mtrs as per specific condition.</p> <p>After due deliberation, it was decided to issue Show Cause Notice for refusal of consent for following non compliances.</p> <p>(i) PP has applied with Sewage generation as 85.00 CMD. However as per C to E dtd 16.09.2019 and Environmental Clearance dtd 27.11.2018, sewage generation is 196 CMD. PP has not submitted justification for the same.</p> <p>(ii) PP has not submitted the BG of Rs 10 Lakhs as per C to O and C to E.</p>
7	MPCB- CONSENT- 0000129954	Residential Project - Greens S. No. 22/1/1, 26/1+2+4+5/1 CTS No. 5401 Village - Thergaon Mulshi	Not approved Renewal of Consent	--	WPC	<p>Committee noted that Project Proponent has applied for renewal of Consent Operate (part-I) for Residential cum Commercial construction project having total plot area 49000 Sq. Mtrs and completed Construction BUA 92894.74 Sq. Mtrs out of total construction BUA of 1,48,141 SqM as per EC dt. 20.05.2019.</p> <p>Committee also noted that PP has obtained consent to operate(part-I) dtd 17.05.2019 valid till 31.01.2022 for Residential cum Commercial construction project having total plot area 49000 Sq. Mtrs and Completed Construction BUA 49700 Sq. Mtrs out of total BUA 135753.0 Sq. Mtrs with CI of PP has submitted that the 49700 was FSI only. PP has obtained consent to operate(part-II) dtd 03.07.2019 valid till 31.12.2019 for construction project having total plot area of 49000 SqM and completed construction BUA of 21420.07 SqM out of total construction BAU of 135753.0 SqM with CI of Rs 80.12 Cr.</p>

						<p>PP has obtained Consent to Establish dtd. 04.05.2019 valid up to COU or 5 Yrs for Construction Project having total plot area 49000 Sq.mtrs, & total construction BUA 148141.74 Sq.mtrs, with CI Rs. 152.49 Cr.</p> <p>PP has obtained EC dtd 01.02.2010 for residential construction project having total plot area of 49000 SqM and total construction BUA of 135753 SqM. PP has obtained EC dtd 02.02.2017 for residential construction project having total plot area of 49000 SqM and total construction BUA of 114620.13 SqM. PP has obtained Environmental Clearance dtd 20.05.2019 for construction project on total Plot area 49000 Sq.mtr, & total construction BUA 148141.74 Sq.mtr.</p> <p>After due liberation, it was decided to issue Show Cause Notice for refusal of consent for following non compliances.</p> <p>(i) PP has obtained consent to operate(part-I) dtd 17.05.2019 valid till 31.01.2022 for Residential cum Commercial construction project having total plot area 49000 Sq. Mtrs and Completed Construction BUA 49700 Sq. Mtrs out of total BUA 135753.0 Sq. Mtrs. Now applied for renewal of consent to operate (part-I) for total BUA of 92894.74 Sq. Mtrs. Clarification for the same is not submitted.</p> <p>(ii) PP has not applied for renewal of consent to operate(part-II) dtd 03.07.2019 which was valid till 31.12.2019</p>
8	MPCB- CONSENT- 0000133508	SUPERB HYGIENIC DISPOSAL KH.NO.133,BHA NDEWADI,UMR ED ROAD,NAGPUR ,DIST-NAGPUR KHASRA NO 133	Not approved Renewal of CCA	--	PSO	<p>Committee noted that PP has applied for CCA renewal of BMW CTF located at Nagpur for Incinerator-200kg/Hr., Autoclave – 50 lit. / cycle. and Shredder 50 kg/hr and jurisdiction all talukas of Nagpur, Wardha, Bhandara and Gondia district on 31.03.2022.</p> <p>Earlier CCA expired on 31.01.2022. Facility has applied after lapse of validity period hence attract penal fee as per circular dtd 12/07/2022.</p> <p>SRO Nagpur has reported that</p> <p>a) The Stack monitoring TPM is exceeding 2 times out of 5, AAQM PM 10 is exceeding 3 times out of 3 and Effluent parameters such as BOD,COD and SS are exceeded once.</p>

						<p>b) The data of total number of beds registered with this facility of Nagpur district submitted by PP is 10668 and it is mismatched with the data provided by NMC mentions that total number of beds in Nagpur city itself which are registered & joined superb hygienic disposals facility 11985. This is more 1317 numbers as compared to number provided by facility.</p> <p>After scrutiny of application the following information called through mail on 21/06/2022.</p> <ul style="list-style-type: none"> a) Additional authorization fee of Rs.70000/- b) Latest CA certificate of CI as of 31.03.2022. c) Last six months water bills with revised water budget with disposal path of treated effluent. d) Details of DG set w.r.t. stack height. e) Local Body NOC for collection of Bio-Medical Waste from allotted jurisdiction. f) Taluka wise data of bedded, and non-bedded HCE, total number of beds as on 31.03.2022. g) Annual Report for year 2021. h) Autoclave spore test reports for the year 2021. i) Compliance report of BG imposed in previous CCA. j) Category and quantity of BMW collection and disposal of BMW as per Schedule-I of BMW Rules,2016. In year 2021. k) Authorization copy of MPCB authorized recycler to whom recyclables handover under PWM Rules,2016. l) Record of training imparted. <p>After due deliberation it was decided to issue SCN for refusal due to non-submission of above noted information and approved after submission of satisfactory reply to SCN.</p> <p>Regional Officer Nagpur shall submit the ATR of MOEF&CC Office Memorandum dtd 21/07/2022</p>
9	MPCB- CONSENT- 0000136431	M/s beekalene Fabrics Pvt Ltd Plot No C-1/1	Not approved Renewal of Consent	--	WPC	Committee noted that Industry has applied for renewal of consent to operate for textile processing industry.

		MIDC ,Pawane,Navi Mumbai Navi Mumbai				After due deliberation, it was decided to issue Show Cause Notice for refusal of consent for following non compliances. (i) Earlier consent was valid till 31.05.2022 with CI of Rs 40.80 Cr. Now PP has applied with increase in CI as Rs 56.9753 Cr. Clarification for the same is not submitted (ii) Earlier water consumption was 300 CMD for process and Effluent generation was 270.50 CMD. Now industry has applied with water consumption of 800 CMD and effluent generation of 600 CMD. Clarification for the same is not submitted. (iii) The JVS dtd 27.11.2021 are exceeding the standards in case of COD-296 mg/l & dtd 15.12.2021- COD-312 mg/l. (iv) The Coal consumption is increased from 8 T/day to 12 T/day
10	MPCB- CONSENT- 0000138266	SUNSHINE PAP TECH PVT LTD., 375 379 WADA SHAHAPUR ROAD, ABITGHAR WADA	Approved Renewal of consent	30/06/2027	WPC	It was decided to grant renewal of consent to operate for 1) M. G. Kraft Paper and Duplex Paper & Board - 9,000 MT/M(increased production weight seems due to moisture content) by imposing following conditions:- (i) Industry shall dispose the plastic waste regularly. (ii) Industry shall submit the renewal of existing BG of Rs 5 Lakhs towards O & M of pollution control devices.
11	MPCB- CONSENT- 0000138295	Asmeeta Infratech Limited plot 1 Asmeeta Textile park ,Addl. Kalyan bhiwandi Industrial area BHiwandi	Approved Renewal of Consent to Operate (part)	31/05/2024	WPC	Committee noted that, Project Proponent has applied Renewal of Consent to operate (part) for Textile Park building project having Total Plot Area is 242814.00 Sq.mtrs and Completed Construction BUA 14300.00 Sq.mtrs Out of Total construction BUA area 457944.91 Sq.mtrs. It was decided to grant Renewal of Consent to operate (part) for Textile Park building project having Total Plot Area is 242814.00 Sq.mtrs and Completed Construction BUA 14300.00 Sq.mtrs Out of Total construction BUA area 457944.91 Sq.mtrs, as per EC dt: 28/09/2011 by imposing following terms and conditions : (i) PP shall comply with the conditions stipulated in Environmental Clearance and consent conditions and submit BG of Rs. 10 Lakhs towards compliance of the same.

						<ul style="list-style-type: none"> (ii) PP shall install online monitoring system to the O/L of STP for monitoring for parameters pH, Flow, BOD, TSS. (iii) The treated domestic effluent shall be 60 % recycled for secondary purpose such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and reaming shall be utilized on land for gardening and connected to the sewerage system provided by local body. (iv) Project Proponent shall operate and maintain Organic waste digester with composting facility or Biogas digester with composting facility. (v) Project Proponent shall make provision of charging port for Electric vehicles in at least 40% total available parking area. (vi) Project Proponent shall submit an affidavit in Board's prescribed format within 15 days regarding the compliance of conditions of EC clearance and C to O <p>Consent shall be issued after submission of additional consent fees to MPC Board.</p>
12	MPCB- CONSENT- 0000138643	M/s KEC INTERNATION AL LIMITED B- 190 MIDC Industrial Area, Butibori Hingna	Not approved Renewal of Consent	--	APC	<p>Committee noted that industry has applied for renewal of consent to operate for Galvanized Transmission Towers: - 8000 MT/M. It was decided to issue Show Cause Notice for refusal of consent due to following non compliances.</p> <ul style="list-style-type: none"> (i) Previous stack results of acid mist dtd. 18/10/2021 & 24/03/2022 exceeding consent std. (108 mg/m³ & 158 mg/m³). (ii) The treated effluent sample dtd. 24/03/2022 exceeding parameter SS,BOD & COD.
13	MPCB- CONSENT- 0000139381	HOTEL ATMANTAN (LODGING & BOARDING), M/S. SPARSH INFRATECH PVT. LTD. S. NO. 227(PT), 275(PT),	Not approved Renewal of Consent to Operate	---	WPC	<p>Project Proponent has applied for Renewal of consent to operate for Hotel Activity with Health Club, Spa and Lodging Boarding with laundry activity for 133 rooms. Existing consent is valid upto 31.05.2022</p> <p>After due deliberation, it was decided to issue to SCN for Refusal of Renewal of Consent to Operate due to following non-compliance :-</p>

		276(PT), 277(PT) VILLAGE- WARAK MULSHI				<ul style="list-style-type: none"> (i) PP has not provided OWC for treatment of solid waste generated at site. (ii) PP has dismantled the existing ETP and Untreated effluent is discharged in premises. (iii) PP has not submitted Bank Guarantee details as per existing consent conditions to MPC Board.
14	MPCB- CONSENT- 0000112752	M/s. CHHAGANLAL KHIMJI & CO. LTD. Trivedi Tower C.T.S. No. 551/13 at Junction of Madan Mohan Malviya Road & 18.30 m wide Mulund D. P. Road Of village Nahur, Mulund (W), Mumbai Kurla	Approved Renewal of consent	31.01.2025	WPC	<p>It was decided to grant Renewal of Consent to Operate (Part-I) for construction project having Total Plot area 16898.20 Sq.mtrs and BUA 28569.49 Sq.mtrs, Out of total BUA 1,45,223 Sq.mtrs, as per EC dtd. 14.06.2017. by imposing following conditions.</p> <ul style="list-style-type: none"> (i) PP shall comply with the conditions stipulated in consent conditions and EC conditions shall submit/extend BG of Rs. 10 Lakhs towards compliance of the same. (ii) (ii) PP shall install online monitoring system to the O/L of STP for monitoring pH, Flow, BOD, TSS. (iii) (iii) The treated domestic effluent shall be 60 % recycled for secondary purpose such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and reaming shall be utilized on land for gardening and connected to the sewerage system provided by local body. (iv) Project Proponent shall operate Organic waste digester with composting facility or Bio-gas digester with composting facility effectively. (v) Project Proponent shall make provision of charging port for Electric vehicles in at least 40% total available parking area. (vi) Project Proponent shall submit an affidavit in Board's prescribed format within 15 days regarding the compliance of conditions of EC and C to E. <p>Consent to be issued after obtaining penal fees for not obtaining consent from 06.10.2021 onwards.</p>
15	MPCB- CONSENT- 0000140921	Loknete Baburao Patil Agro	Approved Renewal of Consent	31.07.2024	WPC	<p>It was decided to grant renewal of consent for 5500 TCD sugar industry and 24.5 MW Co gen plant by imposing following conditions.</p>

		Industries Ltd 310 Laxminagar, Angar Mohol				<p>(i) Industry shall renew the Bank Guarantee towards compliance of consent conditions and operation and maintenance of pollution control systems.</p> <p>The consent shall be issued after verification of CI and adequate consent fees.</p>
16	MPCB- CONSENT- 0000140876	M/s. Loknete Baburao Patil Agro Industries Ltd 601,592 Laxminagar,Anga r Mohol	Approved Renewal of Consent	31.08.2023	WPC	<p>It was decided to grant renewal of Consent to operate for molasses based 30 KLPD distillery by imposing following conditions.</p> <p>(i) Industry shall renew the Bank Guarantee towards compliance of consent conditions and operation and maintenance of pollution control systems.</p>
17	MPCB- CONSENT - 000013730 1	Proposed Development of Existing Textile Mill(Bombay dyeing Mill) 223(pt),1/983(pt) Naigaon, Dadar Wadala	Approved Renewal of Consent	30.06.2023	WPC	<p>It was decided to grant Renewal of Consent to Operate for Mahada Scheme construction project having total Plot area 33822.89 Sq.mtrs and Construction BUA 188843.80 Sq.mtrs, as per EC dtd. 13.02.2017 by imposing following conditions.</p> <p>(i) PP shall comply with the conditions stipulated in consent conditions and submit/extend BG of Rs. 20 Lakhs towards compliance of the same.</p> <p>(ii) PP shall install online monitoring system to the O/L of STP for monitoring pH, Flow, BOD, TSS.</p> <p>(iii) The treated domestic effluent shall be 60 % recycled for secondary purpose such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and reaming shall be utilized on land for gardening and connected to the sewerage system provided by local body.</p> <p>(iv) Project Proponent shall operate Organic waste digester with composting facility or Bio-gas digester with composting facility effectively</p>

						<p>(v) Project Proponent shall make provision of charging port for Electric vehicles in at least 40% total available parking area.</p> <p>(vi) Project Proponent shall submit an affidavit in Board's prescribed format within 15 days regarding the compliance of conditions of EC and C to R.</p> <p>Consent to be issued after obtaining penal fees for not obtaining renewal after 30.06.2021.</p>
--	--	--	--	--	--	--

बृहन्मुंबई महानगरपालिका

आरोग्य पत्रिका



बृहन्मुंबई
महानगरपालिका

मुंबई
आरोग्य अभियान
→ आरोग्य मुंबई, विरोधी मुंबई

विभाग

K. Wood

शकितिक क्र.

①

कॅजेटदारचे नाव / कार्यस्थळ पत्ता / संपर्क क्र.

Pravin sir

कामगारचे नाव

Suresh m/c (Biqari)

वय

35

पुरुष/स्त्री


विकासकाचे नाव / कार्यस्थळ पत्ता / संपर्क क्र.

Merr Building - Sahar Plaza

Andheri (E)

आरोग्य विषयक इतर सूचना

- जेवण्यापूर्वी तसेच शौचावरून आल्यावर साबणाने हात स्वच्छ धुवावेत.
- बाहेरून आल्यावर हात, पाय आणि चेहरा पाण्यानी स्वच्छ धुवावा.
- रस्त्यावर विकण्यास ठेवलेले उघड्यावरचे अन्नपदार्थ व कापलेली फळे खाऊ नये.
- उघड्या नसणांवर पट्टी बांधावी.
- पायावर जखम झाल्यास साबलेल्या पाण्यातून ये- जा करणे टाळावे, लेप्टोपासून स्वतःला वाचवावे.
- तंबाखू, धुम्रपान व मद्यपान टाळावे.
- झिडक्यांना 9.4 मिमी पेक्षा लहान आकाराच्या जाळ्या लावाव्यात
- रोज झोपतानां मापसांचा व डारसांचा संपर्क टाळण्यासाठी मच्छरदाण्यांचा वापर करावा
- केवळ डॉक्टरी सल्ल्याने औषधोपचार करावा. स्वमंजीने औषधोपचार करू नये.
- डॉक्टरांनी दिलेला औषधाचा डोस वेळेवर व पूर्ण घ्यावा.



बृहन्मुंबई महानगरपालिका

आरोग्य पत्रिका



बृहन्मुंबई
महानगरपालिका



मुंबई
आरोग्य अभियान
→ आपली मुंबई, विरोधी मुंबई →

विभाग

K. Ward

सांकेतिक क्र.

2

क्याटदावाचे नाव / कार्यस्थळ पत्ता / संपर्क क्र.

Pravin Sir

कामगाराचे नाव

Gutaram m/c (Biqari)


वय 32 पुल्ब/श्री

विकसकाचे नाव / कार्यस्थळ पत्ता / संपर्क क्र.

Ment Building Sahar Plaza
Andari (E)

आरोग्य विषयक इतर सूचना

- जेवण्यापूर्वी तसेच शौचावरून आल्यावर साबणाने हात स्वच्छ धुवावेत.
- बाहेरून आल्यावर हात, पाय आणि चेहरा पाण्याने स्वच्छ धुवावा.
- रस्त्यावर विकण्यास ठेवलेले उघड्यावरचे अन्नपदार्थ व कापलेली फळे खाऊ नये.
- उघड्या जखमांवर पट्टी बांधावी.
- पायावर जखम झाल्यास साचलेल्या पाण्यातून घे- जा करणे टाळावे, लेप्टोपासून स्वतःला वाचवावे.
- तंबाखू, धुम्रपान व मद्यपान टाळावे.
- छिद्रव्यांना 9.५ मिमी पेक्षा लहान आकाराच्या जाळ्या लावाव्यात
- रोज झोपताना माणसांचा व डासांचा संपर्क टाळण्यासाठी मच्छरदाण्यांचा वापर करावा
- केवळ डॉक्टरांनी सल्ल्याने औषधोपचार करावा. स्वतःनीने औषधोपचार करू नये.
- डॉक्टरांनी दिलेला औषधाचा डोस वेळेवर व पूर्ण घ्यावा.



महिना	तपासणी दिनांक	निदान व अभिप्राय	आरोग्य कर्मचारी / वैद्यकीय अधिकारी सही	शेरा
	11/7/22	NO fever	e	
	20/7/22	NO fever	e	
	1/8/22	NO fever	e	
	25/8/22	NO fever	e	
	1/9/22	NO fever	e	
	20/9/22	NO fever	e	

डॉ. डि. बी. चौधरी
 बी.ए.एम.एस. (मुंबई)
 रजि. नं. आय. ६४७०९-ए

बृहन्मुंबई महानगरपालिका

आरोग्य पत्रिका



मुंबई
आरोग्य अभियान
← आंगली मुंबई, निरोधी मुंबई →

विषय

K (Word)

सांकेतिक क्र.

3

कंत्राटदाराचे नाव / कार्यस्थळ पत्ता / संपर्क क्र.

Pravin Sir

कामगाराचे नाव

Surajlal C/P


वय 38 पुरुष/स्त्री

विकासकाचे नाव / कार्यस्थळ पत्ता / संपर्क क्र.

Merit Building Sahar Plaza
Anandheri (E)

आरोग्य विषयक इतर सूचना

- जेवण्यापूर्वी तसेच शौचावरून आल्यावर साबणाने हात स्वच्छ धुवावेत.
- बाहेरून आल्यावर हात, पाय आणि चेहरा पाण्यानी स्वच्छ धुवावा.
- रस्त्यावर विकण्यास ठेवलेले उघडयावरचे अन्नपदार्थ व कापलेली फळे ख्राऊ नये.
- उघडया नख्खांवर पट्टी बांधावी.
- पायावर नख्खां झाल्यास साचलेल्या पाण्यातून ये- जा करणे टाळावे, लेप्टोपासून स्वतःला वाचवावे.
- तंबाखू, धुम्रपान व मद्यपान टाळावे.
- झिडक्यांना 9.4 मिनी पेक्षा लहान आकाराच्या जाळ्या लावाव्यात
- रोज झोपतानां माणसांचा व डासांचा संपर्क टाळण्यासाठी मच्छरदाण्यांचा वापर करावा
- केवळ डॉक्टरी सल्ल्याने औषधोपचार करावा. स्वमर्नीने औषधोपचार करू नये.
- डॉक्टरांनी दिलेला औषधाचा डोस वेळेवर व पूर्ण घ्यावा.



महिना	तपासणी दिनांक	निदान व अभिप्राय	आरोग्य कर्मचारी / वैद्यकीय अधिकारी सही	शेरा
	11/7/22	NO fever	e	
	26/7/22	NO fever	e	
	1/8/22	NO fever	e	
	25/8/22	NO fever	e	
	1/9/22	NO fever	e	
	20/9/22	NO fever	e	


डॉ. डि. बी. चौधरी
बी. ए. एम. एस. (मुंबई)
रजि. नं. आय. ६४७०९-ए

बृहन्मुंबई महानगरपालिका

आरोग्य पत्रिका



बृहन्मुंबई
महानगरपालिका



मुंबई
आरोग्य अभियान
आपली मुंबई, जिराफी मुंबई

विचार

K. Wood

सांकेतिक क्र.

(4)

कंत्राटदाराचे नाव / कार्यस्थळ पत्ता / संपर्क क्र.

Pravin Sis

कामगाराचे नाव

Hira Lal

वय पुत्र/स्त्री


विकासकाचे नाव / कार्यस्थळ पत्ता / संपर्क क्र.

Ment Building Sahar Plaza

Androsi (E)

आरोग्य विषयक इतर सूचना

- जेवण्यापूर्वी तसेच शींचावरून आल्यावर साबणाने हात स्वच्छ धुवावेत.
- बाहेरून आल्यावर हात, पाय आणि चेहरा पाण्याने स्वच्छ धुवावा.
- रस्त्यावर विकण्यास ठेवलेले उघड्यावरचे अन्नपदार्थ व कापलेली फळे खाऊ नये.
- उघड्या जखमांवर पट्टी बांधावी.
- पायावर जखम झाल्यास साचलेल्या पाण्यातून ये- जा करणे टाळावे, लेप्टोपासून स्वतःला वाचवावे.
- तंबाखू, धुम्रपान व मद्यपान टाळावे.
- छिडक्यांना 9.5 मिमी पेक्षा लहान आकाराच्या जाळ्या लावाव्यात
- रोज झोपताना नापसांचा व डासांचा संपर्क टाळण्यासाठी मच्छरदाण्यांचा वापर करावा
- केवळ डॉक्टरांनी सल्ल्याने औषधोपचार करावा. स्वमर्जीने औषधोपचार करू नये.
- डॉक्टरांनी दिलेला औषधाचा डोस वेळेवर व पूर्ण घ्यावा.



महिना	तपासणी दिनांक	निदान व अभिप्राय	आरोग्य कर्मचारी / वैद्यकीय अधिकारी सही	शेरा
	11/7/22	NO fever	e	
	26/7/22	NO fever	e	
	1/8/22	NO fever	e	
	25/8/22	NO fever	e	
	1/9/22	NO fever	e	
	20/9/22	NO fever	e	

डॉ. डि. बी. चौधरी
बी. ए. एम. एस. (मुंबई)
रजि. नं. आय. ६४७०९-ए

विभाग K Ward सांकेतिक क्र. (5)

कंत्राटदाराचे नाव / कार्यस्थळ पत्ता / संपर्क क्र. _____

काप्याचा नाव Pravin sir


वय _____ पुरुष/स्त्री

विकासाचा नाव / कार्यस्थळ पत्ता / संपर्क क्र. Mmt Building Sahar Plaza.

Andhori (E)

आरोग्य विषयक इतर सूचना

- जेवण्यापूर्वी तसेच शौचावरून आल्यावर साबणाचे हात स्वच्छ धुवावेत.
- बाहेरून आल्यावर हात, पाय आणि चेहरा पाण्यानी स्वच्छ धुवावा.
- रस्त्यावर विकण्यास ठेवलेले उघड्यावरचे अन्नपदार्थ व कापलेली फळे खाऊ नये.
- उघड्या बसणांवर पट्टी बांधावी.
- पायावर बसून झाल्यास साचलेल्या पाण्यातून ये- ना करणे टाळावे, लेप्टोपासून स्वतःला वाचवावे.
- तंबाखू, धुम्रपान व मद्यपान टाळावे.
- झिडक्यांना 9.५ मिमी पेक्षा लहान आकाराच्या जाळ्या लावाव्यात
- रोज झोपतानां माणसांचा व डासांचा संपर्क टाळण्यासाठी मच्छरदाण्यांचा वापर करावा
- केवळ डॉक्टरांनी सल्ल्याने औषधोपचार करावा. स्वमंनीने औषधोपचार करू नये.
- डॉक्टरांनी दिलेला औषधाचा डोस वेळेवर व पूर्ण घ्यावा.



MUNICIPAL CORPORATION OF GREATER MUMBAI
SOLID WASTE MANAGEMENT (W.S.)
Office of the Dy.H.S.(S.W.M.) Z-III, MCGM Building, 2nd Floor, 321 TPS 2, Nehru
Road, Vile Parle (E), Mumbai - 400 057

VALID UPTO 24.08.2015

To,
M/s Tulsiani-Sumer Associates,
1103/4 Tulsiani Chambers,
212 Nariman Point,
Mumbai-400021

EX. ENG / SWM / 491 / Z-III
21 / 08 / 15

- Sub:** - Handling & transportation of waste generated under "Debris Management Plan" for proposed Club house & Swimming Pool on sub-plot A on plot bearing CTS. No. 179-A to 179-H of village Mulgaon, CTS no. 230-A to 230-D, 238-B, 243-A & 243-A/1 of village Kondivita at M.V. Road, Andheri (E) Mumbai
- Ref:** - 1) Your application received From A.E. (SWM) K/E
u/no. A.E/K/E/6449/SWM Dt.21.08.2015
2) Work order-CIDCO/EE (AP-R/R-II) 2015/34 Dt. 03.02.15
3) CIDCO/CE (NMIA)/2015/ACE (11)84 Dt.05.01.2015
4) CIDCO/EE (AP-R/R-II)/2015/83 Dt. 31.03.2015
5) Letter from P.D. Earthmovers to M/s. Mishra Transport Services
Dt.09.04.2015
6) Letter from M/s. Mishra Transport Service to M/s. Tulsiani-Sumer Associates
7) IOD u/no. CE/9152/WS/AK Dt. 10.08.2011 and further amended IOD
u/no CHE/9152/WS/AK Dt.16.02.2015
8) Excavation permission u/no. AC/DESK-IV/MNL/SR-251/2015-16
Dt.23.07.2015

Gentlemen,

With reference to your application along with papers submitted, you are allowed to transport debris from designated point of generation to designated point of disposal as stated in "Debris Management Plan" submitted by you. This is only transportation approval & does not amount to permission to dispose off debris at designated or any other site. As per papers submitted and after the site inspection of by A.E.(SWM) K/E and his NOC it is observed that as per the letter, you have proposed to handle & transport approximately **200 brass of excavation earth** to be unloaded at Development of land for Rehabilitation and Resettlement of Airport Project Affected villages in Sector 24 of Vahal, Ulwe Node, Navi Mumbai for Debris clearance certificate under the "Construction Demolition Waste (Management & Disposal) Rules 2006", for the subject plot. You are requested to abide the rules and regulations as below:-

Environmental Conditions:-

1. You are allowed to transport approx. **200 brass of excavation earth** to be unloaded at Development of land for Rehabilitation and Resettlement of Airport Project Affected villages in Sector 24 of Vahal, Ulwe Node, Navi Mumbai through transport contractor M/s. Lokesh Transport
2. You will ensure that, debris / construction waste generated is stored in proper container till its utilizations. Under any circumstances the debris / construction waste generated is not

7. The vehicles specified shall not create any nuisance i.e. spilling slurry / waste on road while transportation. The body, wheels, chassis etc, shall therefore be washed and cleaned thoroughly to avoid spreading of waste on road.
8. The vehicles deployed shall abide by the vehicle registration numbers given to this office and see that they confirm to R.T.O. Rules & Regulations and Pollution Control Norms and be properly covered with tarpaulin or any other suitable material firmly on the vehicle to avoid any escape and fall of waste on road.
9. Each of the vehicle deployed under this approval shall carry the copy of approval while transportation of waste.
10. The challan used for transportation and unloading shall clearly specify all the details including loading and disposal site.
11. You will ensure that barricading and enclosure are provided at construction site to avoid escape of fugitive dust into the atmosphere, as well as its deposits to spread on street / footpaths / drains etc.
12. You will ensure that precautionary measures are taken to avoid any disaster due to excavation of earth to the neighboring structures / compound walls / roads / S.W.D. etc. and excavation work will strictly be carried out under the supervision and responsibility of structural engineer.
13. While carrying out the work, if any damaged occurred to the neighboring structure / compound wall / road / S.W.D. etc. or during dumping / disposal of excavated earth, chokes flooding situation to nearby area / house, then developer / owner / builder will be held responsible and they have to carry out repairs of damaged structure / compound wall / Roads / S.W.D. etc. free of cost.
14. You will ensure that the necessary permission from the Collector for excavation purpose and permission from Building Proposal department for any changes, modification/alteration/ demolition if any be obtained before actual starting of the work and copy of the same be produced to this office for perusal & for which a separate C & D permission is to be obtained by the concerned.
15. The NOC / Permission required for Central / State or any Government authority shall be complied with before execution of the work.
16. The letter is granted presuming that the papers submitted by the applicants / POA / Occupant / Owners are genuine & for any dispute arising out of documents submitted by applicant, POA / Occupant / Owner will be held responsible.
17. This letter is not valid for the areas covered with mangroves contravention of this clause will be attract prosecution under the Environment Protection Act & other relevant act.
18. Violation of any condition stated above will attract the action as per the C. & D. Rules.
19. The approval granted here to does not absolve the approval required from the other department.
20. The transportation of excavation earth / construction waste shall be done in day time only.
21. The M.C.G.M. reserves the right to revoke the same permission if conditions of environment is not followed or in any such unavoidable circumstances without giving any notice or reasons.

MH-04 EB-7891	MH-04 EB-7909	MH-04 EY-2707	MH-04 EY-2797
MH-04 EY-6424	MH-04 EY-6433	MH-04 EY-7099	MH-04 EY-7189
MH-04 FD-16	MH-04 FD-835	MH-04 FD-250	MH-04 EL-8647
MH-04 GC-9781	MH-04 GC-9754	-----	-----

Yours faithfully,



Sumer Corporation

B u i l d e r s & D e v e l o p e r s

SC/2013.

Dt. 23.10.2013.

To
M/s. Tulsiani Sumer Associates,
Sahar Plaza Complex, Next to Kohinoor hotel,
JB Nagar, Sir M. V. Road,
Andheri (east),
MUMBAI – 400059.

Reg.: Usage of Excavated Earth for site filling and leveling of our SRA project at Chandivali.

Ref.: Excavation of Land for Basement for "Windfall Building" near Kohinoor Hotel at Ahdheri Kurla Road, Andheri (E), Mumbai.

Dear Sir,

This is in refrence to the Earth Excavation activity for construction of basement at the above referred site.

We would state that the Excavated Earth (Constrcution waste) generated at the project Sahar Plaza "Windfall Building" has been used in filling and leveling of our site at property bearing CTS No.11A(pt.), 16, 19, 20(pt), 11D(pt), 50A(pt), 25(pt) of Village Chandivali Taluka-Kurla.


Due to topography of our plot we had required the excavated earth for filling and leveling some of the portions of our property for its proper usage.

The activity of Earth Excavation was carried out from 2006 onwards and the same was used far filling and leveling at our above referred site. Appx 300 Truck loads would have been used in the same.

Thanking you,

Yours faithfully,

For SUMER CORPORATION,


PARTNER.



Sumer Earth Movers Pvt. Ltd.

• INFRASTRUCTURE DEVELOPERS & SERVICES •

To,

Date: - 22/02/2006

Tulsiani Sumer Associates,
1103/4 , Tulsiani Chambers,
21 Nariman Point,
Mumbai-400021

Sub:- Shifting of Surplus soil from Excavation at Sahar Plaza, Andheri (E),
Mumbai to our Slum Redevelopment Project at Chandivali, Mumbai

Dear Sir,

As explained to you earlier we want to put on record that whatsoever Surplus soil will be available during Excavation of soil at Sahar Plaza, Andheri (E), Mumbai will be shifted by us to our Slum Redevelopment Project at Chandivali, Mumbai (being developed by our sister concern M/s Sumer Corporation) and will be used for filling purpose.

This is for your information & record please.

For Sumer Earthmovers,

(Rahul R. Shah)

MUNICIPAL CORPORATION OF GREATER MUMBAI

A/E/ENV/916/RE

Office of Ex. Eng(ENV) Z-III
Santacruz Municipal Garage,
S.S.V. Road, Santacruz(W)
Mumbai - 52

10/9/2007

To,
M/s S.G. Kanade
Architect & Interior Designer
173/20, 'AALAP' Co-op Hsg. Soc. Ltd.,
Sir Bhalchandra road, Hindu Colony,
Dadar, Mumbai - 400 014

**Sub: -Debris NOC on proposed development on CTS No. 243A, 243A/1,
230A to D, 238/D of village Kondvita at Andheri(E) for Building No.3
Chakala, Andheri Ghatkopar Road, Andheri(E), Mumbai.**

- Ref: 1) Your letter u/no.916 dated 10/9/07
2) CE/1199/LOKEN
3) CE/8644/AK

Gentlemen,

With reference to application and documents submitted thereat, the site is visited and approval is hereby granted for handling, storage and disposal of waste generated under the "Construction Demolition waste (Management & Disposal) Rules - 2006", subject to the following conditions.

1. As per your above referred application quantity is 300 Cu.M which will be utilized within the same plot.
2. You will ensure that barricading & enclosure are provided at construction site to avoid escape of fugitive dust into atmosphere, as well as its deposits to spread on street/footpath/drains etc.
3. You will ensure that, debris / construction waste generated is stored in proper container till its transportation. Under any circumstances the debris / construction waste generated is not deposited on roads or footpath
4. You will adhere to the pollution norms the noise level for the activities to be performed & covered under this permission.
5. You will transport the construction & demolition waste through the vehicles furnished by you only. Any change in the same shall be intimated & got approved before implementation.

6. The vehicles specified shall not create any nuisance; spillage of slurry / waste on road while transportation. The body, wheels chasis etc shall be washed and cleaned thoroughly to avoid spreading of waste / mud on road.
7. The vehicles deployed shall be covered with tarpaulin or any other suitable material firmly fixed on the vehicle to avoid any escape & fall of waste on road.
8. Each of the vehicles deployed under this approval shall carry the copy of the approval while transportation of waste.
9. The challan used for transportation and unloading shall clearly specify all the details including loading and disposal site. The record of the same shall be maintained and produced on demand.
10. The unloading of waste shall be done only at the designated disposal site for which "No Objection Certificate" issued by the concerned.
11. The applicant shall keep proper record of handling & transportation of C & D waste of the collection spot and disposal site and the same shall be produced on demand.
12. The surrounding & vicinity of loading & disposal site shall be maintained clean.
13. The permission is granted presuming that the papers submitted by the applicant / POA / occupant owners are genuine & for any dispute arising out of documents submitted by applicant / POA / occupant owners will be held responsible.
14. This permission not valid for the area covered with mangroves contravention of this clause will attract prosecution under the Environment Protection Act & other relevant act.
15. Violation of any conditions stated above will attract the action as per the C & D rules.
16. The approval granted hereto does not absolve the approval required from the other departments.

Yours faithfully,


17/7/2023
(Ex.Eng.(ENV) Z(III))

Lab : Survey No. 93/A, Conformity Hissa No.2 G.V.Brothers Bldg., Bata Compound, Khopat, Near Flower Valley, Thane (West) - 400 601, Maharashtra, India.
Tele : +91 22 2547 49 07 / +91 22 2547 62 17 Email : lab@ultratech.in Visit us at : www.ultratech.in

TEST REPORT

ISSUED TO: M/s. TULSIANI-SUMER ASSOCIATES.**For Your Site : "Sahar Plaza Complex"**Sir M.V. Road, Next to Kohinoor Continental Hotel,
Andheri (East), Mumbai - 400059**REPORT NO. : UT/ELS/REPORT/C-097/05-2022****ISSUE DATE : 20/05/2022****YOUR REF. : Sahar Plaza/MoEF & CC/01/2022****REF. DATE : 29/04/2022****SAMPLE PARTICULARS :**

Sampling Plan Ref. No.: : C-01/04-2022
Sample Registration Date : 02/04/2022
Date of Sampling : 01/04/2022
Time of Sampling : 09:30 Hrs. to 17:30 Hrs.
Analysis Starting Date : 02/04/2022
Analysis Completion Date : 05/04/2022
Sample Lab Code : UT/ELS/C-001/04-2022
Ambient Air Temperature : 28.4°C to 33.6°C

AMBIENT AIR QUALITY MONITORING

Location Code : 01
Sample Location : Backside of windfall Building
(05 Meter Off towards North Direction)
Co-ordinates: N-19°06'48.52", E-72°52'10.48"
Collected By : ULTRA-TECH
Height of Sampler : 1.0 Meter
Sampling Duration : 08 Hours
Relative Humidity : 51.0 % to 68.0 %

Sr. No.	Test Parameter	Test Method	Test Result	Unit
1.	Sulphur Dioxide (SO ₂)	IS 5182 (Part 02) : 2001	13	µg/m ³
2.	Oxides of Nitrogen (NO _x)	IS 5182 (Part 06) : 2006	24	µg/m ³
3.	Particulate Matter (PM ₁₀)	EPA/625/R-96/010a Method 10-2.1	75	µg/m ³
4.	Particulate Matter (PM _{2.5})	CPCB Guidelines, Vol-I, NAAQMS/36/2012-13	27	µg/m ³
5.	Carbon Monoxide (CO) †	IS 5182 (Part 10): 1999	1.4	mg/m ³

†: Sampling Period 1 Hr.

Opinions / Interpretations: National Ambient Air Quality Monitoring Standard, Part III- Section IV is provided as Annexure-I for your reference.
(Turnover to find Annexure).

Sampling Equipment Details	Instrument Used	Make & Model	Calibration Status
	Respirable Dust Sampler	Make - Politech; Model - PEM-RDS 8NL; Sr. No. 3313	Valid up to - 04/10/2022
Fine Dust Sampler	Make - Politech; Model - PEM ADS 2.5/10µ; Sr. No. 18213	Valid up to - 05/01/2023	

- Note:**
1. This test report refers only to the sample tested.
 2. Monitoring area coming under Residential areas and observed values are relevant to sample collected only.
 3. This test report may not be reproduced in part, without the permission of this laboratory.
 4. Any correction invalidates this test report.
 5. Weather was Sunny during sampling period.

- END OF REPORT -



ANNEXURE-I

NATIONAL AMBIENT AIR QUALITY STANDARDS, PART III-SECTION IV

The Gazette of India with Effect from Wednesday, November 18, 2009/KARTIKA 27, 1931

Sr. No.	Pollutants	Time Weighted Average	National Ambient Air Quality Standards	
			Industrial, Residential, Rural and Other Area	Ecological Sensitive Area (Notified by Central Government)
01.	Sulphur Dioxide (SO ₂), µg/m ³	Annual*	50	20
		24 Hours**	80	80
02.	Oxides of Nitrogen (NO _x), µg/m ³	Annual*	40	30
		24 Hours**	80	80
03.	Particulate Matter (PM ₁₀), µg/m ³	Annual*	60	60
		24 Hours**	100	100
04.	Particulate Matter (PM _{2.5}), µg/m ³	Annual*	40	40
		24 Hours**	60	60
05.	Carbon Monoxide (CO), mg/m ³	08 Hours*	02	02
		01 Hours**	04	04

* Annual arithmetic mean of minimum 104 measurements in a year at a particular site taken twice a week 24 hourly at uniform intervals.

** 24 hourly or 8 hourly or 1 hourly monitored values, as applicable, shall be complied with 98% of the time in a year. 2% of the time, they may exceed the limits but not on two consecutive days of monitoring.

NOTE: Whenever and wherever monitoring results on two consecutive days of monitoring exceed the limits specified above for the respective category, it shall be considered adequate reason to institute regular or continuous monitoring and further

Lab : Survey No. 93/A, Conformity Hissa No.2 G.V.Brothers Bldg., Bata Compound, Khopat, Near Flower Valley, Thane (West) - 400 601, Maharashtra, India.
Tel : +91 22 2547 49 07 / +91 22 2547 62 17 Email : lab@ultratech.in Visit us at : www.ultratech.in

TEST REPORT

ISSUED TO: M/s. TULSIANI-SUMER ASSOCIATES.**For Your Site : "Sahar Plaza Complex"**Sir M.V. Road, Next to Kohinoor Continental Hotel,
Andheri (East), Mumbai - 400059**REPORT NO. : UT/ELS/REPORT/C-098/05-2022****ISSUE DATE : 20/05/2022****YOUR REF. : Sahar Plaza/MoEF & CC/01/2022****REF. DATE : 29/04/2022****SAMPLE PARTICULARS :**

Sampling Plan Ref. No.: : C-01/04-2022
Sample Registration Date : 02/04/2022
Date of Sampling : 01/04/2022 to 02/04/2022
Time of Sampling : 18:00 Hrs. to 02:00 Hrs.
Analysis Starting Date : 02/04/2022
Analysis Completion Date : 05/04/2022
Sample Lab Code : UT/ELS/C-002/04-2022
Ambient Air Temperature : 28.1°C to 32.5°C

AMBIENT AIR QUALITY MONITORING

Location Code : 02
Sample Location : Near Site Office
(06 Meter Off towards South Direction)
Co-ordinates: N-19°06'47.24", E-72°52'06.35"
Collected By : ULTRA-TECH
Height of Sampler : 1.0 Meter
Sampling Duration : 08 Hours
Relative Humidity : 52.0 % to 65.0 %

Sr. No.	Test Parameter	Test Method	Test Result	Unit
1.	Sulphur Dioxide (SO ₂)	IS 5182 (Part 02) : 2001	15	µg/m ³
2.	Oxides of Nitrogen (NO _x)	IS 5182 (Part 06) : 2006	26	µg/m ³
3.	Particulate Matter (PM ₁₀)	EPA/625/R-96/010a Method 10-2.1	80	µg/m ³
4.	Particulate Matter (PM _{2.5})	CPCB Guidelines, Vol-I, NAAQMS/36/2012-13	29	µg/m ³
5.	Carbon Monoxide (CO) †	IS 5182 (Part 10): 1999	1.1	mg/m ³

†: Sampling Period 1 Hr.

Opinions / Interpretations: National Ambient Air Quality Monitoring Standard, Part III- Section IV is provided as Annexure-1 for your reference.
(Turnover to find Annexure).

Sampling Equipment Details	Instrument Used	Make & Model	Calibration Status
	Respirable Dust Sampler	Make - Polltech; Model - PEM-RDS BNL; Sr. No. 3313	Valid up to - 04/10/2022
Fine Dust Sampler	Make - Polltech; Model - PEM ADS 2.5/10µ; Sr. No. 18213	Valid up to - 05/01/2023	

- Note:**
1. This test report refers only to the sample tested.
 2. Monitoring area coming under Residential areas and observed values are relevant to sample collected only.
 3. This test report may not be reproduced in part, without the permission of this laboratory.
 4. Any correction invalidates this test report.
 5. Weather was Clear during sampling period.

- END OF REPORT -



Page 1 of 1

ANNEXURE-I

NATIONAL AMBIENT AIR QUALITY STANDARDS, PART III-SECTION IV
The Gazette of India with Effect from Wednesday, November 18, 2009/KARTIKA 27, 1931

Sr. No.	Pollutants	Time Weighted Average	National Ambient Air Quality Standards	
			Industrial, Residential, Rural and Other Area	Ecological Sensitive Area (Notified by Central Government)
01.	Sulphur Dioxide (SO ₂), µg/m ³	Annual*	50	20
		24 Hours**	80	80
02.	Oxides of Nitrogen (NO _x), µg/m ³	Annual*	40	30
		24 Hours**	80	80
03.	Particulate Matter (PM ₁₀), µg/m ³	Annual*	60	60
		24 Hours**	100	100
04.	Particulate Matter (PM _{2.5}), µg/m ³	Annual*	40	40
		24 Hours**	60	60
05.	Carbon Monoxide (CO), mg/m ³	08 Hours*	02	02
		01 Hours**	04	04

* Annual arithmetic mean of minimum 104 measurements in a year at a particular site taken twice a week 24 hourly at uniform intervals.

** 24 hourly or 8 hourly or 1 hourly monitored values, as applicable, shall be complied with 98% of the time in a year. 2% of the time, they may exceed the limits but not on two consecutive days of monitoring.

NOTE: Whenever and wherever monitoring results on two consecutive days of monitoring exceed the limits specified above for the respective category, it shall be considered adequate reason to institute regular or continuous monitoring and further

Lab : Survey No. 93/A, Conformity Hissa No.2 G.V.Brothers Bldg., Beta Compound, Khopat, Near Flower Valley, Thane (West) - 400 801, Maharashtra, India.
Tele : +91 22 2547 49 07 / +91 22 2547 62 17 Email : lab@ultratech.in Visit us at : www.ultratech.in

TEST REPORT

ISSUED TO: M/s. TULSIANI-SUMER ASSOCIATES.**For Your Site : "Sahar Plaza Complex"**Sir M.V. Road, Next to Kohinoor Continental Hotel,
Andheri (East), Mumbai - 400059**REPORT NO. : UT/ELS/REPORT/C-099/05-2022****ISSUE DATE : 20/05/2022****YOUR REF. : Sahar Plaza/MoEF & CC/01/2022****REF. DATE : 29/04/2022****SAMPLE PARTICULARS :**

Sampling Plan Ref. No.: : C-01/04-2022
Sample Registration Date : 02/04/2022
Date of Sampling : 02/04/2022
Time of Sampling : 02:30 Hrs. to 10:30 Hrs.
Analysis Starting Date : 02/04/2022
Analysis Completion Date : 05/04/2022
Sample Lab Code : UT/ELS/C-003/04-2022
Ambient Air Temperature : 28.2°C to 32.8°C

AMBIENT AIR QUALITY MONITORING

Location Code : 03
Sample Location : Near Main Gate
(15 meters off towards North Direction)
Co-ordinates: N-19°06'44.55", E-72°52'07.32"
Collected By : ULTRA-TECH
Height of Sampler : 1.0 Meter
Sampling Duration : 08 Hours
Relative Humidity : 53.0% to 66.0%

Sr. No.	Test Parameter	Test Method	Test Result	Unit
1.	Sulphur Dioxide (SO ₂)	IS 5182 (Part 02) : 2001	11	µg/m ³
2.	Oxides of Nitrogen (NO _x)	IS 5182 (Part 06) : 2006	22	µg/m ³
3.	Particulate Matter (PM ₁₀)	EPA/625/R-96/010a Method 10-2.1	73	µg/m ³
4.	Particulate Matter (PM _{2.5})	CPCB Guidelines, Vol-I, NAAQMS/36/2012-13	24	µg/m ³
5.	Carbon Monoxide (CO) †	IS 5182 (Part 10): 1999	1.2	mg/m ³

†: Sampling Period 1 Hr.

Opinions / Interpretations: National Ambient Air Quality Monitoring Standard, Part III- Section IV is provided as Annexure-I for your reference.
(Turnover to find Annexure).

Sampling Equipment Details	Instrument Used	Make & Model	Calibration Status
	Respirable Dust Sampler	Make - Politech; Model - PEM-RDS BNL; Sr. No. 3313	Valid up to - 04/10/2022
Fine Dust Sampler	Make - Politech; Model - PEM ADS 2.5/10µ; Sr. No. 18213	Valid up to - 05/01/2023	

- Note:**
1. This test report refers only to the sample tested.
 2. Monitoring area coming under Residential areas and observed values are relevant to sample collected only.
 3. This test report may not be reproduced in part, without the permission of this laboratory.
 4. Any correction invalidates this test report.
 5. Weather was Sunny & Clear during sampling period.

- END OF REPORT -



ANNEXURE-I

NATIONAL AMBIENT AIR QUALITY STANDARDS, PART III-SECTION IV
The Gazette of India with Effect from Wednesday, November 18, 2009/KARTIKA 27, 1931

Sr. No.	Pollutants	Time Weighted Average	National Ambient Air Quality Standards	
			Industrial, Residential, Rural and Other Area	Ecological Sensitive Area (Notified by Central Government)
01.	Sulphur Dioxide (SO ₂), µg/m ³	Annual*	50	20
		24 Hours**	80	80
02.	Oxides of Nitrogen (NO _x), µg/m ³	Annual*	40	30
		24 Hours**	80	80
03.	Particulate Matter (PM ₁₀), µg/m ³	Annual*	60	60
		24 Hours**	100	100
04.	Particulate Matter (PM _{2.5}), µg/m ³	Annual*	40	40
		24 Hours**	60	60
05.	Carbon Monoxide (CO), mg/m ³	08 Hours*	02	02
		01 Hours**	04	04

* Annual arithmetic mean of minimum 104 measurements in a year at a particular site taken twice a week 24 hourly at uniform intervals.

** 24 hourly or 8 hourly or 1 hourly monitored values, as applicable, shall be complied with 98% of the time in a year. 2% of the time, they may exceed the limits but not on two consecutive days of monitoring.

NOTE: Whenever and wherever monitoring results on two consecutive days of monitoring exceed the limits specified above for the respective category, it shall be considered adequate reason to institute regular or continuous monitoring and further

Lab : Survey No. 93/A, Conformity Hissa No.2 G.V.Brothers Bldg., Bata Compound, Khopat, Near Flower Valley, Thane (West) -400 601, Maharashtra, India.
Tele : +91 22 2547 49 07 / +91 22 2547 62 17 Email : lab@ultratech.in Visit us at : www.ultratech.in

TEST REPORT

ISSUED TO: M/s. TULSIANI-SUMER ASSOCIATES.**For Your Site : "Sahar Plaza Complex"**Sir M.V. Road, Next to Kohinoor Continental Hotel,
Andheri (East), Mumbai - 400059**REPORT NO. : UT/ELS/REPORT/C-100/05-2022****ISSUE DATE : 20/05/2022****YOUR REF. : Sahar Plaza/MoEF & CC/01/2022****REF. DATE : 29/04/2022****SAMPLE PARTICULARS :****Sampling Plan Ref. No. : C-01/04-2022****Date of Monitoring : 01/04/2022****NOISE LEVEL QUALITY MONITORING****Sample Lab Code : UT/ELS/C-004/04-2022****Survey Done By : ULTRA-TECH**

Sr. No.	Location	Noise Level Reading in dB(A)			
		Time (Hrs)	Day dB(A)	Time (Hrs)	Night dB(A)
01.	Near Main Gate	10:00 to 10:05	54.3	22:00 to 22:05	44.3
02.	Backside Of Windfall Building	10:10 to 10:15	53.6	22:10 to 22:15	43.8
03.	Near Minta Building	10:20 to 10:25	52.8	22:20 to 22:25	41.7
04.	STP Plant Area	10:30 to 10:35	53.7	22:30 to 22:35	43.9
05.	Near Meadows Building	10:40 to 10:45	52.6	22:40 to 22:45	42.3
06.	Near Club House	10:50 to 10:55	51.9	22:50 to 22:55	41.8

Opinions / Interpretations: *The Noise Pollution (Regulation And Control) Rules, 2000: Is Provided as Annexure II for Your Reference.
(Turnover to find Annexure).*

Note: 1. Monitoring area coming under Residential Area.
2. Noise level monitored is an average for period as stated above, the permissible sound pressure level is to be determined with respect to the total time a workman is being exposed (continuously or a number of short term exposures per day) in Hrs.

Sampling Equipment Details	Instrument Used	Make & Model	Calibration Status
	Sound Level Meter	Make - Casella; Model - CEL-633C; Sr. no. 2382959	Valid up to - 10/12/2022

Note: 1. This test report refers only to the monitoring conducted.
2. This test report may not be reproduced in part, without the permission of this laboratory.
3. Any correction invalidates this test report.

- END OF REPORT -



ANNEXURE-II
THE NOISE POLLUTION (REGULATION AND CONTROL) RULES, 2000

(The Principal Rules were published in the Gazette of India, vide S.O. 123(E), dated 14.2.2000 and subsequently amended vide S.O. 1046(E), dated 22.11.2000, S.O. 1088(E), dated 11.10.2002, S.O. 1569 (E), dated 19.09.2006 and S.O. 50 (E) dated 11.01.2010 under the Environment (Protection) Act, 1986.)

• SCHEDULE

(See rule 3(1) and 4(1))

Ambient Air Quality Standards in respect of Noise

Area Code	Category of Area / Zone	Limits in dB(A) Leq	
		Day Time	Night Time
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Zone	50	40

- Note:
1. Day time shall mean from 6.00 a.m. to 10.00 p.m.
 2. Night time shall mean from 10.00 p.m. to 6.00 a.m.
 3. Silence zone is an area comprising not less than 100 meters around hospitals, educational institutions, courts, religious places or any other area which is declared as such by the competent authority.
 4. Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

* dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale A which is relatable to human hearing.

A "decibel" is a unit in which noise is measured.

"A", in dB(A) Leq, denotes the frequency weighting in the measurement of noise and corresponds to frequency response characteristics of the human ear.

Leq: It is energy mean of the noise level over a specified period.

• CONSTRUCTION ACTIVITIES

The maximum noise levels near the construction site should be limited to 75 dB(A) Leq(5 min.) in industrial areas and to 65 dB(A) Leq(5 min.) in other areas.

• THE PERMISSIBLE LEVELS FOR NOISE EXPOSURE FOR WORK ZONE

(The Model Rules Of The Factories Act, 1948)

Peak sound pressure level in dB	Permitted number of impulses or impact/day
140	100
135	315
130	1000
125	3160
120	10000

- Notes:
1. No exposure in excess of 140 dB peak sound pressure level is permitted.
 2. For any peak sound pressure level falling in between any figure and the next higher or lower figure as indicated in column 1, the permitted number of impulses or impacts per day is to be determined by extrapolation on a proportionate basis.

Total time exposure (continuous or a number of short term exposures per day) in Hrs	Sound Pressure Level in dB(A)
8	90
4	93
2	96
1	99
1/2	102
1/8	108
1/16	111
1/32 (2 minutes) or less	114

- Notes:
1. No exposure in excess of 115 dB(A) is to be permitted.
 2. For any period of exposure falling in between any figure and the next higher or lower figure as indicated in column 1, the permissible sound pressure level is to be determined by extrapolation on a proportionate basis.

TEST REPORT

ISSUED TO: M/s. TULSIANI-SUMER ASSOCIATES.

For Your Site : "Sahar Plaza Complex"

Sir M.V. Road, Next to Kohinoor Continental Hotel,
Andheri (East), Mumbai - 400059

REPORT NO. : UT/ELS/REPORT/C-101/05-2022

ISSUE DATE : 20/05/2022

YOUR REF. : Sahar Plaza/MoEF & CC/01/2022

REF. DATE : 29/04/2022

SAMPLE PARTICULARS

Sampling Plan Ref. No. : C-01/04-2022
Sample Registration Date : 02/04/2022
Date & Time of Sampling : 01/04/2022 at 17:00hrs.
Analysis Starting Date : 02/04/2022
Analysis Completion Date : 08/04/2022
Sample Collected By : ULTRA TECH
Sample Lab Code : UT/ELS/C-005/04-2022

WASTE WATER SAMPLE ANALYSIS

Sample Type : Untreated Sewage
Sample Location : Before Aeration Tank

Sample Quantity & Packing Details : 1L in Wide Mouth Glass Bottle for Oil and Grease and 2L In Plastic Container for other parameters

Sr. No.	Test Parameter	Test Method	Test Result	Unit
1.	pH	IS 3025 (Part 11) : 1983	6.7	-
2.	Total Suspended Solids	IS 3025 (Part 17) : 1984	72	mg/L
3.	Oil & Grease	IS 3025 (Part 39) : 1991	10	mg/L
4.	Biochemical Oxygen Demand (27°C, 3Days)	IS 3025 (Part 44) : 1993	130	mg/L
5.	Chemical Oxygen Demand	IS 3025 (Part 58) : 2006	432	mg/L

Opinions / Interpretations: Nil

Note:
1. This test report refers only to the sample tested.
2. This test report may not be reproduced in part, without the permission of this laboratory.
3. Any correction invalidates this test report.

- END OF REPORT -

For ULTRA-TECH



(Authorized Signatory)

Lab : Survey No. 93/A, Conformity Hissa No.2 G.V.Brothers Bldg., Bata Compound, Khopat, Near Flower Valley, Thane (West) - 400 601, Maharashtra, India.
Tele : +91 22 2547 49 07 / +91 22 2547 62 17 Email : lab@ultratech.in Visit us at : www.ultratech.in

TEST REPORT

ISSUED TO: M/s. TULSIANI-SUMER ASSOCIATES.**For Your Site : "Sahar Plaza Complex"**

Sir M.V. Road, Next to Kohinoor Continental Hotel,

Andheri (East), Mumbai - 400059

REPORT NO. : UT/ELS/REPORT/C-102/05-2022**ISSUE DATE** : 20/05/2022**YOUR REF.** : Sahar Plaza/MoEF & CC/01/2022**REF. DATE** : 29/04/2022**SAMPLE PARTICULARS**

Sampling Plan Ref. No. : C-01/04-2022
Sample Registration Date : 02/04/2022
Date & Time of Sampling : 01/04/2022 at 17:30hrs.
Analysis Starting Date : 02/04/2022
Analysis Completion Date : 08/04/2022
Sample Collected By : ULTRA TECH
Sample Lab Code : UT/ELS/C-006/04-2022

WASTE WATER SAMPLE ANALYSIS

Sample Type : Treated Sewage
Sample Location : After Carbon Filter
Sample Quantity & Packing Details : 1L in Wide Mouth Glass Bottle for Oil and Grease and 2L in Plastic Container for other parameters

Sr. No.	Test Parameter	Test Method	Test Result	Unit
1.	pH	IS 3025 (Part 11) : 1983	7.3	-
2.	Total Suspended Solids	IS 3025 (Part 17) : 1984	7	mg/L
3.	Oil & Grease	IS 3025 (Part 39) : 1991	BDL[DL=2]	mg/L
4.	Biochemical Oxygen Demand (27°C, 3Days)	IS 3025 (Part 44) : 1993	5.7	mg/L
5.	Chemical Oxygen Demand	IS 3025 (Part 58) : 2006	20	mg/L

DL - Detection Limit

BDL - Below Detection Limit

Opinions / Interpretations: NIL

- Note:**
1. This test report refers only to the sample tested.
 2. This test report may not be reproduced in part, without the permission of this laboratory.
 3. Any correction invalidates this test report.

- END OF REPORT -

TEST REPORT

ISSUED TO: M/s. TULSIANI-SUMER ASSOCIATES.**For Your Site : "Sahar Plaza Complex"**Sir M.V. Road, Next to Kohinoor Continental Hotel,
Andheri (East), Mumbai - 400059**REPORT NO. : UT/ELS/REPORT/C-103/05-2022****ISSUE DATE : 20/05/2022****YOUR REF. : Sahar Plaza/MoEF & CC/01/2022****REF. DATE : 29/04/2022****SAMPLE PARTICULARS :****Sampling Plan Ref. No. : C-01/04-2022**
Sample Registration Date : 02/04/2022
Date & Time of Sampling : 01/04/2022 at 16:30Hrs.
Analysis Starting Date : 02/04/2022
Analysis Completion Date : 08/04/2022
Sample Collected By : ULTRA TECH
Sample Lab Code : UT/ELS/C-007/04-2022**SOIL QUALITY MONITORING****Sample Type : Surface Soil (at 15cm depth)**
Sample Location : At Project Site
Sample Quantity & Packing Details : 1kg In Plastic Bag Contained in Zip Lock Bag

Sr. No.	Test Parameter	Test Methods	Test Result	Unit
1.	Moisture Content	IS:2720 (Part 2) : 1973	4.3	%
2.	Bulk Density	UT/LQMS/SOP/S03	1161	kg/m ³
3.	Organic Matter	IS:2720 (Part 22) : 1972	1.0	%
4.	Total Organic Carbon	IS:2720 (Part 22) : 1972	0.6	%
5.	pH	IS:2720 (Part 26) : 1987	8.0	-
6.	Conductivity(1:2soil:Water Extract)	IS:14767- 2000	0.408	mS/cm
7.	Sodium as Na (Water Extractable)	UT/LQMS/SOP/S19	78	mg/kg
8.	Magnesium as Mg (Water Extractable)	UT/LQMS/SOP/S22	86	mg/kg
9.	Chlorides as Cl ⁻ (Water Extractable)	UT/LQMS/SOP/S23	108	mg/kg
10.	Sulphate as SO ₄ ²⁻ (Water Extractable)	UT/LQMS/SOP/S24	126	mg/kg
11.	Sodium Adsorption Ratio	UT/LQMS/SOP/S26	1.0	(meq/kg) ^{1/2}
12.	Cation Exchange Capacity	UT/LQMS/SOP/S18	25.2	meq/100g
13.	Water Holding Capacity	UT/LQMS/SOP/S12	55.3	%
14.	Available Boron as B (Available)	UT/LQMS/SOP/S27	0.9	mg/kg
15.	Phosphorous as P ₂ O ₅ (Available)	UT/LQMS/SOP/S28	66	kg/ha
16.	Potassium as K ₂ O (Available)	UT/LQMS/SOP/S29	223	kg/ha
17.	Nitrogen as N (Available)	UT/LQMS/SOP/S30	180	Kg/ha
18.	Iron as Fe	UT/LQMS/SOP/S35 & S37	73524	mg/kg
19.	Zinc as Zn	UT/LQMS/SOP/S35 & S37	99	mg/kg

Opinions / Interpretations: NIL

- Note:**
1. This test report refers only to the sample tested.
 2. This test report may not be reproduced in part, without the permission of this laboratory.
 3. Any correction invalidates this test report.

- END OF REPORT -**(Authorized Signatory)**

[See rules 115 (2)]

Pollution Under Control Certificate

Authorised By :
Government of Maharashtra

Date : 14/08/2022
Time : 12:42:57 PM
Validity upto : 13/02/2023



Certificate SL. No. :
Registration No. : MH00301600008228
Date of Registration : MH03BW5292
Month & Year of Manufacturing : 09/Mar/2015
Valid Mobile Number : February-2015
Emission Norms : *****5316
Fuel : BHARAT STAGE III
PUC Code : DIESEL
GSTIN : MH0030160
Fees :
MIL observation : Rs.150.00
(GST to be paid extra as applicable)
No

Vehicle Photo with Registration plate
60 mm x 30 mm



Sr. No.	Pollutant (as applicable)	Units (as applicable)	Emission limits	Measured Value (upto 2 decimal places)
1	2	3	4	5
Idling Emissions	Carbon Monoxide (CO)	percentage (%)		
	Hydrocarbon, (THC/HC)	ppm		
High Idling emissions	CO	percentage (%)		
	RPM	RPM	2500 ± 200	
	Lambda	-	1 ± 0.03	
Smoke Density	Light absorption coefficient	1/metre	2.45	0.67

This PUC certificate is system generated through the national register of motor vehicles and does not require any signature.

Note : 1. Vehicle owners to link their mobile numbers to registered vehicle by logging to <https://vahan.parivahan.gov.in>

Authorised Signature with stamp of PUC operator
60mm x 20 mm

Form 59

[See rules 115 (2)]

Pollution Under Control Certificate

Authorised By
Government of MaharashtraDate : 29/09/2022
Time : 15:21:37 PM
Validity upto : 28/03/2023Certificate SL No. : MH00302310002978
Registration No. : MH06BG5444
Date of Registration : 16/Sep/2016
Month & Year of Manufacturing : August-2016
Valid Mobile Number : *****4567
Emission Norms : BHARAT STAGE III
Fuel : DIESEL
PUC Code : MH0030231
GSTIN :
Fees : Rs.150.00
(GST to be paid extra as applicable)
ML observation : NoVehicle Photo with Registration plate
60 mm x 30 mm

Sr. No.	Pollutant (as applicable)	Units (as applicable)	Emission limits	Measured Value (upto 2 decimal places)
1	2	3	4	5
Idling Emission	Carbon Monoxide (CO)	percentage (%)		
	Hydrocarbon, (THC/HC)	ppm		
High idling emissions	CO	percentage (%)		
	RPM	RPM	2500 ± 200	
	Lambda	-	1 ± 0.03	
Smoke Density	Light absorption coefficient	1/metre	2.45	0.59

This PUC certificate is system generated through the national register of motor vehicles and does not require any signature.

Note : 1. Vehicle owners to link their mobile numbers to registered vehicle by logging to <https://vahan.parivahan.gov.in>Authorised Signature with stamp of PUC operator
60mm x 20 mm

Pollution Under Control Certificate

Authorised By :

Government of Maharashtra

Date : 21/03/2022
 Time : 14:58:56 PM
 Validity upto : 20/03/2023



Certificate SL. No. : MH00402970000787
 Registration No. : MH48AG4231
 Date of Registration : 21/Sep/2016
 Month & Year of Manufacturing : May-2016
 Valid Mobile Number : *****8091
 Emission Norms : BHARAT STAGE III/IV
 Fuel : DIESEL
 PUC Code : MH0040297
 GSTIN :
 Fees : Rs.110.00(GST as applicable)
 MIL observation : No

Vehicle Photo with Registration plate
 60 mm x 30 mm



Sr. No.	Pollutant (as applicable)	Units (as applicable)	Emission limits	Measured Value (upto 2 decimal places)
1	2	3	4	5
Idling Emissions	Carbon Monoxide (CO)	percentage (%)		
	*Hydrocarbon, (THC/HC)	ppm		
High idling emissions	CO	percentage (%)		
	RPM	RPM	2500 ± 200	
	Lambda	-	1 ± 0.03	
Smoke Density	Light absorption coefficient	1/metre	1.62	0.33

This PUC certificate is system generated through the national register of motor vehicles and does not require any signature.

Note : 1. Vehicle owners to link their mobile numbers to registered vehicle by logging to <https://vahan.parivahan.gov.in>

Authorised Signature with stamp of PUC operator
 60mm x 20 mm

[See rules 115 (2)]

Pollution Under Control Certificate

Authorised By :
Government of Maharashtra

Date : 13/07/2022
Time : 11:00:38 AM
Validity upto : 12/07/2023



Certificate SL. No. : MH04700840011447
Registration No. : MH02EF1533
Date of Registration : 09/May/2016
Month & Year of Manufacturing : April-2016
Valid Mobile Number : *****5454
Emission Norms : BHARAT STAGE IV
Fuel : PETROL/CNG
PUC Code : MH0470084
GSTIN :
Fees : Rs.100.00
(GST to be paid extra as applicable)
MIL observation : No

Vehicle Photo with Registration plate
60 mm x 30 mm



Sr. No.	Pollutant (as applicable)	Units (as applicable)	Emission limits	Measured Value (upto 2 decimal places)
1	2	3	4	5
Idling Emissions	Carbon Monoxide (CO)	percentage (%)	3.0	0.0
	Hydrocarbon, (THC/HC)	ppm	3000.0	0.0
High idling emissions	CO	percentage (%)	0.0	0.0
	RPM	RPM	2500 ± 200	0.0
	Lambda	-	1 ± 0.03	0.0
Smoke Density	Light absorption coefficient	1/metre		

This PUC certificate is system generated through the national register of motor vehicles and does not require any signature.

Note : 1. Vehicle owners to link their mobile numbers to registered vehicle by logging to <https://vahan.parivahan.gov.in>

Authorised Signature with stamp of PUC operator
60mm x 20 mm

CERTIFICATION FROM STRUCTURAL ENGINEER REGARDING EQ RESISTANT DESIGN



Office: 204/01
201/02
201/03
201/04
201/05
201/06
201/07
201/08
201/09
201/10
201/11
201/12
201/13
201/14
201/15
201/16
201/17
201/18
201/19
201/20
201/21
201/22
201/23
201/24
201/25
201/26
201/27
201/28
201/29
201/30
201/31
201/32
201/33
201/34
201/35
201/36
201/37
201/38
201/39
201/40
201/41
201/42
201/43
201/44
201/45
201/46
201/47
201/48
201/49
201/50
201/51
201/52
201/53
201/54
201/55
201/56
201/57
201/58
201/59
201/60
201/61
201/62
201/63
201/64
201/65
201/66
201/67
201/68
201/69
201/70
201/71
201/72
201/73
201/74
201/75
201/76
201/77
201/78
201/79
201/80
201/81
201/82
201/83
201/84
201/85
201/86
201/87
201/88
201/89
201/90
201/91
201/92
201/93
201/94
201/95
201/96
201/97
201/98
201/99
201/100


CONSULTING ENGINEERS, P.L.C. SPECIALIST STRUCTURES, DESIGNERS
ASHOK J. PARIKH
REGISTERED CIVIL ENGINEER
OFFICE: 700, MARSHAL'S MARKET, TANDRA, MUMBAI-400 020.

TO WHOMSOEVER IT MAY CONCERN

"Madison" & "Windsor" Office Building No. 6 & No. 7 respectively and proposed "Mia" building on Sub-Plot "A" of property on Plot No. 179-A to 179-H of Village Mulgaon, CTS No. 228-A to 229-D, 238-D, 245-A & 241-A/1 of Village Keshavnagar, Maharashtra Vastuji Road, Andheri (East), Mumbai. for M/s. Tulsiani Surver & Associates, Tulsiani Chambers, Naraina Point, Mumbai - 400 020.

This is to certify that the R.C.C. for the above-referred buildings No. 6 & 7 (Lower Basement, Upper Basement, 5th Floor plus upper floors) is completed as per my design & detailed drawings. To the best of my knowledge, the workmanship and the materials used are of good quality and sound enough to sustain the loads for which it is designed. The soil areas available on site is capable to bear the bearing pressure as per investigations carried out by the soil expert. Soil foundation is designed for the bearing pressure for which it was recommended.

Further, I am not building the structure as a permanent structure but as a temporary structure and the structure is to be demolished after the completion of the project. I am not liable for the safety of the structure after the completion of the project.


ASHOK J. PARIKH
Consulting Structural Engineer
Lic. No. STM/P/28
Membership No. 34-20622
Date: 12th April 2013

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010437/4020781
/4037124/4035273
Fax : 24044532/4024068 /4023516
Email : enquiry@mpcb.gov.in
Visit At : <http://mpcb.gov.in>



Kalpataru Point, 3rd & 4th floor, Sion- Matunga
Scheme Road No. 8, Opp. Cine Planet Cinema, Near
Sion Circle, Sion (E).
Mumbai - 400022

Infrastructure /Orange/LSI
Consent order No: Format1.0/BO/RO-HQ/EIC-Mu-3626-12-Autorenewal/CR/CC-688

Date-08/05/2014

To,
Tulsiani-Sumer Associates,
"Sahar Plaza"
179 A to 179 F & 179 H, Village: Mulgaon &
CTS No. 230 A, 230 B, 230C, 238 B,
Village: Kondivita, M.V. Road, Andheri (E), Mumbai

Subject: Renewal of Consent to Operate for Building/Construction project Orange
category.

Ref : Your application for Auto renewal vide letter dated 27th March, 2014.

Your application
Dated: 27th March, 2014.

For: Renewal of Consent to Operate for Building/Construction project
under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section
21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of
the Hazardous Wastes (M, H & T M) Rules 2008 is considered and the consent is hereby
granted subject to the following terms and conditions and as detailed in the schedule I, II, III
& IV annexed to this order:

1. The consent to Operate is granted for a period up to :30/4/2018.

The capital investment of the project is Rs. 202.27 Cr.

The Renewal of consent to Operate (part) valid for commercial project named as
M/s. Tulsiani-Sumer Associates "Sahar Plaza" at 179 A to 179 F & 179 H, Village:
Mulgaon & CTS No. 230 A, 230 B, 230C, 238 B, Village: Kondivita, M.V. Road, Andheri
(E), Mumbai for total plot area of 35,346.70 Sq.Mtrs and total construction built
up area 40,000.00 Sq.Mtrs including utilities and services as per construction occupancy
Certificate issued by local body.

2. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	0.00	NA	---
2.	Domestic effluent	48	As per Schedule -I	60% shall be reused & recycled and remaining shall be discharged in municipal sewer



4. Conditions under Air (P& CP) Act, 1981 for air emissions

Sr. No.	Description of stack/ source	Capacity	Number Of Stack	Standards to be achieved
1.	DG Set	380 KVA	1	As Per Schedule -II
2.	DG Set	180 KVA	1	As Per Schedule -II

5. Conditions under Municipal Solid Waste (Management and Handling) Rule,2000:

Sr. no.	Type Of Waste	Quantity & UoM	Treatment	Disposal
1	Biodegradable	500 Kg/Day	Composting	Used as Manure
2	STP Sludge	30 Kg/Day		
3	Non-Biodegradable	600 Kg/Day	Segregate and Hand over to authorized party.	--

6. Conditions under Hazardous Waste (MH & TM) Rules, 2008 for treatment and disposal of hazardous waste:NIL

7. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.

8. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.

9. The applicant shall comply with the conditions stipulated in Environmental Clearance granted by GoI vide No.21-139/2006-IA-III, dtd. 19th Oct, 2006.

10. This consent is issued under the auto renewal consent policy of the board vide letter No.E/654 dtd 31/01/2012 as per self certificate submitted by Mr. R.S.Kuwelker (Designation : Partner), authorized signatory as per board resolution passed in board meeting dtd.,20/3/2014.

For and on behalf of the
Maharashtra Pollution Control Board



(Rajeev Kumar Mital, IAS)
Member Secretary

Received Consent fee of -

Sr. No.	Amount (Rs.)	DB. No.	Date	Drawn On
1	Rs. 8,09,080/-	007484	27 th March, 2014	HDFC Bank

Copy to:

1. Regional Officer, MPCB, Mumbai and Sub-Regional Officer MPCB, II.
-- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Mumbai.
3. CC/CAC desk- for record & website updation purposes



Schedule-I

Terms & conditions for compliance of Water Pollution Control:

1)A] As per your application, you have provided Sewage Treatment Plants (STP) .

B] The Applicant shall operate the effluent treatment plant (STP) to treat the sewage so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board
		Limiting Concentration in mg/l, except for Ph
01	BOD (3 days 27oC)	100
02	Suspended Solids	100
03	COD	250
04	Residual Chlorine	1ppm

C] The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, firefighting, on land for gardening etc and remaining shall be discharged in to the municipal sewerage system.

D] Project proponent shall operate STP for five years from the date of obtaining occupation certificate.

- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 3) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) In case, the water consumption of the project is not covered under the water consumption of local body, in that situation, the project proponent shall submit the CESS Returns in the prescribed format given under the provision of Water (Prevention & Control of Pollution) Cess Act, 1977 and Rules made there under for various category of water consumption.

In case the water consumption is duly assessed under the quantity of water consumption of local body, the project proponent shall submit certificate to that effect from the concern local body with the request not to assess CESS on their water consumption, being already assessed on the water consumption of local body.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Domestic purpose	50



Schedule-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and also proposed to erect following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type Of Fuel	Quantity	UOM	S%	SO ₂
1	DG Set(380KVA)	Acoustic enclosure	3.0	HSD	112	Ltr/Hr	--	--
2	DG Set(180 KVA)	Acoustic enclosure	1.5	HSD				

* Above roof of the building in which it is installed.

2. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards.

Particulate matter	Not to exceed	150 mg/Nm ³ .
--------------------	---------------	--------------------------

3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement well before its life come to an end or erection of new pollution control equipment.

The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).



Schedule-III
Details of Bank Guarantees

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	Renewal of Consent to Operate	Rs. 10 lakh	15 Days	Towards operation and maintenance of STP & MSW Processing plant.	30/4/2018	31/8/2018

Maharashtra Pollution Control Board



[Handwritten signature]

Schedule-IV

General Conditions:

The following general conditions shall apply as per the type of the industry.

- 1) The applicant shall provide facility for collection of samples of sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) The firm shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and environmental protection Act 1986 and Municipal Solid Waste (Management & Handling) Rule 2000 and E-Waste (Management & Handling) Rule 2011.
- 3) Drainage system shall be provided for collection of sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No sewage shall be admitted in the pipes/sewers downstream of the terminal manholes. No sewage shall find its way other than in designed and provided collection system.
- 4) Vehicles hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
- 5) Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) The industry shall take adequate measures for control of noise levels from its own sources within the premises in respect of noise to less than 55 dB(A) during day time and 45 dB(A) during the night time. Day time is reckoned between 6 a.m. to 10 p.m and night time is reckoned between 10 p.m to 6 a.m.
 - d) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - e) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - f) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - g) D.G. Set shall be operated only in case of power failure.
 - h) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - i) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.
- 6) Solid Waste - The applicant shall provide onsite municipal solid waste processing system & shall comply with Municipal Solid Waste (Management & Handling) Rule 2000 & E-Waste (M & H) Rule 2011.
- 7) Affidavit undertaking in respect of no change in the status of consent conditions and compliance of the consent conditions the draft can be downloaded from the official web site of the MPCB.
- 8) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 9) The firm shall submit to this office, the 30th day of September every year, the environment statement report for the financial year ending 31st march in the prescribed Form-V as per the provision of rule 14 of the Environmental (Protection) Second Amended rule 1992.



MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010437/4020781
/4037124/4035273
Fax : 24044532/4024068 /4023516
Email : rohq@mpcb.gov.in
Visit At : <https://mpcb.gov.in>



Kalpataru Point, 3rd & 4th floor, Sion- Matunga
Scheme Road No. 8, Opp. Cine Planet Cinema, Near
Sion Circle, Sion (E),
Mumbai - 400022

Infrastructure /Orange/LSI

Consent order No: Format1.0/BO/JD(WPC)/UAN No.0000062083/2nd partCO/CC-

Date: 26/03/2019
1903001457

To,
M/s. Tulsiani Sumer Associates.,
"Sahar Plaza", 179A to 179F & 179H Village Mulgaon,
CTS No. 230A,230B,230C,238B, Village Kondivita,
M V Road, Andheri(E) Mumbai.

Subject: Renewal of 1st part Consent to Operate with 2nd part Consent to Operate and amalgamation for Commercial Building Project.

Ref : 1. Consent application submitted by Sub-Regional Officer, Mumbai-II
2. Minutes of Consent Committee meeting held on 01/03/2019 & 02/03/2019.

Your application: UAN No.0000062083 Dated: 07/12/2018.

For: Renewal of 1st part Consent to Operate with 2nd part Consent to Operate and amalgamation for Commercial Building Project.

under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 5 of the Hazardous and Other Wastes (M & TM) Rules, 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The consent is granted for a period up to 31/04/2022.
2. The capital investment of the project is Rs. 309.23 Crs. (i.e. Existing Rs. 209.27 Crs + Proposed Rs. 99.96 Crs) (As per C.A certificate submitted by project proponent)

The Renewal of 1st part Consent to Operate with 2nd part Consent to Operate and amalgamation is valid for construction of Commercial Building project named as M/s. Tulsiani-Sumer Associates, "Sahar Plaza", 179A to 179F & 179H Village Mulgaon & CTS No. 230A,230B,230C,238B, Village Kondivita, M V Road, Andheri (E) Mumbai, for Total plot area 49,464.30 Sq.m and Total construction BUA 1,20,580.82 Sq.m. out of which 1st part consent to operate for construction built up area 40,000 Sq.m and 2nd part consent to operate for construction built up area 39,000 Sq.m (40000 Sq.m + 39000 Sq.m = 79000 Sq.m out of 120580.82 Sq.m remaining construction built up area will be 41580.82 Sq.m) including utilities and services as per construction commencement certificate issued by local body.

3. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Trade effluent	NIL	NA	NA
2	Domestic effluent	90.00	As per Schedule -I	60% should be reused & recycled and remaining should be discharged in municipal sewer

4. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. No.	Description of stack/ source	Capacity	Number Of Stack	Standards to be achieved
1	3 Nos DG Sets	125, 200 & 380 KVA	3	As Per Schedule -II

5. Conditions under Solid Waste Management Rules, 2016:

Sr. no.	Type OfWaste	Quantity & UoM	Treatment	Disposal
1	Wet garbage	700 Kg/day	OWC	Used as Manure
2	Dry garbage	1000 Kg/day	-	Segregate and Hand over to Local Body for recycling
3	STP Sludge	30 Kg/Day	-	Used as Manure

- The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
- Project Proponent shall comply the Construction and Demolition Waste Management Rules, 2016 which is notified by Ministry of Environment, Forest and Climate Change dtd.29/03/2016.
- Project Proponent should properly and regularly operate and maintain the online monitoring system installed for the parameter BOD, SS and flow at the outlet of STP.
- Project Proponent shall submit an affidavit in Board's prescribed format within 15 days regarding compliance of conditions of EC/ CRZ clearance and C to O.
- Project Proponent shall achieve the treated domestic effluent standard for the parameter BOD- 10 mg/Lit.
- Project Proponent shall obtain occupancy certificate from competent authority before handover the flats to occupier.
- The online monitoring system installed by Project Proponent for the parameters flow, BOD and TSS at the outlet of STP shall be connected to Board's Servers.
- The applicant shall comply with the conditions stipulated in Environment Clearance granted by GOM, vide no: SEAC-2013/CR-185/TC-1 dtd. 10/12/2014.

For and on behalf of the
Maharashtra Pollution Control Board

(E. Ravendiran, IAS)
Member Secretary

Received Consent fee of -

Sr. No.	Amount (Rs.)	Transaction No.	Date	Drawn On
1	12,36,920	N344180699933148	10/12/2018	HDFC Bank

Copy to:

- Regional Officer, MPCB, Mumbai and Sub-Regional Officer, MPCB, Mumbai-II.
- They are directed to ensure the compliance of the consent conditions.
- Chief Accounts Officer, MPCB, Mumbai.
- CC/CAC desk- for record & website updation purposes.

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

- 1) A) As per your application, you have installed Sewage Treatment Plants (STP) with the design capacity of 450 CMD
- B) The Applicant shall operate the effluent treatment plant (STP) to treat the sewage so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Standards prescribed by Board Limiting Concentration in mg/l, except for PH
1	BOD (3 days 27°C)	10
2	Suspended Solids	50
3	COD	100
4	Residual Chlorine	1 ppm

- C) The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, firefighting, on land for gardening etc and remaining shall be discharged in to the municipal sewerage system.
- D) Project proponent shall operate STP for five years from the date of obtaining occupation certificate.

The Board reserves its rights to review plans, Specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant should obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto

- 2) The industry should ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 3) In case, the water consumption of the project is not covered under the water consumption of local body, in that situation, the project proponent should submit the CESS Returns in the prescribed format given under the provision of Water (Prevention & Control of Pollution) Cess. Act, 1977 and Rules made there under for various category of water consumption.

In case the water consumption is duly assessed under the quantity of water consumption of local body, the project proponent should submit certificate to that effect from the concern local body with the request not to assess CESS on their water consumption, being already assessed on the water consumption of local body.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1	Domestic purpose	95.00

Schedule-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have proposed to install the Air pollution control (APC) system and also proposed to erect following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type Of Fuel	Quantity	UOM	S% SO ₂
1	D G Set 125 KVA	Acoustic enclosure	5*	HSD	35	Lit/Hr	1 16.80
2	D G Set 200 KVA	Acoustic enclosure	5*	HSD	55	Lit/Hr	1 26.40
3	D G Set 380 KVA	Acoustic enclosure	7*	HSD	96	Lit/Hr	1 46.08

* Above roof of the building in which it is installed.

2. The applicant should operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards.

Particulate matter	Not to exceed	150 mg/Nm ³ .
--------------------	---------------	--------------------------

3. The Applicant should obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement alteration well before its life come to an end or erection of new pollution control equipment.

The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).



Maharashtra Pollution Control Board

Schedule-III
Details of Bank Guarantees

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	Renewal of 1 st part Consent to Operate with 2 nd part Consent to Operate	Rs. 10 lakh	15 Days	Towards compliance of Environmental Clearance and Consent conditions.	Continuous	31/08/2022


Maharashtra Pollution Control Board

Schedule-IV

General Conditions:

The following general conditions shall apply as per the type of the industry.

- 1) The applicant shall comply with the conditions stipulated in Environment Clearance granted by GOM, vide No: SEAC-2013/CR-185/TC-1 dtd. 10/12/2014.
- 2) The applicant shall provide facility for collection of samples of sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 3) The firm shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and environmental protection Act 1986 and Solid Waste Management Rules, 2016 and E-Waste (Management) Rules, 2016.
- 4) Drainage system shall be provided for collection of sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No sewage shall be admitted in the pipes/sewers downstream of the terminal manholes. No sewage shall find its way other than in designed and provided collection system.
- 5) Vehicles hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
- 6) Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) The industry shall take adequate measures for control of noise levels from its own sources within the premises in respect of noise to less than 55 dB(A) during day time and 45 dB(A) during the night time. Day time is reckoned between 6 a.m. to 10 p.m and night time is reckoned between 10 p.m to 6 a.m.
 - d) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - e) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - f) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - g) D.G. Set shall be operated only in case of power failure.
 - h) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - i) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.
- 7) Solid Waste - The applicant shall provide onsite municipal solid waste processing system & shall comply with Solid Waste Management Rules, 2016 & E-Waste (M) Rules, 2016.
- 8) Affidavit undertaking in respect of no change in the status of consent conditions and compliance of the consent conditions the draft can be downloaded from the official web site of the MPCB.
- 9) The treated sewage shall be disinfected using suitable disinfection method.
- 10) The firm shall submit to this office, the 30th day of September every year, the environment statement report for the financial year ending 31st march in the prescribed Form-V as per the provision of rule 14 of the Environmental (Protection) Second Amended rule 1992.
- 11) The applicant shall obtain renewal of Consent to Operate from Maharashtra Pollution Control Board before 60 day from expiry of consent validity.

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

Infrastructure/RED/L.S.I

No:- Format1.0/CC/UAN No.0000131448/CR/2205000263

Date: 05/05/2022

To,
M/s. TULSIANI SUMER ASSOCIATES SAHAR
PLAZA, 179A TO 179F & 179H, Vilage
Mulgaon, And CTS
Nos.230A,230B,230C,&238B, Andheri
Kurla Road Of Village Kondivata,
M.V.Road, Andheri (E), Mumbai



Your Service is Our Duty

Sub: Renewal of Consent to Operate (Part) for Commercial Building Construction Project.

- Ref:**
1. Application submitted by SRO-Mumbai-II
 2. Earlier consent having Consent No-format 1.0/BO/RO-HQ/MU-7088-16/CE-Revalidation/CC-0259, Dtd-03.02.2017
 3. Renewal of 1st Operate with 2nd Part Operate, having UAN-62083, Dtd-26.03.2019
 4. Minutes of 23rd CC Meeting Dtd-19.03.2022 & 21.03.2022.

Your application NO. MPCB-CONSENT-0000131448

For: grant of Consent to Renewal under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I,II,III & IV annexed to this order:

1. **Renewal of Consent is valid upto-30.04.2025**
2. **The capital investment of the project is Rs.309.23 Cr. (As per C.A Certificate submitted by industry).**
3. **The Consent to Renewal is valid for Commercial Building Construction Project named as M/s. TULSIANI SUMER ASSOCIATES SAHAR PLAZA, 179A TO 179F & 179H, Vilage Mulgaon, And CTS Nos.230A,230B,230C,&238B, Andheri Kurla Road Of Village Kondivata, M.V.Road, Andheri (E), Mumbai on Total Plot Area of 49464.30 Sq.Mtrs for construction BUA of 79000 Sq.Mtrs out of Total Construction BUA of 120580.82 Sq.Mtrs as per EC granted dated-10.12.2014 including utilities and services**

Sr.No	Permission Obtained	Plot Area (SqMtr)	BUA (SqMtr)
1	Environmental Clearance issued dtd-10.12.2014	49464.30	120580.82
2	Consent to Establish (Re-validation) issued on 03.02.2017	49464.30	80580.82
3	Renewal of Part Operate & Part Operate for 2nd Part-dtd-26.03.2019	49464.30	79000.00

4. **Conditions under Water (P&CP), 1974 Act for discharge of effluent:**

<i>Sr No</i>	<i>Description</i>	<i>Permitted (in CMD)</i>	<i>Standards to</i>	<i>Disposal</i>
1.	Trade effluent	Nil	NA	NA
2.	Domestic effluent	90	As per Schedule - I	The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be connected to the sewerage system provided by local body

5. **Conditions under Air (P & CP) Act, 1981 for air emissions:**

<i>Stack No.</i>	<i>Description of stack / source</i>	<i>Number of Stack</i>	<i>Standards to be achieved</i>
S-1	DG Set-125 KVA	1	As per Schedule -II
S-2	DG Set-200 KVA	1	As per Schedule -II
S-3	DG Set-380 KVA	1	As per Schedule -II

6. **Conditions under Solid Waste Rules, 2016:**

<i>Sr No</i>	<i>Type Of Waste</i>	<i>Quantity & UoM</i>	<i>Treatment</i>	<i>Disposal</i>
1	Dry Garbage	1000 Kg/Day	segregation	sale to authorized vendor
2	Wet Garbage	700 Kg/Day	OWC	Manure generated shall be used for landscaping
3	STP-Sludge	30 Kg/Day	CENTRIFUGE / FILTER PRESS	MANURE
4	e waste	10 Kg/M	collection	Sale to authorised recycler

7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for treatment and disposal of hazardous waste:**

<i>Sr No</i>	<i>Category No.</i>	<i>Quantity</i>	<i>UoM</i>	<i>Treatment</i>	<i>Disposal</i>
1	5.1 Used or spent oil	100	Ltr/A	REPROCESSOR	REPROCESSOR

- The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
- PP shall submit/extend the BG of Rs.10 lakhs towards O&M of STP, OWC and compliance of conditions stipulated in EC and Consent to Operate.
- The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening.
- Project Proponent shall install online monitoring system for the parameter pH, SS, BOD and flow at the outlet of STP.
- Project Proponent shall operate the Organic waste digester with composting facility or biodigester with composting facility effectively
- The project proponent shall make provision of charging of electric vehicles in atleast 40 % of total available parking area.

15. The Project Proponent shall comply with the Environmental Clearance obtained dtd-10.12.2014 for construction project having total plot area of 49464.30 Sq.mtrs and total construction BUA of 120580.82 Sq.mtrs as per EC.



Ashok Shingare

802be6a4
3d3b9919
9cb41a83
83cf170f
5f71609a
ded2b08f
fe735b55
2abca7af

Signed by: **Ashok Shingare**
Member Secretary
For and on behalf of
Maharashtra Pollution Control Board
ms@mpcb.gov.in
2022-05-05 17:18:25 IST

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	1855380.00	MPCB-DR-10299	09/02/2022	RTGS

Copy to:

1. Regional Officer, MPCB, Mumbai and Sub-Regional Officer, MPCB, Mumbai II
 - They are directed to ensure the compliance of the consent conditions.
 - They are directed to extend the B.G. of Rs.10.0 Lakhs towards compliance of consent condition & E.C, Condition.
2. Chief Accounts Officer, MPCB, Sion, Mumbai



SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

- 1) A] As per your application, you have provided MBBR Technology based Sewage Treatment Plants (STPs) of combined capacity **450 CMD for treatment of domestic effluent of 90 CMD.**
B] The treated domestic effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body.
- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 3) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) **The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, and other provisions as contained in the said act.**

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	95.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00

- 5) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time.

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

- 1) **As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) and to observe the following fuel pattern-**

Stack No.	Source	APC System provided/proposed	Stack Height(in mtr)	Type of Fuel	Sulphur Content(in %)	Pollutant	Standard
S-1	DG Set	Acoustic Enclosure	5.00	DIESEL/HSD 35 Kg/Hr	1	SO ₂	16.8 Kg/Day
S-2	DG Set	Acoustic Enclosure	5.00	DIESEL/ HSD 55 Kg/Hr	1	SO ₂	26.4 Kg/Day
S-3	DG Set	Acoustic Enclosure	5.00	HSD /DIESEL 90 Kg/Hr	1	SO ₂	43.2 Kg/Day

- 2) The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards.

Total Particular matter	Not to exceed	150 mg/Nm ³
-------------------------	---------------	------------------------

- 3) The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement well before its life come to an end or erection of new pollution control equipment.
- 4) The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

SCHEDULE-III

Details of Bank Guarantees:

Sr. No.	Consent(C2E/C20/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	Renewal of Consent to Operate	10.0 Lakhs	extend the Existing	Towards compliance of Environmental Clearance and Consent condition	30.04.2025	30.07.2025

** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.
Existing BG obtained for above purpose if any may be extended for period of validity as above.

BG Forfeiture History

Srno.	Consent (C2E/C20/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

BG Return details

Srno.	Consent (C2E/C20/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				

SCHEDULE-IV

General Conditions:

- 1 The applicant shall provide facility for collection of samples of sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2 The firm shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act 1986 and Solid Waste Management Rule 2016, Noise (Pollution and Control) Rules, 2000 and E-Waste (Management & Handling Rule 2011).
- 3 Drainage system shall be provided for collection of sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No sewage shall be admitted in the pipes/sewers downstream of the terminal manholes. No sewage shall find its way other than in designed and provided collection system.
- 4 Vehicles hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.

- 5 Conditions for D.G. Set
- a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
- 6 Solid Waste - The applicant shall provide onsite municipal solid waste processing system & shall comply with Solid Waste Management Rule 2016 & E-Waste (M & H) Rule 2011.
- 7 Affidavit undertaking in respect of no change in the status of consent conditions and compliance of the consent conditions the draft can be downloaded from the official web site of the MPCB.
- 8 Applicant shall submit official e-mail address and any change will be duly informed to the MPCB.
- 9 The treated sewage shall be disinfected using suitable disinfection method.
- 10 The firm shall submit to this office, the 30th day of September every year, the environment statement report for the financial year ending 31st march in the prescribed Form-V as per the provision of rule 14 of the Environmental (Protection) Second Amended rule 1992.
- 11 The applicant shall make an application for renewal of the consent at least 60 days before date of the expiry of the consent.

This certificate is digitally & electronically signed.

NOTICE

Notice is hereby given by **M/sTulsiani- Summer Associates** that the proposed project "**Sahar Plaza**" located at plot no. Plot no.179A to H (new CTS no.) of village-Mulgaon and CTS no.s 243/A, 243/A/1, 230/A ,230/B, 230/C & 230/D (new CTS no.) and 238/D of Village Kondivita of M.V. Road, Andheri (E), M u m b a i - 400059, Maharashtra State has been **accorded Environmental Clearance**. The copies of the clearance letter are available with Maharashtra Pollution Control Board and may also be seen on Department of Environment website <http://ec.maharashtra.gov.in>.

सुचना

(में) तुलसीयानी समर असोशिएट यांच्या द्वारे सुचना देण्यात येत आहे की, एम.व्ही.रोड. अंधेरी(पुर्व) मुंबई, महाराष्ट्र राज्य येथील व्यवसायीक प्रकल्प सहारा प्लाझा गाव मुळगाव येथील सब प्लॉट क. १७९/A to H (नवीन सी.टी.एस.क.) आणि गाव कोंडीविता येथील सी.टी.एस.क. २४३ /A, 243/A/1, 230/A, 230/B, 230/C, 230/D (नवीन सी.टी.एस.क.) आणि 238/D मु वरिल व्यवसायीक विकास करण्यासाठी पर्यावरणीय दाखला संपादित करण्यात आला आहे. आणि त्या दाखला पत्राच्या प्रति महाराष्ट्र राज्य प्रदुषण नियंत्रण महामंडळाकडे उपलब्ध आहे. तसेच त्या वन आणि पर्यावरण मंत्रालय [/http.ec.maharashtra.gov.in](http://http.ec.maharashtra.gov.in) तसेच या संकेतस्थळावर पाहता येतील.